

[Manuals.plus](#) /

› [IRONCK](#) /

› IRONCK 30 Inch Bathroom Vanity with Sink, Model HK-XST-08 User Manual

IRONCK HK-XST-08

IRONCK 30 Inch Bathroom Vanity with Sink

MODEL: HK-XST-08 USER MANUAL

[Introduction](#) [Safety Information](#) [Package Contents](#) [Specifications](#) [Pre-Installation](#) [Assembly](#) [Usage](#) [Maintenance](#) [Troubleshooting](#) [Warranty & Support](#)

1. Introduction

Thank you for choosing the IRONCK 30 Inch Bathroom Vanity with Sink. This manual provides essential information for the safe installation, operation, and maintenance of your new vanity. Please read this manual thoroughly before beginning assembly or use, and retain it for future reference.



Figure 1: The IRONCK 30 Inch Bathroom Vanity with Sink in a typical bathroom setting.

2. Safety Information

Always prioritize safety during installation and use. Failure to follow these instructions may result in injury or damage to the product.

- **Heavy Item:** The vanity and sink are heavy. Always use proper lifting techniques and seek assistance when moving or lifting components to prevent injury.
- **Professional Installation:** For plumbing and electrical connections, it is recommended to consult with or hire a qualified professional to ensure compliance with local codes and safety standards.
- **Secure Fastening:** Ensure all fasteners are tightened securely during assembly. Do not overtighten.
- **Water Exposure:** While the vanity is designed for bathroom environments, avoid prolonged exposure to standing water. Wipe up spills immediately.
- **Chemicals:** Do not use harsh abrasive cleaners on any part of the vanity or sink, as this may damage the finish.

3. Package Contents

Your IRONCK Bathroom Vanity is shipped in two boxes. Please verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support.

- 1 x Instruction Manual
- 1 x Hardware Pack (screws, connectors, etc.)
- 1 x Sink (Ceramic with integrated countertop)
- 1 x Main Cabinet (vanity base with drawers and doors)




Figure 2: Visual representation of the vanity components included in the packaging.

4. Specifications

Feature	Detail
---------	--------

Brand	IRONCK
Model Number	HK-XST-08
Dimensions (D x W x H)	19.6"D x 30"W x 38"H
Item Weight	111.1 Pounds
Material	Engineered Wood (Cabinet), Marble (Top Material Type)
Color	Oak (Cabinet), White (Sink/Countertop)
Installation Type	Freestanding, Floor Mount
Number of Drawers	1 (Full-extension)
Number of Doors	1 (Sliding Barn Door)
Number of Shelves	2 (Adjustable)
Additional Features	Heavy Duty, Moisture Resistant, Scratch Resistant



5. Pre-Installation Considerations

Before installing your new vanity, carefully plan its placement and ensure compatibility with your bathroom layout and existing utilities.

5.1. Bathroom Layout and Measurements

- **Door Clearance:** Ensure that bathroom and shower doors can open fully without obstruction from the vanity.
- **Toilet Clearance:** Maintain a minimum of 18 inches of clear space between the center of the toilet and the edge of the vanity for comfortable use and compliance with building codes.
- **Obstructions:** Verify that the vanity will not block existing electrical outlets, light switches, or mirrors.

5.2. Plumbing Compatibility

Choose a vanity that is compatible with your existing plumbing locations to avoid additional costs and complex modifications. The vanity is designed to accommodate standard P-trap and water supply lines.

5.3. Vanity Size and Height

Standard vanity widths range from 24 inches for compact spaces to 84 inches for larger bathrooms. The height of 32 to 34 inches is generally suitable for most users, with 34 inches often preferred for comfort to reduce bending.

5.4. Sink Material Options

The vanity includes a ceramic sink with a marble-patterned countertop. Other common materials include:

- **Engineered Stone:** Durable, long-lasting, and offers an exquisite appearance.
- **Ceramic:** Budget-friendly, non-porous glazed surface, resists scratches and stains, and is low-maintenance.
- **SMC (Sheet Molded Composite):** Impact-resistant, lightweight, and corrosion-resistant.



Figure 4: Close-up of the marble-patterned countertop material.

5.5. Faucet Configuration

The included sink features three pre-drilled holes for a 4-inch or 8-inch on-center spacing faucet. Please verify whether the faucet is included with your purchase or if it needs to be acquired separately.

5.6. Informational Video: Bathroom Vanity Buying Guide

Video 1: An informational guide from IRONCK on choosing the right bathroom vanity, covering measurements, size, material, and faucet considerations.

6. Assembly Instructions

The IRONCK Bathroom Vanity is designed for easy assembly. All parts are clearly labeled, and precision pre-drilled holes are provided to simplify the process. Please refer to the dedicated step-by-step instruction manual included in your package for detailed assembly guidance.

- **Tools Required:** Gather all necessary tools as listed in the separate assembly manual (e.g., screwdriver, wrench).
- **Follow Steps:** Adhere strictly to the sequence of steps outlined in the assembly manual.
- **Secure Connections:** Ensure all cam locks, screws, and dowels are properly seated and tightened.




Figure 5: Illustration of the vanity's robust and stable construction.

7. Usage

Your IRONCK Bathroom Vanity is designed to provide functional storage and a stylish centerpiece for your bathroom.

7.1. Smart Storage System

The vanity features a versatile storage system:

- **Sliding Barn Door:** The left-right sliding door operates smoothly on steel tracks, providing easy access to the open storage cabinet.
- **Open Storage Cabinet:** Offers ample space for larger items or decorative storage. The two shelves are adjustable to accommodate various item heights.
- **Spacious Drawer:** A full-extension drawer provides convenient storage for smaller essentials, ensuring everything is organized and easily accessible.
- **Side-Mounted Tissue Holder:** A unique and convenient feature for easy access to tissue rolls.

AMPLE STORAGE SPACE



Soaps



Skincare



Towels

Laundry Basket



Hair Dryer



Shampoo



Figure 6: The vanity's interior storage with adjustable shelves and a drawer.

FULL-EXTENSION DRAWER

Smooth glide. Pure pleasure every use



Figure 7: Close-up of the full-extension drawer, highlighting its smooth operation.

SLIDING BARN DOORS



Figure 8: Detail of the sliding barn door mechanism and handle.

7.2. Premium Sink Features

The integrated ceramic sink and marble-patterned countertop offer both elegance and practicality:

- **Integrated Basin:** The seamless design simplifies cleaning and maintenance.
- **Three Tap Holes:** Accommodates various faucet styles (4-inch or 8-inch on-center spacing).
- **Rear Splash Guard:** Helps protect the wall from water splashes, maintaining a neat and dry area.



Figure 9: Close-up of the ceramic sink, countertop, and faucet holes.

8. Maintenance

Proper care will ensure the longevity and appearance of your IRONCK Bathroom Vanity.

- **Cleaning Surfaces:** Use a soft, damp cloth and mild soap for regular cleaning of the cabinet and countertop. Avoid abrasive cleaners, ammonia-based products, or harsh chemicals.
- **Spill Management:** Wipe up water spills and splashes immediately to prevent moisture damage to the engineered wood cabinet.
- **Drawer Glides & Hinges:** Periodically check and clean drawer glides and door hinges. Lubricate with a silicone-based spray if necessary to maintain smooth operation.
- **Hardware:** Clean metal handles and the sliding barn door track with a soft, dry cloth. Avoid harsh chemicals that could tarnish the finish.

9. Troubleshooting

This section addresses common issues you might encounter. For more complex problems, refer to the detailed troubleshooting guide in your included manual or contact customer support.

- **Drawer Not Sliding Smoothly:** Check for obstructions in the drawer glides. Ensure the glides are clean and properly aligned. A light application of silicone lubricant can help.
- **Door Not Sliding Properly:** Inspect the barn door track for debris or misalignment. Ensure the rollers are clean and moving freely.
- **Water Leaks:** If you notice any leaks from the sink or plumbing, immediately turn off the water supply. Check all plumbing connections for tightness and proper sealing. Consult a professional plumber if the issue persists.
- **Wobbly Cabinet:** Ensure the vanity is placed on a level surface. Adjust any leveling feet if present, or use shims to stabilize the unit. Re-tighten all assembly fasteners.

10. Warranty & Support

IRONCK is committed to providing high-quality products and customer satisfaction.

- **Return Policy:** This product is eligible for a 30-day return policy. Please refer to your purchase documentation for specific terms and conditions.
- **Customer Support:** For any questions, concerns, or assistance with your IRONCK product, please contact IRONCK Direct customer support. Contact information can typically be found on your purchase receipt or the IRONCK brand store.
- **Online Resources:** Visit the [IRONCK Store](#) for additional product information and support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question