



[Manuals.plus](#) /

> [ZEBRONICS](#) /

> Zebronics Monitor Desk Stand DMS200 Instruction Manual

ZEBRONICS DMS200

Zebronics Monitor Desk Stand DMS200 Instruction Manual

Model: DMS200

[Introduction](#)

[Safety Information](#)

[Package](#)

[Contents](#)

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty &](#)

[Support](#)

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Zebronics DMS200 Monitor Desk Stand. Please read this manual thoroughly before installation and use to ensure proper function and safety. The DMS200 is designed to support monitors from 17 to 32 inches, with a maximum load capacity of 7 kg, offering ergonomic adjustments for an optimized viewing experience.

43.18cm (17) - 81.28cm (32) Monitor

Designed to accommodate a wide range of monitor sizes for flexible setup



Image 1.1: Zebtronics DMS200 Monitor Desk Stand overview.

2. SAFETY INFORMATION

Please observe the following safety precautions to prevent injury or damage to the product:

- Do not exceed the maximum weight capacity of 7 kg (15.4 lbs).
- Ensure the desk surface is stable and strong enough to support the combined weight of the stand and monitor.
- Always follow the installation instructions carefully. Improper installation can lead to equipment damage or personal injury.
- Keep children and pets away during installation. Small parts may be a choking hazard.
- Do not overtighten screws, as this may cause damage.
- Regularly check all connections to ensure they remain secure.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Monitor Arm Assembly
- Desk Clamp (C-clamp)
- Grommet Mount Base
- VESA Plate
- Hardware Kit (screws, washers, Allen keys)
- Instruction Manual

4. SETUP AND INSTALLATION

The Zebronics DMS200 offers two installation methods: C-clamp and Grommet mount. Choose the method best suited for your desk.

4.1. Choosing a Mounting Method

C-Clamp + Grommet Mount

Offers flexible installation options for a secure fit on different desk styles

C-Clamp



Grommet Mount



Image 4.1: C-Clamp and Grommet Mount options.

- **C-Clamp:** Ideal for desks without pre-drilled holes. Clamps to the edge of the desk.
- **Grommet Mount:** Requires a pre-drilled hole (or drilling one) in the desk. Provides a more flush installation.

4.2. C-Clamp Installation

1. Attach the C-clamp to the bottom of the main pole.
2. Position the stand on the edge of your desk.
3. Tighten the C-clamp screw until the stand is securely fastened to the desk. Ensure it is stable and does not wobble.

4.3. Grommet Mount Installation

1. Disassemble the C-clamp from the main pole if it was pre-attached.
2. Insert the main pole through the grommet hole in your desk.
3. Secure the grommet base plate and tighten the nut from underneath the desk until the stand is firm.

4.4. Ensuring Stability

After mounting the stand, verify its stability on the desk. The anti-slip base and robust construction ensure reliable support for monitors up to 7 kg.



Image 4.4: Stand stability and maximum load capacity.

4.5. Attaching the Monitor

The DMS200 supports VESA patterns of 75x75mm and 100x100mm.

75x75mm / 100x100mm VESA Mount

Ensures a secure and stable attachment
for safe and reliable use



Arm Extendable upto 42cm

Image 4.5: VESA mount plate for monitor attachment.

1. Attach the VESA plate to the back of your monitor using the appropriate screws from the hardware kit. Ensure the screws are not overtightened.
2. Carefully slide the monitor (with the VESA plate attached) onto the monitor arm's mounting head.
3. Secure the monitor to the arm by tightening the locking screw or mechanism on the mounting head.

4.6. Cable Management

Utilize the integrated cable management clips to keep your workspace tidy.



Image 4.6: Integrated cable management.

1. Route your monitor's power and display cables through the clips located along the arm and pole.
2. Ensure cables have enough slack for full range of motion without being strained.

5. OPERATING INSTRUCTIONS

The DMS200 monitor arm provides various adjustments for optimal ergonomic positioning.

Multiple Adjustments




Image 5.1: Monitor arm adjustment capabilities.

- **Height Adjustment:** Loosen the collar on the main pole, adjust the arm to the desired height, and then re-tighten the collar.
- **Tilt Adjustment:** The monitor can be tilted up to $\pm 5^\circ$. Adjust the tilt angle by gently pushing or pulling the top or bottom of the monitor. If the monitor does not hold its position, tighten the tilt mechanism screw with an Allen key.
- **Swivel Adjustment:** The arm allows for $\pm 90^\circ$ swivel. Gently rotate the monitor left or right to achieve the desired viewing angle.
- **Rotation:** The VESA plate allows for 360° rotation, enabling portrait or landscape orientation. Rotate the monitor gently to switch orientations.
- **Arm Extension:** The mechanical arm can extend up to 42 cm. Adjust the arm's position by gently pulling or pushing it to bring the monitor closer or further away.

6. MAINTENANCE

To ensure the longevity and proper function of your monitor stand:

- **Cleaning:** Wipe the stand with a soft, damp cloth. Avoid abrasive cleaners or solvents that may damage the finish.
- **Periodic Checks:** Periodically check all screws and connections to ensure they are tight and secure. Re-tighten if necessary.
- **Load Capacity:** Do not place items on the monitor arm or exceed the maximum weight capacity.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Monitor sags or does not hold tilt position.	Tilt mechanism screw is loose.	Tighten the tilt adjustment screw on the VESA head using the provided Allen key.
Stand wobbles or is unstable.	Desk clamp/grommet mount is not tight enough.	Re-tighten the C-clamp or grommet mount screw/nut. Ensure the desk surface is stable.
Monitor cannot be rotated or swiveled smoothly.	Joints may be too tight or require lubrication.	Check for any obstructions. If joints are too stiff, apply a small amount of silicone-based lubricant (avoid oil-based).
Cables are strained during adjustment.	Insufficient slack in cable management.	Re-route cables, ensuring enough slack is provided for the full range of arm movement.

8. SPECIFICATIONS

Feature	Detail
Model	DMS200
Supported Screen Size	17 - 32 inches
Maximum Load Capacity	7 kg (15.4 lbs)
VESA Compatibility	75x75mm, 100x100mm
Mounting Type	C-Clamp, Grommet Mount
Adjustments	Height, Tilt ($\pm 5^\circ$), Swivel ($\pm 90^\circ$), Rotation (360°)
Arm Extension	Up to 42 cm
Material	Metal (Rust-Proof)
Color	Black
Item Weight	1670 Grams

9. WARRANTY AND SUPPORT

Warranty: The Zebronics DMS200 Monitor Desk Stand comes with a 1-year carry-in warranty to the service center from the date of purchase.

Support: For technical assistance, troubleshooting, or warranty claims, please contact Zebronics customer support. Refer

to the official Zebronics website or your purchase documentation for contact details.

Manufacturer: Zebronics India Private Limited, 13/7 Smith Road, Royapettah, Chennai, Tamil Nadu - 600 002, India.

