

LUXOAK CBS108

LUXOAK CBS108 Beverage Cooler Cabinet Instruction Manual
Model: CBS108 | Brand: LUXOAK

1. INTRODUCTION

Thank you for purchasing the LUXOAK CBS108 Beverage Cooler Cabinet. This manual provides essential information for the safe assembly, operation, and maintenance of your new appliance. Please read these instructions thoroughly before use and retain them for future reference.

2. SAFETY INFORMATION

Important Safety Instructions:

- Read all instructions before using the appliance.
- Ensure the power supply matches the voltage specified on the appliance's rating label.
- Do not operate the appliance with a damaged cord or plug.
- Keep ventilation openings clear of obstruction.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- This appliance is intended for household use only.
- Always unplug the appliance before cleaning or performing maintenance.
- Do not allow children to play with or climb on the appliance.
- For proper stability, ensure the cabinet is placed on a level surface and consider using the wall anchor provided.

3. PACKAGE CONTENTS

Before assembly, verify that all components are present and undamaged. If any parts are missing or damaged, contact customer support.

- Cabinet Panels (various pieces)
- Built-in Mini Fridge Unit
- Adjustable Shelves (3)
- Doors (Louvered style)

- Hardware (screws, hinges, wall anchor, adjustable middle legs)
- Assembly Instructions Manual

4. SPECIFICATIONS

Brand	LUXOAK
Model Name	Bar cabinet-CBS108
Item Model Number	CBS108
Color	Grey
Material	Wood
Product Dimensions (D x W x H)	15"D x 60"W x 35"H
Overall Size (W x D x H)	60"W x 16"D x 40"H
Item Weight	151 Pounds
Number of Shelves	3 (Adjustable)
Special Features	Adjustable Shelf, Built-in Mini Fridge
Fridge Capacity	24 Cans
Fridge Temperature Range	41°F to 68°F
Assembly Required	Yes
Installation Type	Freestanding



Figure 1: Product Dimensions. This image illustrates the overall dimensions of the cabinet (60"W x 16"D x 40"H) and internal shelf measurements (18.5"W x 14"H and 11"H). It also shows the mini fridge unit and its 24-can capacity.

5. SETUP AND ASSEMBLY INSTRUCTIONS

Assembly of the LUXOAK CBS108 Beverage Cooler Cabinet is required. Follow the detailed instructions included in the

separate assembly manual provided with your product. Ensure all parts are accounted for before beginning assembly.

5.1 Key Assembly Considerations

- **Level Surface:** Assemble the cabinet on a clean, flat, and soft surface to prevent scratches.
- **Two-Person Assembly:** It is recommended to have two people for assembly due to the size and weight of the components.
- **Wall Anchor:** For enhanced stability and safety, especially in households with children or pets, utilize the provided wall anchor kit to secure the cabinet to a wall.
- **Adjustable Legs:** The cabinet features adjustable middle legs to ensure stability on uneven floors. Adjust these as needed after initial assembly.

5.2 Door Hinge Adjustment

After assembling the doors, you may need to adjust the hinges to ensure proper alignment and gap spacing. Use a screwdriver to adjust the screws on each hinge as follows:





Figure 2: Door Hinge Adjustment. This image illustrates how to adjust the door hinges. Screw A controls the up and down position, Screw B controls the gap between the door and the cabinet, and Screw C controls the gap between the doors.

- **Screw A:** Adjusts the vertical (up and down) position of the door.
- **Screw B:** Adjusts the horizontal gap between the door and the cabinet frame.
- **Screw C:** Adjusts the gap between adjacent doors.



Wall Anchor



Solid Wood Legs



Adjustable Middle Legs



Smooth Hinge Design



Slatted Door



Suitable Height for Robot

Figure 3: Cabinet Features. This image highlights key structural features such as the wall anchor for stability, solid wood legs, adjustable middle legs for leveling, smooth hinge design, slatted door aesthetics, and the clearance height suitable for robot vacuums.

6. OPERATING INSTRUCTIONS (BEVERAGE COOLER)

The built-in mini fridge is designed to keep beverages, wine, fruits, and even skincare products cool. It features a quiet semiconductor refrigeration system.

6.1 Temperature Control

The beverage cooler offers adjustable temperature control from 41°F (5°C) to 68°F (20°C). Use the one-touch control panel located on the fridge unit to set your desired temperature.




Figure 4: Temperature Control. This graphic illustrates the one-touch temperature control feature of the mini fridge, showing an adjustable range from 41°F to 68°F. The minimum temperature can vary based on room temperature.

- Press the temperature control button to cycle through available temperature settings.
- Allow several hours for the cooler to reach the set temperature after initial plug-in or temperature adjustment.
- The minimum achievable temperature may vary depending on the ambient room temperature.

6.2 Removable Shelf

The beverage cooler includes a removable shelf that can be adjusted to three different positions to accommodate various bottle and can sizes. To adjust, carefully slide the shelf out and reposition it into the desired slots.




Figure 5: Removable Shelf. This image demonstrates the removable glass shelf within the beverage cooler, indicating its three adjustable positions to fit different container sizes.




Figure 6: Versatile Storage. This image displays the interior of the beverage cooler, showcasing its ability to store various items such as canned drinks, bottled beverages, fresh fruits, tea, and skincare products.

7. MAINTENANCE

7.1 Cleaning the Cabinet

- Unplug the beverage cooler before cleaning.
- Wipe the exterior surfaces of the cabinet with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- For the interior of the fridge, use a mild detergent solution and a soft cloth. Rinse with clean water and dry thoroughly.
- Do not immerse the appliance in water.

7.2 Long-Term Storage

- If the appliance will not be used for an extended period, unplug it and clean it thoroughly.
- Leave the fridge door slightly ajar to prevent odors and mold growth.
- Store the cabinet in a dry, well-ventilated area, away from direct sunlight and extreme temperatures.

8. TROUBLESHOOTING

Review the following common issues and solutions before contacting customer support.

Problem	Possible Cause	Solution
Beverage cooler not cooling.	Not plugged in; power outage; temperature set too high; poor ventilation.	Ensure unit is plugged in; check power outlet; lower temperature setting; ensure adequate space around the unit for air circulation.
Excessive noise from cooler.	Unit not level; fan obstruction.	Adjust adjustable middle legs to level the cabinet; check for any obstructions near the fan vents.
Doors are misaligned or have uneven gaps.	Hinges require adjustment.	Refer to Section 5.2 "Door Hinge Adjustment" for detailed instructions.

9. WARRANTY AND CUSTOMER SUPPORT

LUXOAK is committed to providing quality products. Each unit undergoes a quality check before shipping. If you encounter any problems with your product, please contact LUXOAK customer support for assistance. Please have your model number (CBS108) and purchase information ready when contacting support. For support, visit the official LUXOAK store on Amazon:[LUXOAK Store](#)

© 2025 LUXOAK. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0GMBQDM9J>

More documents and user manuals: <https://manuals.plus/>