Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

EROMMY 12x16 Wood Grain Sunroom Gazebo

EROMMY 12x16 Wood Grain Sunroom Gazebo Instruction Manual

Model: 12x16 Wood Grain Sunroom Gazebo

1. Safety Information

Please read all instructions carefully before beginning assembly. Failure to follow these instructions may result in injury or damage to the product.

- **Part Verification:** Ensure all parts are complete and undamaged before starting assembly. Multiple boxes may arrive at different times.
- **Heavy Components:** This product contains heavy components. Exercise caution during handling and assembly. It is recommended to have at least 3-4 people for the main frame structure assembly.
- **Safety Gear:** Always wear appropriate safety gear, such as gloves and eye protection, during assembly.
- **Clear Area:** Assemble the gazebo in a clear, level area free from obstructions.
- **Fastener Torque:** Do not over-torque any fasteners, especially on door and window frames. Over-tightening can strip threads or damage materials. Tighten until snug, then a quarter turn.
- **Weather Conditions:** Avoid assembly during strong winds, heavy rain, or other adverse weather conditions.

2. Setup and Assembly

2.1. Before You Begin

- **Unpack and Identify:** Carefully unpack all components and identify them using the provided parts list.
- **Site Preparation:** Choose a flat, level surface for installation. Ensure adequate clearance around the gazebo for assembly and future use.
- **Tools Required:** Gather all necessary tools as specified in your packing list (e.g., screwdriver, wrench, ladder).

2.2. Assembly Steps Overview

The assembly process typically involves constructing the main frame, installing the roof panels, attaching the wall panels, and finally installing the sliding doors and mesh screens. Refer to the detailed step-by-step instructions provided in your packaging for specific part numbers and sequences.



Figure 2.1: Exterior view of the EROMMY 12x16 Wood Grain Sunroom Gazebo.




Figure 2.2: Product dimensions and suggested uses for the EROMMY sunroom.

2.3. Installation Video Guide

Video 2.1: This video provides a visual guide for the assembly and initial setup of the EROMMY sunroom gazebo, demonstrating key installation steps.

3. Operating Instructions

3.1. Sliding Doors and Windows

The sunroom features smooth sliding doors and windows for convenient access and adjustable privacy. To open or close, gently slide the panels along their tracks. Ensure tracks are clear of debris for smooth operation.




Figure 3.1: Illustration of sliding doors and windows in various open and closed positions.

3.2. Breathable Mesh Panels

High-density mesh panels are integrated into the design to allow airflow while keeping insects out. To expose the mesh, move the clips on both sides of the panel inward, then gently nudge the panel downward. This allows for flexible switching between enclosed and ventilated states without disassembly.



Figure 3.2: Detail of removable PC mesh door panels and clip mechanism.



BREATHABLE MESH SCREEN

Slide the buckles from both sides towards the middle, and then slide the panel downward. In this way, the screen window can be revealed.

Protect Privacy
Ventilation
Sturdy & Weatherproof

Figure 3.3: Detailed view of the breathable mesh screen operation.

3.3. Ventilation and Drainage

The galvanized steel double roof is designed to improve airflow and provide weather resistance. Integrated drainage gutters efficiently divert rainwater, preventing accumulation. Ensure these gutters remain clear of leaves and debris.



Figure 3.4: Galvanized steel double roof and drainage system.

3.4. Product Features Video

Video 3.1: This video showcases the features and functionality of the EROMMY sunroom, including the sliding doors and overall design.

4. Maintenance

4.1. Cleaning

- **Frame:** Clean the aluminum frame with a soft cloth, mild soap, and water. Avoid abrasive cleaners or harsh

chemicals that could damage the wood-grain finish.

- **Roof and Panels:** Use a soft brush or cloth with mild soap and water to clean the galvanized steel roof and PC panels. Rinse thoroughly. Do not use high-pressure washers directly on panels or seals.
- **Tracks:** Regularly clear debris, leaves, and dirt from the sliding door and window tracks to ensure smooth operation.

4.2. Seasonal Care and Inspection

- **Fasteners:** Periodically check all bolts and screws to ensure they are tight. Re-tighten as necessary, but avoid over-torquing.
- **Snow Removal:** In areas with heavy snowfall, regularly remove accumulated snow from the roof to prevent excessive weight and potential damage.
- **Drainage System:** Inspect the integrated gutters and drainage holes to ensure they are free from blockages, especially before and after rainy seasons.
- **Seals:** Check door and window seals for any signs of wear or damage and replace if necessary to maintain weatherproofing.

5. Troubleshooting

5.1. Common Issues and Solutions

- **Missing or Damaged Parts:** If you discover missing or bent parts upon delivery or during assembly, immediately stop assembly and contact EROMMY customer service for replacements. Do not attempt to force bent parts into place.
- **Difficulty During Assembly:**
  - Review the instruction manual carefully, paying close attention to diagrams and part orientations.
  - Ensure you have sufficient help, especially for lifting and positioning large or heavy components.
  - Verify that all components are correctly aligned before tightening fasteners.
- **Sliding Doors/Windows Sticking:**
  - Check tracks for debris and clean thoroughly.
  - Ensure the gazebo frame is level and square. Uneven installation can cause binding.
  - Lightly lubricate tracks with a silicone-based spray if needed.
- **Water Leakage:**
  - Inspect roof panels for proper overlap and secure fastening.
  - Verify that all seals around panels and doors are intact and properly seated.
  - Ensure the drainage system (gutters and downspouts) is clear and functioning correctly.

6. Specifications

Feature	Detail
Brand	EROMMY
Model	12x16 Wood Grain Sunroom Gazebo
Material Type	Wood Grain Steel Roof

Feature	Detail
Frame Material	Aluminum
Roof Material	Galvanized Steel
Item Weight	742.2 Pounds
Floor Area	192 Square Feet
Door Style	Sliding Doors
Water Resistance Level	Waterproof
Ultraviolet Light Protection	50+
Required Assembly	Yes



Figure 6.1: Weather resistance features of the EROMMY sunroom.




Figure 6.2: Ceiling hooks for accessories.



Figure 6.3: Wood-grain aluminum frame composition.

7. Warranty and Support

7.1. Warranty Information

This product is covered by a manufacturer's warranty. Please refer to the warranty documentation included with your purchase for specific terms, conditions, and duration. Retain your proof of purchase for warranty claims.

7.2. Returns and Customer Support

EROMMY offers a 30-day easy return policy. For any questions, concerns, or assistance with assembly, missing parts, or product issues, please contact EROMMY customer support. Contact details can typically be found on the packaging, in the included documentation, or on the official EROMMY website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0GQ3F2R2Y

More documents and user manuals: **https://manuals.plus/**