

Garvee YTPHO_125LZR44-CA9gRe7

Garvee 5FT Commercial Kitchen Exhaust Hood

Model: YTPHO_125LZR44-CA9gRe7

1. INTRODUCTION

This manual provides essential instructions for the safe and efficient installation, operation, and maintenance of your Garvee 5FT Commercial Kitchen Exhaust Hood. Designed for commercial environments such as restaurants, food trucks, and concession trailers, this wall-mount hood ensures effective removal of smoke, steam, fumes, and odors, contributing to a cleaner and safer cooking area. The unit features durable stainless steel construction, powerful ventilation, and easily removable U-shaped grease filters for simplified cleaning.

2. IMPORTANT SAFETY INSTRUCTIONS

Read all instructions carefully before installation and operation. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- **Electrical Safety:** Ensure the power supply matches the voltage requirements of the hood. All electrical wiring must be performed by a qualified electrician and comply with local codes and standards. Disconnect power before servicing or cleaning.
- **Proper Installation:** Install the hood according to the provided instructions and local building codes. Ensure the mounting surface is structurally sound to support the weight of the unit.
- **Ventilation:** Ensure proper ducting is used and vented to the outside. Do not vent exhaust air into walls, attics, crawl spaces, or garages.
- **Fire Hazard:** Never leave cooking unattended. Grease fires can start quickly. Clean grease filters regularly to prevent grease buildup, which is a fire hazard. In case of a grease fire, turn off the hood and cooking appliance, then smother the flames with a lid or fire extinguisher. Do not use water.
- **Maintenance:** Perform regular cleaning and maintenance as described in this manual. Use only

recommended cleaning agents.

- **Children:** Keep children away from the appliance during operation and cleaning.

3. SETUP AND INSTALLATION

3.1 Package Contents

Before beginning installation, verify that all components are present:

- Commercial Exhaust Hood x 1
- U-Shaped Grease Filters x 3
- Exhaust Duct x 1 (*Note: Specific ducting requirements may vary based on installation*)
- Mounting Brackets x 2
- Screw Kit x 1
- Instruction Manual x 1




Image: Package contents and overall dimensions of the Garvee Commercial Kitchen Exhaust Hood. The image displays the hood, filters, and mounting hardware, along with a diagram showing dimensions: 59 inches (150cm) width, 29.92 inches (76cm) depth, and 35.43 inches (90cm) height.

3.2 Wall-Mount Installation

The Garvee Commercial Kitchen Exhaust Hood is designed for wall-mount installation. Follow these general steps:

1. **Site Preparation:** Choose a suitable location above your cooking range, ensuring adequate clearance from heat sources and compliance with local fire codes. The wall must be capable of supporting the hood's weight (approximately 37.1 kg).
2. **Marking:** Use the provided mounting brackets as a template to mark drilling points on the wall. Ensure the marks are level and correctly spaced.
3. **Drilling:** Drill pilot holes and install appropriate anchors or fasteners suitable for your wall type (e.g., concrete, wood studs).
4. **Mounting Brackets:** Securely attach the mounting brackets to the wall.
5. **Hood Placement:** Carefully lift the exhaust hood and position it onto the mounted brackets. Ensure it is securely seated.
6. **Ducting Connection:** Connect the exhaust duct to the hood's outlet and route it to the exterior of the building. Ensure all duct connections are sealed to prevent air leaks.
7. **Electrical Connection:** A qualified electrician should connect the hood to the main power supply, following all local electrical codes.

PREMIUM STAINLESS STEEL

403 Stainless Steel

The exhaust hood, crafted from durable 430 stainless steel, provides exceptional heat and corrosion resistance for long-lasting performance.



Corrosion Resistance



Lasting Durability




Image: Close-up view of the Garvee Commercial Kitchen Exhaust Hood, highlighting its premium 430 stainless steel construction. The image emphasizes corrosion resistance and lasting durability, key features for commercial use.

4. OPERATING INSTRUCTIONS

The Garvee Commercial Kitchen Exhaust Hood is designed for powerful ventilation and smoke extraction. Once properly installed and connected to power, operate the hood as follows:

1. **Power On:** Locate the power switch or control panel (if applicable) and turn on the exhaust hood.
2. **Fan Speed:** Adjust the fan speed as needed for your cooking intensity. Higher speeds are recommended for heavy cooking, frying, or grilling to ensure maximum smoke and odor removal.
3. **Effective Capture:** Position cooking pots and pans directly under the hood's capture area for optimal performance.
4. **Post-Cooking:** Allow the hood to run for a few minutes after cooking is complete to clear any residual fumes and odors from the kitchen.




Image: The Garvee Commercial Kitchen Exhaust Hood actively capturing smoke and steam from two cooking pots on a stovetop. This illustrates the hood's large smoke capture area and effective ventilation for cleaner air.

COMMERCIAL EXHAUST HOOD

Cleaner air Better cooking

Best-in-class air ventilation and smoke exhaust



Image: A wider view of the Garvee Commercial Kitchen Exhaust Hood installed above a cooking range, demonstrating its integration into a commercial kitchen setup and its function in maintaining air quality.

5. MAINTENANCE AND CLEANING

Regular maintenance is crucial for the longevity and efficient performance of your exhaust hood. Always disconnect power before performing any cleaning or maintenance.

5.1 Cleaning Grease Filters

The U-shaped baffle grease filters are designed to efficiently trap oil and grease. They should be cleaned regularly, depending on cooking frequency and intensity, to prevent buildup and maintain optimal airflow.


1. **Removal:** Carefully detach the U-shaped grease filters from the hood. They are designed for easy removal.
2. **Cleaning:** Wash the filters with hot, soapy water or a suitable degreaser. For stubborn grease, soaking may be necessary. The filters are also typically dishwasher-safe.
3. **Rinsing and Drying:** Rinse thoroughly and allow the filters to dry completely before reinstallation.
4. **Reinstallation:** Reinstall the dry filters securely into the hood.

BAFFLE GREASE FILTERS

Filter Out the Grease, Odors, and Impurities!



Stainless Steel Surface



Large Drainage Holes



Easily Detachable Filters

Image: A detailed view of the baffle grease filters, showing their stainless steel surface, large drainage holes, and the process of cleaning a filter with a cloth. This highlights the ease of maintenance for the detachable filters.

5.2 Cleaning Exterior Surfaces

The hood's stainless steel exterior should be cleaned regularly to maintain its appearance and hygiene.

- Use a soft cloth dampened with warm water and a mild detergent or a specialized stainless steel cleaner.
- Wipe in the direction of the grain to prevent streaks.
- Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can scratch or damage the stainless steel finish.
- Dry thoroughly with a clean, soft cloth.

6. TROUBLESHOOTING

If you encounter issues with your Garvee Commercial Kitchen Exhaust Hood, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Hood does not turn on.	No power supply; tripped circuit breaker; loose wiring.	Check power connection. Reset circuit breaker. Consult a qualified electrician to inspect wiring.
Poor suction or ventilation.	Clogged grease filters; obstructed ducting; incorrect fan speed setting.	Clean grease filters. Check ductwork for obstructions. Increase fan speed. Ensure ducting is properly sized and installed.
Excessive noise during operation.	Loose components; fan motor issue; ducting vibration.	Check for loose screws or parts and tighten. Ensure filters are correctly installed. Inspect ductwork for proper support and sealing. If noise persists, contact customer support.
Grease dripping from hood.	Grease filters are saturated or incorrectly installed.	Clean grease filters thoroughly. Ensure filters are correctly and securely reinstalled.

7. SPECIFICATIONS

Feature	Detail
Brand	Garvee
Model Number	YTTPHO_125LZR44-CA9gRe7
Product Dimensions (L x W x H)	149.86 x 76 x 89.99 cm (59 x 29.92 x 35.43 inches)
Item Weight	37.1 kg
Material	430 Stainless Steel
Mounting Type	Wall Mount
Ventilation Type	Ducted/Vented
Filter Type	U-Shaped Baffle Grease Filters (Removable)
Number of Filters	3
UPC / GTIN	824126776744
Country of Origin	China

8. WARRANTY AND SUPPORT

Garvee products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty card included with your product or visit the official Garvee website. Keep your purchase receipt as proof of purchase.

For technical assistance, parts, or service inquiries, please contact Garvee customer support through their official channels. When contacting support, please have your model number (YTTPHO_125LZR44-

CA9gRe7) and purchase date available.

You can often find support information on the brand's Amazon store page:[Visit the Garvee Store on Amazon](#).

© 2026 Garvee. All rights reserved.