

## HOROW X70

# HOROW X70 Smart Toilet User Manual

Model: X70

[Overview](#)

[Setup](#)

[Operating](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty & Support](#)

## 1. PRODUCT OVERVIEW

---

The HOROW X70 Smart Toilet offers an advanced, touch-free bathroom experience. It integrates a bidet with features such as automatic lid opening/closing, automatic flushing, and a foam shield for enhanced hygiene. Designed with ADA chair height for comfort, it includes an elongated heated seat, instant warm water, and a power-off flush backup system.

### Key Features:

- **Automatic Operation:** Lid opens and closes automatically upon approach and departure.
- **Auto Flush:** Flushes automatically after use.
- **Anti-Splash Foam Shield:** Creates a foam layer to prevent splashes, trap odors, and lubricate the bowl.
- **ADA Chair Height:** 17-inch height for easier sitting and standing.
- **Elongated Heated Seat:** Provides comfort, especially in colder conditions.
- **Customizable Wash Settings:** Adjust water pressure, temperature, and nozzle position.
- **Instant Warm Water:** Provides immediate warm water for bidet functions.
- **Power-Off Flush Backup:** Mechanical system allows flushing during power outages.
- **Electrolyzed Water Cleaning:** Automatic cleaning function for the bowl.
- **UVC Water Path:** Ensures germ-free water for bidet functions.

---

## 2. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance of your HOROW X70 Smart Toilet. It is recommended to consult a professional plumber for installation if you are not experienced with plumbing work.

### Before You Begin:

- Ensure all included components are present: One-Piece Toilet, Angle Valve, Installation Template, Wax Ring, Floor Flange, User Manual, Remote Control, Mounting Kit.
- Verify your bathroom's plumbing connections are compatible. The toilet requires a 1/2 NPT adapter for the water line.
- Turn off the main water supply to your bathroom.



Image: HOROW X70 Smart Toilet with key dimensions including 17-inch ADA height and 12-inch rough-in. This image illustrates the physical size and comfort height of the toilet.

### Installation Steps (Summary):

1. Prepare the floor flange and ensure the area is clean and level.
2. Install the wax ring onto the toilet's waste outlet.

3. Carefully position the toilet over the floor flange, ensuring proper alignment.
4. Secure the toilet to the floor using the mounting kit.
5. Connect the water supply line to the toilet's inlet valve, using the provided 1/2 NPT adapter if necessary.
6. Turn on the water supply and check for leaks.
7. Plug the toilet into a grounded electrical outlet.

Video: HOROW X70 Installation Guide. This video provides a visual walkthrough of the installation process for the HOROW X70 Smart Toilet.

For detailed instructions, please refer to the included [Installation Manual \(PDF\)](#).

---

### 3. OPERATING INSTRUCTIONS

---

The HOROW X70 Smart Toilet is designed for intuitive operation, primarily through its automatic functions and the included remote control.

#### Automatic Functions:

- **Auto Open/Close:** The lid automatically opens when you approach the toilet and closes after you leave. The detection distance can be customized.
- **Auto Flush:** The toilet flushes automatically after use.
- **Foam Shield:** A layer of foam automatically forms in the bowl when you sit, reducing splashes and odors.
- **Smart Temperature Control:** Ambient sensors adjust seat temperature, water temperature for washing, and warm air dryer temperature for year-round comfort.
- **Night Light:** An integrated night light automatically activates in low light conditions for safe navigation.

## Smart Display for Comfort & Peace of Mind

Lights and icons guide your use, create a cozy feel and show that everything is working.



Image: Smart Display for Comfort & Peace of Mind. This image shows the toilet's smart display with various illuminated icons indicating active functions and settings.

### Remote Control Functions:

The remote control allows for personalized adjustments to various settings:

- **Wash Settings:** Select between Feminine Wash, Rear Wash, Pulse Wash, and Child Mode. Adjust water pressure and water temperature.
- **Nozzle Position:** Adjust the bidet nozzle forward or backward for optimal cleaning.
- **Dryer:** Activate the warm air dryer and adjust its temperature.
- **Seat Temperature:** Manually adjust the heated seat temperature.
- **Flush:** Manual flush button.
- **Stop:** Stops any active bidet or drying function.

Video: HOROW X70 Feature Demo. This video demonstrates the various features and functions of the HOROW X70 Smart Toilet, including bidet settings and automatic operations.

### Power-Off Flush:

In the event of a power outage, the HOROW X70 features a mechanical pull ring for manual flushing.

Locate the pull ring (typically on the side or rear of the toilet base) and pull it up, then press down to activate a flush.

## Power Outage Protection Seamless Manual Flush

Built in mechanical pull ring, capable of uninterrupted flushing even without power



Image: Power Outage Protection Seamless Manual Flush. This image illustrates the mechanical pull ring mechanism for manual flushing during a power outage.

## 4. MAINTENANCE AND CLEANING

---

Regular maintenance ensures the longevity and hygienic operation of your smart toilet.

### Cleaning the Bowl:

- The Anti-Splash Foam Shield helps keep the bowl clean by preventing waste from sticking.
- The X70 uses an electrolyzed water cleaning function after use to support routine bowl care.
- For manual cleaning, use a soft cloth and mild, non-abrasive bathroom cleaner. Avoid harsh chemicals or abrasive pads that could damage the ceramic surface.

# Electrolytic Water Cleaning

Auto-cleaning | Safety & Hygiene | 99.9% Clean  
Environmentally Friendly




Image: Electrolytic Water Cleaning. This image depicts the internal electrolytic water cleaning process, showing how the toilet automatically cleans itself for hygiene.

## Bidet Nozzle and Water Path:

- The bidet nozzle is self-cleaning.
- The UVC Water Path ensures that the water used for bidet functions is germ-free and safe.
- Periodically inspect the nozzle for any mineral buildup and gently clean with a soft brush if necessary.

# UVC Water Path Skin-Safe Water, Every Time

UVC keeps the cleaning water germ-free and safe for even the most sensitive skin.




Image: UVC Water Path Skin-Safe Water, Every Time. This image illustrates the UVC sterilization process within the water path, ensuring hygienic bidet water.

## Water Filtration:

The HOROW X70 features a dual water, triple filtration system. Monitor the filter life indicator (if available on the display) and replace the filter as recommended to maintain water purity and system performance.

# Dual Water, Triple Filtration Pure Every Time

Lasts for up to 11,000 minutes of use.  
Smart Filter Life Monitoring



Filter Life: 0%  
Please Replace Filter




Image: Dual Water, Triple Filtration Pure Every Time. This image details the multi-stage water filtration system, showing how it removes debris, sand, and sediment.

## 5. TROUBLESHOOTING

Refer to this section for solutions to common issues. If the problem persists, contact customer support.

Problem	Possible Cause	Solution
Lid does not open/close automatically.	Sensor obstruction, incorrect detection range setting, power issue.	Ensure sensor is clear. Adjust detection range via remote control. Check power connection.
Weak flush or no flush.	Low water pressure, power outage, clog.	Check water supply valve. Use manual flush during power outage. Clear any clogs.
Bidet water is not warm.	Water heater not activated, temperature setting too low, power issue.	Ensure instant warm water function is enabled. Adjust water temperature setting on remote. Check power.

Problem	Possible Cause	Solution
Bidet nozzle position is incorrect.	Nozzle setting needs adjustment.	Use the remote control to adjust the nozzle position.
Foam shield not activating.	Foam function disabled, low foam solution.	Ensure foam shield is enabled via remote. Check foam solution level (if applicable).

## 6. PRODUCT SPECIFICATIONS

---

Feature	Detail
Model Number	X70
Brand	HOROW
Color	White
Product Dimensions (D x W x H)	28.2" x 15.9" x 17.9"
Item Weight	112 Pounds
Material	Ceramic
Seat Material	Polypropylene (PP)
Installation Method	Floor Mounted
Included Components	Floor flange, Valve, Mounting accessory kit, Mounting Template, Wax ring, Remote

## 7. WARRANTY AND SUPPORT

---

### Warranty Information:

For detailed information regarding the product warranty, please refer to the official [Warranty Document \(PDF\)](#) provided by HOROW.

### Customer Support:

If you encounter any issues not covered in this manual or require further assistance, please contact HOROW customer support. HOROW is committed to providing professional technical and service teams available 24 hours a day for lifetime troubleshooting guidance.

You can also visit the [HOROW Store on Amazon](#) for more information and contact options.

