

Kidilo ZJ105A

Kidilo 360 Rotation Isofix Car Seat Instruction Manual

Model: ZJ105A

INTRODUCTION

Thank you for choosing the Kidilo 360 Rotation Isofix Car Seat. This manual provides important instructions for the correct installation, safe use, and maintenance of your car seat. Please read this manual thoroughly before use and keep it for future reference. Your child's safety is our top priority.

The Kidilo 360 Rotation Isofix Car Seat is designed to offer maximum safety and comfort for children from 6 months up to 6 years old, with a maximum weight recommendation of 36 kg. Key features include an innovative 360-degree rotation, secure Isofix installation, multiple recline positions, an adjustable headrest, and padded side wings.

SAFETY INFORMATION

WARNING: Failure to follow these instructions can result in serious injury or death.

- Always secure your child in the car seat using the internal harness system, even for short journeys.
- Ensure the car seat is correctly installed in your vehicle according to the instructions provided in this manual.
- Never leave your child unattended in the car seat.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage. It may have sustained internal damage that compromises its safety.
- Always check that the harness is snug and correctly adjusted to your child's size.
- Refer to your vehicle's owner's manual for specific information regarding child restraint systems and Isofix anchor points.

SETUP AND INSTALLATION

Proper installation is crucial for your child's safety. The Kidilo 360 Rotation Isofix Car Seat offers secure Isofix installation.

Isofix Installation

1. **Locate Isofix Anchor Points:** Identify the Isofix anchor points in your vehicle. These are typically located between the backrest and the seat cushion of your car's rear seats.
2. **Extend Isofix Connectors:** Press the Isofix release buttons on the car seat (usually located on the base) and extend the Isofix connectors.
3. **Attach to Vehicle:** Align the car seat's Isofix connectors with your vehicle's anchor points. Push firmly until you hear a distinct 'click' sound on both sides, indicating a secure connection. Check the indicators (usually green) to confirm correct attachment.
4. **Push Seat Firmly:** Push the car seat firmly against the vehicle's backrest to remove any slack.
5. **Adjust Support Leg:** Extend the support leg to the vehicle floor until it is firmly braced. Ensure the indicator on the support leg shows it is correctly positioned.



Image: Front view of the Kidilo 360 Rotation Isofix Car Seat, showing the harness and general structure. This view helps in understanding the overall design before installation.



Image: Side view of the Kidilo 360 Rotation Isofix Car Seat in an upright position. This angle illustrates the seat's profile and how it would sit in a vehicle.

OPERATING INSTRUCTIONS

360-Degree Rotation

The car seat features an innovative 360-degree rotation for easy access and switching between rear-facing and forward-facing positions.

1. **Unlock Rotation:** Locate the rotation release lever or button, usually at the front of the car seat base. Press or pull it to unlock the rotation mechanism.

2. **Rotate Seat:** Gently rotate the car seat to the desired position (rear-facing or forward-facing).
3. **Lock Position:** Ensure the seat clicks securely into place in the new position. Always verify that the seat is locked before placing your child in it or driving.

Adjusting Recline Positions

The car seat offers multiple recline positions for your child's comfort.

1. **Locate Recline Lever:** Find the recline adjustment lever, typically located under the front edge of the seat.
2. **Adjust Recline:** While holding the lever, tilt the seat to the desired recline angle. Release the lever to lock the seat in position.



Image: Side view of the Kidilo 360 Rotation Isofix Car Seat in a reclined position. This demonstrates one of the adjustable comfort settings for the child.

Adjusting Headrest and Harness

The headrest and harness system are adjustable to accommodate your growing child.

1. **Headrest Adjustment:** Locate the headrest adjustment handle, usually at the top of the headrest. Squeeze the handle and slide the headrest up or down to the correct height. The shoulder straps should be at or just below your child's shoulders for rear-facing, and at or just above for forward-facing.
2. **Harness Tightening:** Place your child in the seat. Buckle the harness. Pull the harness adjustment strap (usually located at the front of the seat) to tighten the harness until it is snug against your child's body. You should not be able to pinch any slack at the shoulder.
3. **Harness Loosening:** Press the harness release button (usually under a flap at the front of the seat) and pull the shoulder straps forward to loosen the harness.



Image: Front view of the Kidilo 360 Rotation Isofix Car Seat, highlighting the adjustable headrest and harness system.

MAINTENANCE

Regular cleaning and maintenance will prolong the life of your car seat and ensure its continued safety.

- **Fabric Covers:** The fabric covers can be removed for cleaning. Refer to the care label on the covers for specific washing instructions. Typically, they can be hand-washed with mild detergent and air-dried. Do not machine wash or tumble dry unless specified, as this may damage the fabric.
- **Plastic Parts:** Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Harness Straps:** Wipe harness straps with a damp cloth. Do not immerse harness straps in water or use harsh chemicals, as this can weaken the webbing.
- **Inspection:** Periodically inspect the car seat for any signs of wear, damage, or loose parts. If any damage is found, discontinue use and contact customer support.

TROUBLESHOOTING

If you encounter any issues with your Kidilo car seat, please refer to the following common problems and solutions:

- **Problem:** The car seat does not rotate smoothly or gets stuck.
Solution: Ensure the rotation release lever is fully engaged. Check for any obstructions (e.g., fabric, debris) in the rotation mechanism. Make sure the car seat is not overtightened against the vehicle seat, which can hinder rotation.
- **Problem:** Isofix connectors do not click into place or indicators remain red.
Solution: Ensure the Isofix connectors are fully extended and aligned correctly with the vehicle's anchor points. Push the car seat firmly towards the vehicle's backrest. If the issue persists, consult your vehicle's manual or contact customer support.
- **Problem:** Harness straps are difficult to tighten or loosen.
Solution: Check that the harness straps are not twisted. Ensure the harness release button is fully pressed when loosening, and the adjustment strap is pulled straight when tightening. Make sure no fabric is obstructing the harness mechanism.
- **Problem:** The car seat feels loose after installation.
Solution: Re-check all installation steps. Ensure Isofix connectors are securely latched (green indicators visible) and the support leg is firmly braced against the floor. Push the car seat firmly against the vehicle seat to remove any remaining movement.

SPECIFICATIONS

Brand	Kidilo
Model	ZJ105A
Materials	Plastic, Fabric, Metal
Color	BLACK
Product Dimensions (D x W x H)	77 cm x 52 cm x 105 cm

Item Weight	5.5 kg
Maximum Weight Recommendation	36 kg
Age Range Description	6 months to 6 years

WARRANTY AND SUPPORT

For warranty information or customer support, please refer to the documentation included with your purchase or contact the retailer where you purchased the Kidilo 360 Rotation Isofix Car Seat. Keep your proof of purchase for any warranty claims.

If you have further questions or require assistance, please reach out to the seller, Fantastic-Kids-Toys, or the Kidilo customer service department.