

[Manuals.plus](#) /

> [Jocoevol](#) /

> Jocoevol 8x12FT Resin Outdoor Storage Shed (Model SS-260316) Instruction Manual

## Jocoevol SS-260316

# Jocoevol 8x12FT Resin Outdoor Storage Shed Instruction Manual

Model: SS-260316

## 1. PRODUCT OVERVIEW

---

The Jocoevol 8x12FT Resin Outdoor Storage Shed is designed to provide secure and weatherproof storage for gardening tools, lawn equipment, bikes, and patio furniture. Constructed from robust metal and PP material, it features waterproof and UV-resistant properties, with 15mm thick panels for durability.

- **Dimensions:** 87.53" W x 134.57" D x 90.77" H
- **Storage Capacity:** Approximately 618 cubic feet
- **Material:** Metal and Polypropylene (PP)
- **Features:** Integrated floor, windows, lockable door, and top ventilation.


# 8x12FT

# Outdoor Storage Shed

Dimensions (WxDxH)  
**87.5"x134.6"x90.8"**

Storage Capacity  
**618 cu.Ft**

Roof Weight Capacity  
**1800 Lbs**



Manual & Assembly  
Video Available



Assembly Requires:  
Two people



Arrives in 4 boxes

Figure 1: Overall dimensions and key features of the Jocevol 8x12FT Outdoor Storage Shed.

The shed's design includes a wear-resistant PP material floor, windows for natural light, a lockable door for security, and a top vent to promote air circulation, helping to keep stored items dry and odor-free.



Figure 2: Interior storage capacity of the shed, suitable for gardening tools, lawn equipment, and other outdoor items.

## 2. SAFETY INFORMATION

---

Please read and understand all safety instructions before assembly and use of the storage shed.

- **Two-Person Assembly:** Assembly requires a minimum of two people for safety and ease of installation.
- **Component Handling:** Handle all components with care, especially larger or heavier parts, to prevent injury.
- **Wind Stability:** Ensure the shed is securely anchored to the ground to prevent movement or damage from strong winds.
- **Local Regulations:** Check with your local Homeowners Association (HOA) policies to confirm if construction of such a structure is permitted in your area.
- **Package Inspection:** Inspect all packages upon arrival. Components may arrive in multiple packages that could be delivered separately.

## 3. SETUP AND ASSEMBLY

---

The assembly process requires careful attention to detail. All necessary components, labeled parts, and detailed assembly instructions are included in the package.

### 3.1 Pre-Assembly Checklist

1. **Review Instructions:** Read the entire assembly manual thoroughly before beginning.
2. **Verify Parts:** Unpack all components and verify against the parts list provided in the manual. Contact customer support immediately if any parts are missing or damaged.
3. **Gather Tools:** Ensure you have all required tools for assembly (e.g., screwdriver, wrench, level).
4. **Clear Area:** Choose a level, clear area for assembly, free from obstructions.

### 3.2 Assembly Steps

Follow the step-by-step instructions provided in the included assembly manual. It is crucial to follow the sequence to ensure proper structural integrity.

1. **Base Foundation:** Assemble the base frame and ensure it is level and square.
2. **Wall Panels:** Attach the wall panels according to the numbered diagrams. Ensure panels are securely interlocked or fastened.
3. **Door and Window Installation:** Install the door frame, doors, and window panels as directed.
4. **Roof Structure:** Assemble the roof support beams and attach the roof panels.
5. **Final Touches:** Install vents, handles, and any remaining trim pieces.
6. **Anchoring:** Securely anchor the shed to the ground using appropriate hardware for your chosen foundation.



Figure 3: The assembled shed with doors open, demonstrating its readiness for storage.


## 4. OPERATING INSTRUCTIONS

---

Using your Jocoevol storage shed is straightforward, designed for convenience and security.

- **Door Operation:** The shed features a single hinged door. To open, unlatch the locking mechanism and pull the door outwards. To close, push the door firmly until it aligns with the frame and engage the latch.
- **Locking Mechanism:** The door is designed to be lockable for protection against theft. Use a padlock (not included) through the designated holes on the door handles to secure the shed.
- **Ventilation:** The top vent encourages air circulation. Ensure it is not blocked by debris or stored items to maintain proper airflow and prevent moisture buildup.
- **Window Use:** The integrated windows provide natural light. Keep them clean for optimal illumination inside the shed.

# Suitable for All Seasons




## Window Design

enhanced natural lighting

## Sturdy Internal Structure

Durability & long-lasting



## Locking Design

privacy and boost security

Figure 4: Detail of the shed's window for natural light and the secure locking mechanism on the door.

## 5. MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your storage shed.

- **Cleaning:** Clean the shed exterior periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the PP material.
- **Ventilation Check:** Regularly inspect the top vent to ensure it is clear of obstructions (leaves, dirt, etc.) to maintain proper airflow.
- **Door and Lock Inspection:** Check door hinges and the locking mechanism for smooth operation. Lubricate if necessary.
- **Structural Integrity:** Periodically inspect all panels, roof, and base for any signs of damage, cracking, or loosening fasteners. Address any issues promptly to prevent further damage.
- **Snow Removal:** In areas with heavy snowfall, remove excessive snow from the roof to prevent structural strain. The roof weight capacity is 1800 lbs.



Figure 5: The shed is designed for all-season use, featuring water, UV, wind, and snow resistance.

## 6. TROUBLESHOOTING

This section addresses common issues you might encounter with your storage shed.

- **Issue: Parts do not fit correctly during assembly.**

**Solution:** Double-check the assembly instructions and part numbers. Ensure all components are oriented correctly. Sometimes, slight adjustments or ensuring the base is perfectly level can resolve fitting issues. If parts are genuinely mismanufactured or broken, contact customer support for replacements.

- **Issue: Shed feels flimsy or unstable after assembly.**

**Solution:** Verify that all fasteners are tightened securely and that the shed is properly anchored to a solid, level foundation. Ensure all panels are correctly interlocked or attached as per the manual.

- **Issue: Water leakage inside the shed.**

**Solution:** Inspect the roof panels and wall seams for any gaps or improper sealing. Ensure the roof slot design is clear for efficient water drainage. Check that the shed is level, as uneven ground can cause water to pool or seep in.

- **Issue: Door does not close or lock properly.**

**Solution:** Check for any obstructions in the door frame or hinges. Ensure the shed is level, as an uneven base can cause door misalignment. Inspect the locking mechanism for damage and lubricate hinges if they are stiff.

## 7. SPECIFICATIONS

---

| Feature                        | Specification                |
|--------------------------------|------------------------------|
| Brand                          | Jocoevol                     |
| Model Number                   | SS-260316                    |
| Product Dimensions (D x W x H) | 134.57" x 87.53" x 90.77"    |
| Material                       | Polypropylene (PP), Metal    |
| Panel Thickness                | 15mm                         |
| Color                          | Gray                         |
| Storage Capacity               | 618 cubic feet               |
| Floor Area                     | 11765.61 Square Inches       |
| Door Width                     | 48.5 Inches                  |
| Door Height                    | 66.92 Inches                 |
| Roof Weight Capacity           | 1800 lbs                     |
| Water Resistance Level         | Water Resistant              |
| Assembly Required              | Yes (Two people recommended) |

# Why choose the **Jocoevol** Outdoor Storage Shed?

**ours**



**15mm Thickened Material**



**Weight Limit: 200 LBs/Sq. Meter**

**others**



**Thin Materials**



**Weight Limit: 100 LBs/Sq. Meter**

Figure 6: Illustration of the 15mm thickened material used in the shed's construction, contributing to its durability.

## 8. WARRANTY INFORMATION

Specific warranty details for the Jocoevol 8x12FT Resin Outdoor Storage Shed are not provided in this manual. Please refer to the product packaging or contact Jocoevol customer support for comprehensive warranty information.

## 9. CUSTOMER SUPPORT

For any questions, concerns, or assistance with your Jocoevol Outdoor Storage Shed, please contact our customer support team. Contact information can typically be found in the user manual included with your product or on the official Jocoevol website.

When contacting support, please have your model number (SS-260316) and purchase details readily available to expedite assistance.

