



[Manuals.plus](#) /

› [SOLIDEE](#) /

› SOLIDEE 24-inch Bathroom Vanity with White and Black Ceramic Boat Sink Instruction Manual

## SOLIDEE BA20701

# SOLIDEE 24-inch Bathroom Vanity with White and Black Ceramic Boat Sink

## INSTRUCTION MANUAL

### 1. Important Safety Information

---

Please read all instructions carefully before assembly and installation. Keep this manual for future reference. Always use appropriate safety gear, such as gloves and eye protection, during assembly. Ensure all connections are secure to prevent leaks and instability.

This product is designed for indoor bathroom use only. Do not overload the cabinet or drawer. Avoid using abrasive cleaners that may damage the finish or sink material.

### 2. Package Contents

---

The SOLIDEE 24-inch Bathroom Vanity is shipped in two separate packages. Please ensure you have received both packages and all components before beginning assembly.

# Shipped in Two Boxes



## Package 1

- 1 x Main cabinet
- 1 x All hardware includes
- 1 x Installation Manual



## Package 2

- 1 x Vessel sink
- 1 x Faucet and Drain
- 1 x All hardware includes

**Need to be assembled**

Image: Contents are shipped in two separate boxes. Package 1 includes the main cabinet, hardware, and manual. Package 2 includes the vessel sink, faucet, drain, and hardware.

### **Package 1: Vanity Cabinet**

- Main Vanity Cabinet (MDF wood, Gray Oak Textured)
- Assembly Hardware
- Installation Manual

### **Package 2: Sink and Plumbing Components**

- White and Black Ceramic Boat Sink
- Faucet
- Pop-up Drain
- Hot/Cold Water Supply Lines
- Mounting Hardware for Sink/Faucet

### **Tools Required (Not Included)**

- Phillips Head Screwdriver
- Adjustable Wrench
- Pliers

- Level
- Silicone Sealant (for sink installation)
- Drill (optional, for pilot holes)

### 3. Assembly Instructions

Follow the step-by-step directions provided in the included installation manual. All hardware pieces are clearly labeled for ease of assembly.



Image: The vanity features eco-friendly board construction and a gray oak textured finish. Assembly is simplified with alphanumeric labeled parts.

#### 3.1. Cabinet Assembly

1. Unpack all components from Package 1 and verify against the parts list in the manual.
2. Assemble the main cabinet structure according to the diagrams. Ensure all cam locks and screws are tightened securely.
3. Attach the cabinet doors and drawer slides. Adjust hinges for proper alignment and soft-closing function.

#### 3.2. Sink and Faucet Installation

1. Place the White and Black Ceramic Boat Sink onto the vanity countertop. Ensure it is centered and

level.

2. Apply a bead of silicone sealant around the base of the sink where it meets the countertop to secure it and prevent water leakage.
3. Install the faucet into the designated hole on the countertop or sink, following the faucet manufacturer's instructions. Connect the hot and cold water supply lines to the faucet and your home's water supply.
4. Install the pop-up drain into the sink's drain hole. Ensure all gaskets are properly seated and connections are hand-tightened, then use a wrench for a final snug fit.
5. Connect the pop-up drain to your existing P-trap or drain pipe.



Image: The included faucet, pop-up drain, and hot/cold lines are essential for sink functionality.

### 3.3. Final Checks

- Turn on the water supply and check for any leaks at all connections. Tighten as necessary.
- Test the soft-closing mechanism of the doors and drawer.

## 4. Operating Instructions

### 4.1. Soft-Closing Doors and Drawer

The vanity cabinet features soft-closing hinges and drawer slides. This mechanism allows the doors and drawer to close gently and silently, preventing slamming and reducing wear and tear. Simply push the door or drawer to close, and the mechanism will engage to slow its movement as it approaches the closed

position.

## 4.2. Storage Use

Utilize the two cabinet doors and the large drawer for organized storage of towels, toiletries, and other bathroom essentials. Distribute weight evenly within the cabinet to maintain stability.

## 5. Maintenance and Care

### 5.1. Cleaning the Vanity Cabinet

- Wipe the Gray Oak Textured MDF surfaces with a soft, damp cloth.
- For stubborn marks, use a mild, non-abrasive cleaner specifically designed for wood or laminate surfaces.
- Avoid excessive moisture and harsh chemicals, as these can damage the finish.
- Immediately wipe up any spills to prevent water damage.

### 5.2. Cleaning the Ceramic Sink

- Clean the ceramic boat sink with a soft cloth or sponge and a non-abrasive bathroom cleaner.
- Rinse thoroughly with water after cleaning to remove any cleaner residue.
- Avoid using abrasive pads, steel wool, or harsh chemical cleaners that could scratch or dull the ceramic surface.



Image: The white and black ceramic boat sink requires regular cleaning to maintain its appearance.

### 5.3. Faucet and Drain Care

- Clean the faucet with a soft cloth and mild soap and water. Avoid abrasive cleaners.
- Periodically check the drain for blockages and clean as needed.

## 6. Troubleshooting

---

### 6.1. Leaks from Faucet or Drain

- **Issue:** Water dripping from faucet connections.  
**Solution:** Ensure all water supply lines are securely tightened to the faucet and shut-off valves. Check for worn washers and replace if necessary.
- **Issue:** Water leaking from the sink drain.  
**Solution:** Verify the pop-up drain is properly seated with its gaskets and tightened. Reapply silicone sealant around the sink base if water is seeping between the sink and countertop.

### 6.2. Cabinet Doors or Drawer Not Closing Properly

- **Issue:** Doors are misaligned or do not close fully.  
**Solution:** Adjust the hinges on the cabinet doors. Most hinges have screws for vertical, horizontal, and depth adjustments. Refer to the specific hinge instructions if available.
- **Issue:** Drawer sticks or does not close smoothly.  
**Solution:** Check that the drawer slides are properly aligned and free of obstructions. Ensure all assembly screws for the drawer and slides are tight.

## 7. Specifications

---

The following specifications apply to the SOLIDEE 24-inch Bathroom Vanity (Model BA20701).



Image: Detailed dimensions of the vanity and sink for accurate planning and installation.

Feature	Detail
Brand	SOLIDEE
Model Number	BA20701
Product Dimensions (Vanity)	19"D x 24"W x 31.5"H
Sink Dimensions	21.7" L x 13.4" W x 5.9" H
Material (Vanity)	Engineered Wood (MDF)
Material (Sink)	Ceramic

Color	Gray Oak Textured (Vanity), White and Black (Sink)
Mounting Type	Floor Mount
Number of Doors	2 (Soft-Closing)
Number of Drawers	1 (Soft-Closing)
Item Weight	66 Pounds
Assembly Required	Yes

Unit:inch

## Basin

**Material:**  
low Lead Tempered Glass

**Style:**  
Top Mounted Vessel Bowl

**Package**  
Integrated Foam /pp bag

**Artifact:**  
Artificial Casting, Glossy Glaze

0.5"thick tempered glass

scratch resistant curving edge

2912 ° F firing

windshield tempered glass

oil-free

Image: Detailed specifications for the sink, including dimensions and material properties.

## 8. Warranty and Support

For warranty information and customer support, please refer to the documentation provided at the point of purchase or contact the retailer/manufacturer directly. Keep your purchase receipt as proof of purchase.