

[Manuals.plus](#) /

> [Metasources](#) /

> Metasources 2-Pole AC/DC Adapter for Marsail MSED9W-US/MSED9B-US Standing Desks User Manual

Metasources MSED9W MSED9B

Metasources 2-Pole AC/DC Adapter User Manual

For Marsail MSED9W-US and MSED9B-US Electric Height-Adjustable Standing Desks

INTRODUCTION

This manual provides essential information for the safe and efficient use of your Metasources 2-Pole AC/DC Adapter. This adapter is specifically designed to be compatible with Marsail MSED9W-US and MSED9B-US 55" x 28" Glass Electric Height Adjustable Standing Desks. Please read these instructions carefully before use and retain them for future reference.

WHAT'S INCLUDED

Verify that all components are present in the package:

- 1 x Metasources AC/DC Adapter
- 1 x AC Power Cord



Image: The Metasources AC/DC adapter unit with its detachable AC power cord.

SETUP INSTRUCTIONS

1. **Inspect the Adapter:** Before connecting, visually inspect the AC/DC adapter and power cord for any signs of damage, such as frayed wires or cracked casing. Do not use if damaged.
2. **Connect the AC Power Cord:** Insert the 2-prong end of the AC power cord firmly into the AC input port on the Metasources adapter.
3. **Connect to the Desk:** Locate the power input port on your Marsail M9ESD9W-US or M9ESD9B-US standing desk. Insert the 2-pin connector from the Metasources adapter firmly into this port. Ensure a secure connection.
4. **Plug into Power Outlet:** Plug the AC power cord into a standard 100-240V AC, 50/60Hz wall outlet.
5. **Verify Power:** Once connected, the standing desk should receive power. Refer to your desk's manual for specific power indicator lights or initial setup procedures.



Image: A close-up view of the Metasources AC/DC adapter, highlighting the input for the AC power cord and the output 2-pin connector.

OPERATING INSTRUCTIONS

The Metasources AC/DC Adapter functions as a power supply for your compatible Marsail standing desk. Once properly connected, it continuously provides the necessary power for the desk's electric height adjustment and other functions.

- **Continuous Power:** The adapter is designed for continuous operation when connected to a power source and the desk.
- **Voltage Compatibility:** The adapter supports a global input voltage range of 100-240V AC, 50/60Hz, making it suitable for use in various regions.
- **Safety Features:** This adapter includes built-in safety protections such as Overcurrent Protection

(OCP), Short-Circuit Protection (SCP), and Overvoltage Protection (OVP) to ensure safe operation and protect your devices.

7-Point Safety Protection



Image: A visual representation of the adapter's 7-Point Safety Protection, including short circuit, fire resistance, overcharge, overcurrent, over temperature, overvoltage, and overpower protection, with the adapter plugged into a wall outlet.

MAINTENANCE

To ensure the longevity and proper functioning of your Metasources AC/DC Adapter, follow these simple maintenance guidelines:

- **Cleaning:** Disconnect the adapter from the power outlet and the desk before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use for extended periods, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cables.
- **Cable Care:** Do not bend, twist, or pinch the power cords excessively. Avoid placing heavy objects on the cables, as this can cause internal damage.
- **Environmental Conditions:** Do not expose the adapter to water, high humidity, or dusty environments.

TROUBLESHOOTING

If you encounter issues with your Metasources AC/DC Adapter, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Desk not receiving power.	<ul style="list-style-type: none">Loose connection.Faulty power outlet.Damaged adapter or cable.	<ul style="list-style-type: none">Ensure all connections (AC cord to adapter, adapter to desk, AC cord to wall) are secure.Test the power outlet with another device.Inspect the adapter and cables for visible damage. If damaged, discontinue use and replace.
Adapter feels unusually hot.	<ul style="list-style-type: none">Overload or poor ventilation.Internal fault.	<ul style="list-style-type: none">Ensure the adapter is in a well-ventilated area.Disconnect the adapter immediately. If it continues to overheat after cooling, discontinue use and contact support.

If the problem persists after attempting these solutions, please contact Metasources customer support.

SPECIFICATIONS

Brand	Metasources
Model Compatibility	Marsail MSES9W, MSES9B
Input Voltage	100-240V AC, 50/60Hz
Output Connector Type	2-Pin Connector
Included Components	1 AC Adapter, 1 AC Power Cord
Safety Features	Short Circuit Protection (SCP), Overcurrent Protection (OCP), Overvoltage Protection (OVP), Fire-Resistance, Overcharge Protection, Over Temperature Protection, Overpower Protection
Weight	Approximately 10 Ounces (283 grams)

SAFETY INFORMATION

Please observe the following safety precautions to prevent injury or damage to the product:

- Use only with compatible devices as specified in this manual.
- Do not disassemble, modify, or attempt to repair the adapter.
- Keep away from water, moisture, and high temperatures.
- Do not operate with wet hands.
- Ensure proper ventilation around the adapter during use.
- Unplug the adapter from the wall outlet when not in use for extended periods or during electrical storms.

- Keep out of reach of children.

WARRANTY AND SUPPORT

Your Metasources AC/DC Adapter is covered by a warranty:

- **Refund Policy:** 30 Days Refund
- **Exchange Warranty:** 24 Months Exchange

For warranty claims, technical support, or any inquiries, please contact Metasources customer service through the retailer where the product was purchased.