

KEIKI LX10053

KEIKI 30 Inch Freestanding Bathroom Vanity with Sink User Manual

Model: LX10053

INTRODUCTION

Thank you for choosing the KEIKI 30 Inch Freestanding Bathroom Vanity with Sink. This manual provides essential information for the safe assembly, operation, and maintenance of your new vanity. Please read these instructions carefully before beginning installation and retain them for future reference.



Image: The KEIKI 30 Inch Freestanding Bathroom Vanity with Sink, featuring a natural wood cabinet, white sintered stone top, and a round vessel ceramic basin.

SAFETY GUIDELINES

Observe the following safety precautions during assembly and use:

- Always wear appropriate safety gear, such as gloves and eye protection, during assembly.
- Ensure all connections are tight but do not overtighten fasteners, as this may cause distortion or breakage.
- Keep small parts and packaging materials away from children to prevent choking hazards.
- Do not stand or climb on the vanity.
- If any parts are missing or damaged, do not attempt to assemble the product. Contact customer support immediately.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	KEIKI
Model Number	LX10053
Dimensions (D x W x H)	18.9" x 30" x 34.37"
Material	Ceramic, Engineered Wood, Sintered Stone
Color	Natural & White
Special Features	Paint-free, Weatherproof, Soft-Close Doors
Mounting Type	Floor Mount



Image: Detailed dimensions of the KEIKI 30 Inch Freestanding Bathroom Vanity, showing countertop thickness, overall depth, width, and cabinet height.

ASSEMBLY INSTRUCTIONS

Your KEIKI vanity is designed for straightforward assembly. It comes with detailed instructions and all necessary hardware. Follow the steps below for proper installation.

Step 1: Unpack and Identify Components

Carefully unpack all components and hardware. Refer to the included parts list to ensure all items are present and undamaged.

Step 2: Assemble the Cabinet Frame

Follow the graphical instructions provided in your package to assemble the main cabinet frame. Ensure all panels are correctly oriented and fasteners are securely tightened without overtightening.



Image: Front view of the fully assembled KEIKI 30 Inch Freestanding Bathroom Vanity, showcasing its design.

Step 3: Install Back Panel and Legs

Attach the back panel, ensuring proper alignment for plumbing access. Secure the vanity legs to the base of the cabinet.



Image: Rear view of the KEIKI Bathroom Vanity, illustrating the open back design for plumbing connections.

Step 4: Attach Countertop and Basin

Carefully place the sintered stone countertop onto the cabinet. Install the ceramic basin according to the specific instructions for your basin type, ensuring a watertight seal.

Step 5: Install Doors and Hinges

Attach the soft-close doors to the cabinet using the provided hinges. Ensure they open and close smoothly.



Image: Interior view of the KEIKI Bathroom Vanity with both soft-close doors open, revealing ample storage space.

Door Hinge Adjustment

The vanity doors are equipped with adjustable hinges to ensure perfect alignment. Refer to the diagrams below for adjustment procedures.



Image: Visual guide demonstrating the process of installing and removing the cabinet door hinges.




Image: Diagrams illustrating side, depth, and height adjustments for cabinet door hinges. For more detailed information, you can refer to external resources such as this YouTube video: <https://www.youtube.com/watch?v=56cqwMnKRz0>

OPERATION

The KEIKI vanity features soft-close doors for quiet and smooth operation. Gently push the doors to close, and the soft-close mechanism will engage, preventing slamming and protecting the cabinet.

HINGE ADJUSTMENT AND REMOVAL INSTRUCTION

DOOR INSTALL



DOOR REMOVE




Image: A close-up view of the soft-close hinge mechanism on the cabinet door.

MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your vanity:

- **Cleaning the Finish:** Do not use abrasive cleaners, harsh chemicals, or surface cleaners that could remove the finish. Use a soft, damp cloth with mild soap and water for cleaning. Wipe dry immediately.
- **Sintered Stone Top:** The sintered stone top is highly resistant to scratches, water, fire, and high temperatures. Clean with a non-abrasive cleaner and a soft cloth.
- **Ceramic Basin:** The ceramic basin is durable and stain-resistant. Clean with standard bathroom cleaners, avoiding abrasive pads that could scratch the surface.
- **Hardware:** Periodically check all hardware (hinges, fasteners) to ensure they remain tight. Retighten as necessary, but do not overtighten.
- **Water Exposure:** While the cabinet features waterproof wood panels, promptly wipe away any standing water to prevent potential damage.


How to Adjust Door Hinges?

Find more detail about hinge adjusting on follow Video:

<https://www.youtube.com/watch?v=56cqWMnKRz0>


PIVOT-PRO side adjustment

Side adjustment of the door is made by using the indicated screw.



PIVOT-PRO Depth Adjustment

Depth adjustment is made without loosening any screw. The door can be moved in or out by rotating the cam adjuster on the hinge arm.



PIVOT-PRO Height Adjustment

By loosening the two fixing screws to allow the mounting plate to slide up or down, the door can be adjusted vertically by $\pm 2\text{mm}$. After retightening the screws, the Depth adjustment is done.




Image: A detailed view of the sintered stone countertop and ceramic vessel basin, highlighting their texture and finish.

TROUBLESHOOTING

- **Loose Hardware:** If hardware loosens over time, gently retighten screws. Avoid overtightening.
- **Misaligned Doors:** Refer to the "Door Hinge Adjustment" section for instructions on how to adjust the door alignment.
- **Stains on Basin/Countertop:** For stubborn stains, use a cleaner appropriate for ceramic and sintered stone surfaces. Test in an inconspicuous area first.
- **Warping/Deformation:** Ensure the vanity is not exposed to excessive moisture or extreme temperature fluctuations. If warping occurs, contact customer support.

WARRANTY AND SUPPORT

This product is covered by a standard return policy. For specific warranty details or to report any issues, please refer to your purchase documentation or contact KEIKI customer support through the retailer where the product was purchased. Amazon offers a 30-day easy return policy for this product.

For assistance, please visit the [KEIKI Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question