Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Hiswelle HQ-JS2301

Hiswelle 8L/2.1 Gal Cool Mist Humidifier HQ-JS2301 User Manual

Model: HQ-JS2301

1. Introduction

Thank you for choosing the Hiswelle 8L/2.1 Gal Cool Mist Humidifier. This device is designed to improve air quality and comfort in your home or office by maintaining optimal humidity levels. It features a large capacity, smart controls, and aromatherapy capabilities. Please read this manual thoroughly before use to ensure proper operation and maintenance.

2. Safety Instructions

- Always unplug the humidifier before cleaning, refilling, or moving it.
- Do not immerse the base unit in water or other liquids.
- Place the humidifier on a firm, flat, water-resistant surface at least 12 inches (30 cm) away from walls and appliances.
- Do not let liquids touch or enter the air outlet.
- Ensure the water level does not exceed the MAX line (8L).
- Do not add essential oils directly into the water tank or base chamber. Use the dedicated aroma tray.
- Keep out of reach of children and pets.
- Use only clean, cool tap water or distilled water. Do not use hot water.
- If the humidifier is leaking, discontinue use and contact customer support.

3. Package Contents

- Humidifier Unit (1)
- Remote Control (1)

- User Manual (1)
- Cleaning Brush (1)



Image: Hiswelle Humidifier and its accessories as received in the packaging.

4. Product Overview

4.1 Components



Image: Diagram illustrating the main components of the Hiswelle Humidifier, including the water tank, base, and mist outlet.

4.2 Control Panel & Display

The humidifier features an intuitive touch screen control panel and a digital LED display. A remote control is also included for convenient operation.



Image: Close-up view of the Hiswelle Humidifier's digital LED display and touch control panel, showing various function icons.

Control Panel Functions

Button/Indicator	Function
ON/OFF / SLEEP	Press to turn the unit on or off. Press and hold for 3-5 seconds to enter/exit Sleep Mode (display turns off, ultra-quiet operation).
MIST VOLUME	Adjusts between 4 mist output levels.
CUSTOMIZE HUMIDITY	Sets target humidity from 40%-90% RH (5% increments). The humidifier will automatically adjust to maintain this level.
TIMER	Sets an auto-off timer from 1 to 16 hours (1-hour increments).
UV LAMP / COLOR LIGHT	Toggles UV sterilization and cycles through 7 ambient color lights.

Button/Indicator	Function
WIFI	Press and hold for 3 seconds to enter Wi-Fi pairing mode. Complete setup via the Tuya app.
Water Shortage Indication	Indicates when the water tank is empty.

5. Setup

5.1 Initial Setup

1. Unpack all components and remove any protective packaging, including foam around the filter.
2. Place the humidifier base on a stable, flat surface.
3. Mount the water tank onto the base and twist to lock it securely.
4. Fill the water tank from the top opening. Ensure water does not exceed the 8L MAX line. Do not add water directly into the base chamber or mist outlet.
5. Place the mist outlet cover on top.



Image: Illustration of the top-fill design, showing how to easily add water to the humidifier.

5.2 Wi-Fi Connection (Smart App Control)

To connect your humidifier to the Tuya Smart app:

1. Download the 'Tuya' app from the Google Play Store or Apple App Store.
2. Launch the app, sign in, or create an account.
3. Enable Wi-Fi and Bluetooth on your mobile device and ensure your humidifier is powered on.
4. On the humidifier, press and hold the WIFI button for 3 seconds until the Wi-Fi icon flashes, indicating pairing mode.
5. In the app, tap 'Add Device' and select 'HQ-JS2306 HUMIDIFIER'.
6. Enter your Wi-Fi network password and follow the in-app instructions to complete the connection.



Image: Visual representation of the humidifier being controlled via a smartphone app, demonstrating smart app capabilities.

Your browser does not support the video tag.

Video: A user demonstrates the smart humidity control features of the humidifier, including setting preferred humidity levels and using the app.

6. Operating Instructions

6.1 Power ON/OFF & Sleep Mode

- Plug the humidifier into a power outlet.
- Press the **ON/OFF** button to turn the unit on. Mist output will begin within 20-30 seconds.
- To enter Sleep Mode, press and hold the**ON/OFF** / **SLEEP** button for 3-5 seconds until the display turns off. The unit will operate quietly. Press the button again to exit Sleep Mode.

6.2 Adjusting Mist Volume

- Press the **MIST VOLUME** button to cycle through 4 mist output levels (1-4).
- The current mist level will be displayed on the screen.



Image: Illustration showing the four different mist output levels available on the humidifier.

6.3 Setting Custom Humidity

- Press the **CUSTOMIZE HUMIDITY** button to increase the target humidity by 5% RH per touch.
- The target humidity range is 40%-90% RH. The humidifier will automatically turn on/off to maintain your set humidity level.



Image: Diagram explaining how to set and maintain a custom humidity level between 40% and 90% RH.

6.4 Using the Timer

- Press the **TIMER** button to set the auto-off timer between 1 and 16 hours.
- The device will automatically turn off once the preset time is reached.

6.5 UV Lamp & Color Light

- Tap the **UV LAMP** / **COLOR LIGHT** button to activate the UV sterilization function and cycle through 7 ambient color lights.
- The UV lamp helps to sanitize the water.

6.6 Essential Oil Diffuser

- Locate the aroma tray on the side of the humidifier.
- Push to open the aroma tray.
- Add 5-10 drops of your preferred essential oil onto the aroma pad inside the tray.
- Close the aroma tray. The mist will diffuse the scent into the air.



Image: The humidifier's essential oil tray, designed for adding aromatherapy scents to the mist.

7. Cleaning & Maintenance

Regular cleaning is essential for optimal performance and hygiene. It is recommended to clean the humidifier once a week.

7.1 Weekly Cleaning

1. Unplug the humidifier before cleaning or refilling.
2. Remove the water inlet tank and water intake cover. Rinse them with clean water.
3. Wipe the water inlet tank with a soft cloth.
4. Pour out any remaining water from the water tank and the base chamber.
5. Rinse all components with clean water.

6. Use a soft cloth and the provided cleaning brush to remove scale from the base chamber. Prevent water from contacting the air outlet to avoid internal damage.
7. Wipe the interior of the water tank with a soft cloth, then rinse with water.

7.2 Filter Maintenance

The humidifier includes a filter. Ensure it is free from debris and scale. Clean it gently with the provided brush or a soft cloth. Replace if heavily soiled or damaged.

Your browser does not support the video tag.

Video: A user demonstrates the unboxing, setup, and initial use of the humidifier, highlighting its large capacity and mist output.

8. Troubleshooting

Common Issues and Solutions

Problem	Possible Cause	Solution
No mist output	Low water level; Unit not powered on; Mist outlet blocked.	Refill water tank; Ensure unit is plugged in and turned on; Check and clear mist outlet.
Humidifier leaking	Water added to incorrect part; Unit not on a flat surface; Tank not properly seated.	Ensure water is only added to the tank; Place on a flat surface; Re-seat the water tank securely.
Unpleasant odor from mist	Stagnant water; Dirty water tank/base.	Empty and clean the water tank and base regularly; Use fresh water.
White dust around humidifier	Hard water used.	Use distilled or demineralized water to reduce mineral buildup.
Wi-Fi connection failure	Incorrect Wi-Fi password; 5GHz network; Humidifier not in pairing mode.	Verify password; Ensure 2.4GHz Wi-Fi network is used; Re-enter pairing mode (hold WIFI button for 3s).

9. Specifications

Hiswelle HQ-JS2301 Humidifier Specifications

Feature	Detail
Brand	Hiswelle
Model Name	HQ-JS2301
Capacity	8 Liters (2.1 Gallons)
Floor Area Coverage	Up to 500 Square Feet

Feature	Detail
Operation Mode	Ultrasonic Cool Mist
Wattage	30 watts
Control Method	Remote, Touch, Wi-Fi App
Noise Level	35 dB (Sleep Mode)
Special Features	7-Color Night Light, 1-16H Timer, Aroma Diffuser, Removable Clear Tank, 4 Mist Modes, 360° Rotating Nozzle, Top Fill, Custom Humidity (40%-90% RH), Humidistat, Auto Shut Off, Low Water Indicator, Digital Display, UV Lamp.
Item Dimensions (D x W x H)	17"D x 13"W x 7"H
Material	Acrylonitrile Butadiene Styrene
UPC	630456426408

10. Warranty

The Hiswelle HQ-JS2301 Humidifier comes with a**1 Year Manufacturer Warranty**. Please retain your proof of purchase for warranty claims.

11. Customer Support

For any questions, concerns, or technical assistance, please contact Hiswelle Customer Service:

- **Email:** hiswelle_service@outlook.com
- **Operating Hours:** Monday - Friday, 9:00 AM - 5:00 PM PST/PDT

© 2026 Hiswelle. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0GWHS739C

More documents and user manuals: **https://manuals.plus/**