

- Manuals.plus /
- > [Aoxun](#) /
 - > Aoxun 10x12 Galvanized Steel Outdoor Storage Shed Instruction Manual

Aoxun G37030BR01A-YF

Aoxun 10x12 Galvanized Steel Outdoor Storage Shed Instruction Manual

Model: G37030BR01A-YF

PRODUCT OVERVIEW

The Aoxun 10x12 Galvanized Steel Outdoor Storage Shed is designed for durable outdoor storage. It features a robust galvanized steel construction, a moisture-proof floor, and a sloped roof for efficient water drainage. Integrated ventilation ensures air circulation, and lockable doors provide security for your stored items.



Image: The Aoxun 10x12 Galvanized Steel Outdoor Storage Shed, showcasing its brown and grey exterior with double doors.

KEY FEATURES

- **Quality Construction:** Crafted with thick galvanized steel panels and reinforced structural engineering for durability. The anti-rust powder-coated surface enhances longevity.
- **Moisture-Proof Floor:** Features an interlocking plastic floor with a woodgrain texture, providing 360° moisture resistance and maintaining flatness. Supports a load-bearing capacity of 82 pounds per cubic foot.
- **Sloping Roof:** Designed to maximize space utilization and prevent rainwater accumulation.
- **Ventilation:** Specially designed air vents ensure optimal air circulation within the shed.
- **Security:** Pad-lockable doors facilitate convenient access while enhancing overall safety.
- **All-Weather Performance:** Engineered with crush-resistant wall panels and waterproof joints to withstand snow loads and heavy rains.
- **Space Optimization:** 33-inch depth maximizes vertical storage for tall equipment, and the sloped roof adds overhead clearance.

PREMIUM THICK FLOOR

- Prevent storage from touching the ground directly
- Adapt to various terrain such as lawn, sand
- Premium Load-bearing Performance




Image: Close-up of the shed's premium thick floor, highlighting its moisture-proof and load-bearing capabilities (82 lb/ft²).

UPGRADE TO FOUR AIR VENTS

FACILITATE AIR FLOW



**Security Door
Lock Latch**



**Anti-collision
Protection**



**Smooth Plastic
Protective Shell**



**Stainless
Steel Hinge**


Image: Detailed view of shed features including four air vents, security door lock latch, anti-collision protection, smooth plastic protective shell, and stainless steel hinge.

SETUP AND ASSEMBLY

The shed includes numbered pre-drilled panels, illustrated manuals, and a dedicated installation video to assist with assembly. It is recommended that 3-4 adults complete the setup in approximately 3 hours using basic tools. Protective plastic corner guards, EPE foam, and air cushions are included in the packaging to prevent transit damage. Ensure you have a level surface for installation. Follow the provided manual step-by-step. Pay close attention to the orientation of panels and beams to ensure proper alignment and structural integrity.

PRODUCT DIMENSIONS

10 X 12 FT



2 Pairs of Gloves

Image: Diagram showing the product dimensions of the Aoxun 10x12 shed, including height, width, and depth measurements.



Image: Interior view of the shed with its double doors open, showing various garden tools and shelving units for organized storage.

Assembly Video Guide

Your browser does not support the video tag.

Video: An overview of the Aoxun 8x6FT Shed with Floor, demonstrating its features and assembly process. This video provides general guidance applicable to similar Aoxun shed models.

Your browser does not support the video tag.

Video: A detailed look at the Aoxun 8x6FT Shed with Floor, showcasing its construction and internal features. This video offers insights into the shed's design and functionality.

OPERATING INSTRUCTIONS

Door Operation

The shed features double doors equipped with a pad-lockable latch. To open, slide the latch mechanism and pull the doors outwards. To close, push the doors shut and engage the latch. For security, a padlock (not included) can be used

with the latch.

Ventilation

The integrated air vents located near the roofline facilitate air circulation. These vents are designed to reduce condensation and maintain a fresh environment inside the shed. Ensure they are not obstructed to allow for proper airflow.



Image: Interior view of the shed, demonstrating its large storage capacity and potential for organizing various tools and equipment.

MAINTENANCE

- **Cleaning:** Periodically clean the exterior and interior surfaces of the shed with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the powder-coated finish.
- **Inspection:** Regularly inspect all screws, bolts, and connections to ensure they remain tight. Tighten any loose fasteners as needed.
- **Drainage:** Ensure the area around the shed is clear of debris to allow for proper water drainage from the sloped

roof.

- **Rust Prevention:** While the shed is made of galvanized steel with an anti-rust coating, inspect for any signs of rust, especially in areas where the coating might be scratched. Touch up any damaged areas with appropriate rust-inhibiting paint.



Image: Visual comparison highlighting the durability and anti-corrosion properties of Aoxun's upgraded coating compared to standard metal and wood over time.

TROUBLESHOOTING

- **Panel Alignment Issues:** If panels do not align correctly during assembly, re-check the instruction manual for proper orientation and ensure the foundation is level. Slight adjustments may be necessary.
- **Flimsy Floor:** The interlocking plastic floor is designed for moisture resistance and load bearing. Ensure all floor panels are securely interlocked and placed on a firm, level surface for optimal stability.
- **Roof Leaks:** Verify that all roof panels are correctly installed and all fasteners are tightened. The sloped roof is designed for efficient drainage; ensure no debris is obstructing water flow.

- **Door Gaps:** If gaps appear between the doors after installation, check the door frame and hinge alignment. Adjust hinges or realign the frame as needed to ensure a tight seal.

SPECIFICATIONS

Feature	Detail
Brand	Aoxun
Model Number	G37030BR01A-YF
Color	Brown
Material	Galvanized Steel
Product Dimensions (D x W x H)	140.94"D x 112.8"W x 76.37"H
Item Weight	300 Pounds
Floor Area	120 Square Feet
Base Material	Galvanized Steel
Door Style	Hinged Doors with Air Vents
Water Resistance Level	Waterproof
Weight Capacity Maximum (Floor)	82 Pounds per cubic foot
Required Assembly	Yes

WARRANTY AND SUPPORT

This Aoxun storage shed is typically covered by a 30-day easy return policy. For specific warranty details, product support, or to report missing/damaged parts, please contact Aoxun Direct customer service. Refer to your purchase documentation for the most accurate and up-to-date support information.

For assistance, please visit the [Aoxun Store on Amazon](#) or contact the seller directly.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

How can I obtain an instruction manual and parts/materials list for the Aoxun AX-42835B storage shed?

To obtain a replacement instruction manual and parts list for your Aoxun storage shed (Model AX-42835B), you should follow these steps: Contact Aoxun Direct: The manufacturer recommends contacting Aoxun Direct customer service through your...

[Read full answer](#)

Open the live page

<https://manuals.plus/asin/B0GX1HFXPV>

More documents and user manuals: <https://manuals.plus/>