Feelfunn PAC019-10K

Feelfunn 10,000 BTU Portable Air Conditioner User Manual

Model: PAC019-10K

1. Important Safety Information

Please read all instructions carefully before using this appliance and retain for future reference. Always follow basic safety precautions to reduce the risk of fire, electric shock, and personal injury.

- Ensure the power supply matches the voltage specified on the rating label.
- Do not operate the unit with a damaged cord or plug.
- Do not insert fingers or objects into the air inlet or outlet.
- Keep the unit away from flammable materials and open flames.
- Always unplug the unit before cleaning or servicing.
- Do not use in wet areas like bathrooms or laundries.
- This appliance is for indoor use only.

2. Package Contents

Verify that all items are present in the package:

- Feelfunn Portable Air Conditioner Unit
- Remote Control
- User Manual
- Window Exhaust Kit (includes exhaust hose, window slider kit, and adapters)

3. Product Overview

The Feelfunn 10,000 BTU Portable Air Conditioner is a versatile 5-in-1 unit designed for efficient cooling, dehumidification, and air circulation in spaces up to 450 sq. ft. It features a low noise level of 48dB, remote control, and a 24-hour timer.




Image: The Feelfunn portable air conditioner effectively cools a whole room, providing 10,000 BTU cooling capacity for areas up to 450 sq. ft. with a 300m³/h airflow rate.



Image: The unit is designed for easy mobility, featuring easy-grip handles and 360° glide wheels, allowing it to be smoothly moved between rooms.

4. Setup Instructions

Follow these steps to set up your portable air conditioner.

4.1 Window Kit Installation

The adjustable window kit fits window openings from 20.47 inches to 49.84 inches. It is suitable for both horizontal and vertical sliding windows.




Image: The adjustable window kit provides flexible installation options for various window types, ensuring a secure fit.

4.2 Exhaust Hose Connection

1. Connect the adapters to both ends of the exhaust hose.
2. Connect one end of the exhaust hose (with adapter) to the window kit.
3. Extend the window kit to fit your window opening and secure it.
4. Attach the other end of the exhaust hose (with adapter) to the exhaust air outlet unit on the back of the portable AC.
5. Insert the window kit adapter into the window kit.
6. Plug in the unit, turn it on, adjust modes, and begin cooling.




Image: A step-by-step visual guide demonstrating the assembly of the exhaust hose and window kit for proper installation.

4.3 Placement

Place the unit on a flat, stable surface. Ensure there is at least 20 inches of space around the unit for proper airflow. Position the unit near a window for exhaust hose installation.

Your browser does not support the video tag.

Video: This video provides a brief overview of the Feelfunn portable AC unit, demonstrating its features and how it can cool your space. (Source: Feelfunn)

5. Operating Instructions

Your Feelfunn portable AC offers multiple functions and control options.

5.1 Control Panel and Remote Control

The unit can be controlled via the touch panel on top of the unit or with the included remote control, which has a range of up to 23 feet.



Image: Control your portable AC effortlessly using either the intuitive touch panel or the remote control, offering convenience from a distance.

5.2 Operating Modes

The unit features 5 operating modes and 2 fan speeds:

- **Cool Mode:** Provides powerful cooling for rooms, adjustable from 61-90°F.
- **Dehumidifier Mode (Dry):** Removes up to 63 pints of moisture per day, reducing humidity.

- **Fan Mode:** Circulates air with low or high fan speeds without cooling.
- **Sleep Mode:** Dims the display and adjusts fan speed for quiet operation (48dB), ideal for nighttime use.
- **24H Timer:** Allows you to program the unit to turn on or off automatically within a 24-hour period.




Image: The portable AC offers 5-in-1 functionality, including cooling, dehumidifying, fan operation, sleep mode, and a 24-hour timer for comprehensive climate control.



Image: Designed for quiet comfort, the unit operates at a low 48dB in sleep mode, ensuring minimal disturbance.

6. Maintenance

Regular maintenance ensures optimal performance and longevity of your unit.

6.1 Filter Cleaning

The unit features a washable filter. It is recommended to clean the filter regularly (e.g., every two weeks) to maintain air quality and cooling efficiency.

1. Unplug the air conditioner from the power outlet.
2. Locate the air filter on the back of the unit.
3. Gently pull out the filter.
4. Wash the filter under running water with a mild detergent.
5. Allow the filter to air dry completely before reinserting it.



Image: The washable filter can be easily removed and cleaned under running water, contributing to zero consumable costs.

6.2 Draining

This unit features a smart auto-evaporation system, which typically eliminates the need for manual draining. However, in areas of high humidity or when operating in Dehumidifier mode, manual drainage may be required.

1. Turn off the unit and unplug it.
2. Locate the drain outlet at the bottom rear of the unit.
3. Place a shallow pan or tray beneath the drain outlet.
4. Remove the drain plug to allow water to flow out.
5. Once drained, replace the drain plug securely.




Image: The auto-evaporation system efficiently vents moisture, reducing the need for manual draining under normal conditions.

7. Troubleshooting

If you encounter issues with your unit, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Unit does not turn on	No power supply; Power cord not plugged in; Circuit breaker tripped.	Check power outlet; Ensure plug is fully inserted; Reset circuit breaker.
Insufficient cooling	Window kit not properly installed; Air filter dirty; Room size too large; Doors/windows open.	Ensure window kit is sealed; Clean air filter; Close doors/windows; Verify room size is within 450 sq. ft.
Unit is noisy	Unit not on a level surface; Obstruction in fan.	Place unit on a flat surface; Check for and remove any obstructions.
Water leakage	Drain plug loose; Unit tilted; High humidity requiring manual drain.	Secure drain plug; Ensure unit is level; Manually drain water if necessary.

If problems persist after attempting these solutions, please contact customer support.

8. Specifications

Detailed technical specifications for the Feelfunn Portable Air Conditioner Model PAC019-10K.

Feature	Specification
Brand	Feelfunn
Model Name	PAC019-10K
Cooling Power	10,000 British Thermal Units (BTU)
Coverage Area	Up to 450 square feet
Airflow Rate	300 m^3/h
Functions	Cool, Dehumidifier, Fan, Sleep Mode, 24H Timer
Noise Level	48 dB
Product Dimensions (D x W x H)	11"D x 11.4"W x 26.6"H
Item Weight	43.2 pounds
Voltage	115 volts
Control Method	Remote, Touch
Window Kit Compatibility	Adjustable for 20.47"-49.84" window widths
Refrigerant	R32

9. Warranty and Support

The Feelfunn Portable Air Conditioner (Model PAC019-10K) comes with a **1-year limited warranty** from the manufacturer, Feelfunn. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any questions regarding your product, please contact Feelfunn customer service. Refer to the contact information provided in your product packaging or visit the official Feelfunn website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question