

[Manuals.plus](#) /

› [Outsunny](#) /

› Outsunny Garden Shed with Foundation Kit 2.55m² - Model 84H-200V01CG

Outsunny 84H-200V01CG

Outsunny Garden Shed with Foundation Kit 2.55m² - Model 84H-200V01CG

Instruction Manual

INTRODUCTION

Thank you for choosing the Outsunny Garden Shed with Foundation Kit. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new garden shed. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

This shed offers a spacious 2.55m² internal area, a lockable door for security, a window for natural light, and is constructed from durable galvanized steel. It is designed to protect your garden tools and outdoor equipment from the elements.

SETUP AND ASSEMBLY

Careful assembly is crucial for the stability and longevity of your shed. It is recommended that **three people** assist with the assembly process. Gloves are included for safe handling of components.

Before You Begin

- Verify all parts are present against the packing list.
- Choose a level and stable location for the shed.
- Ensure adequate space around the assembly area.
- Wear appropriate safety gear, including the provided gloves.

Foundation Kit Installation

The shed includes a foundation kit to help keep the interior clean and sealed. Please note that the **floor itself is not included**. You will need to add an appropriately sized wooden board or other suitable flooring material on top of the foundation frame.

KIT DI FONDAZIONE INCLUSO

Mantieni l'interno pulito e sigillato



Image: The included foundation kit frame, measuring 2.04m (6.7 ft) in length and 0.58m (1.9 ft) in width. A note indicates that the floor is not included and a suitable board must be added.

Measure the base dimensions carefully before purchasing or cutting your flooring material. The internal dimensions are 204L x 108P cm.

General Assembly Tips

- Follow the step-by-step instructions provided in the separate assembly manual (PDF document).
- Do not overtighten screws until all components are loosely fitted.
- Ensure all panels are correctly aligned before securing them.



Image: A person inside the Outsunny garden shed, demonstrating the ample internal storage space and the wide, accessible door.

**Il tetto spiovente fa
scivolare via pioggia e neve**



**Guanti inclusi per
un'installazione sicura**



**I fori di scolo permettono
il deflusso dell'acqua**



Image: Details of the shed's design, including the sloping roof for water and snow runoff, a pair of gloves provided for safe installation, and a drain hole for water management.

OPERATING INSTRUCTIONS

Door Operation and Security

The shed features a wide 75 cm sliding door for easy access. It is equipped with a lock and two keys to secure your stored items. Always ensure the door is properly closed and locked when not in use to protect your belongings.

PORTA CON SERRATURA

Più sicurezza per i tuoi attrezzi



Image: The shed's door, measuring 75 cm (2.5 ft) wide and 163 cm (5.3 ft) high, shown with the included padlock and keys for enhanced security.

Ventilation and Lighting

A front window (68 x 74 cm) allows for optimal natural lighting and good ventilation, helping to prevent humidity and keep the shed airy. Integrated air vents further ensure constant air circulation, preventing odors and keeping tools dry.



Image: The shed's front window, designed to maximize natural light, and a detailed view of the air vents that promote air circulation.

MAINTENANCE

Cleaning

- Clean the shed exterior periodically with mild soap and water. Avoid abrasive cleaners.
- Ensure the roof and gutters (if applicable) are clear of debris to allow for proper water runoff.
- Wipe down the interior as needed to prevent dust and dirt buildup.

Structural Integrity

The shed is constructed from robust galvanized steel, designed to resist blistering, cracking, and deformation. This material provides protection against rain, snow, and rust, requiring minimal maintenance.

STRUTTURA IN ACCIAIO ZINCATO



Protezione dalla pioggia



Protezione dalla neve



Prevenzione della ruggine



Zero manutenzione



Image: The shed's galvanized steel structure, emphasizing its resistance to rain, snow, and rust, and its low maintenance requirements.

- Regularly inspect all screws and bolts to ensure they remain tight.
- Check for any signs of damage or wear, especially after severe weather conditions.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Difficulty closing/opening door	Misaligned door track or obstruction.	Check door tracks for debris. Ensure the shed is on a level surface. Adjust door alignment if necessary.
Water leakage inside shed	Improperly sealed seams or damaged roof/panels.	Inspect all seams and connections. Apply silicone sealant if gaps are found. Check roof panels for damage.

Problem	Possible Cause	Solution
Excessive condensation	Insufficient ventilation.	Ensure air vents are clear and unobstructed. Consider adding additional ventilation if the problem persists in humid conditions.
Shed feels unstable	Uneven foundation or loose fasteners.	Verify the shed is on a perfectly level surface. Tighten all screws and bolts. Ensure the foundation kit is securely installed.

SPECIFICATIONS

- Brand:** Outsunny
- Model Number:** 84H-200V01CG
- Color:** Dark Grey
- Material:** Alloy Steel
- Overall Dimensions (L x W x H):** 2.21 x 1.33 x 1.9 meters (211L x 133P x 173/190A cm)
- Internal Dimensions (L x W):** 2.04 x 1.08 meters (204L x 108P cm)
- Surface Area:** 2.55 square meters
- Item Weight:** 54 Kilograms
- Door Width:** 75 Centimeters
- Door Height:** 163 Centimeters
- Door Style:** Sliding
- Window Dimensions:** 68 x 74 cm (approximate, based on feature bullet)
- Water Resistance Level:** Waterproof
- Maximum Weight Capacity:** 40 Kilograms
- Wind Resistant:** No
- Assembly Required:** Yes (3 people recommended)
- Foundation Kit:** Included (floor not included)




Image: A detailed diagram illustrating the external and internal dimensions of the shed, including height, width, and depth, with a human figure for visual scale.

WARRANTY INFORMATION

This Outsunny Garden Shed (Model 84H-200V01CG) is covered by a **2-year manufacturer's warranty**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for any warranty claims. For specific terms and conditions, refer to the warranty documentation provided with your product or contact customer support.

CUSTOMER SUPPORT

For any questions regarding assembly, operation, maintenance, or warranty, please contact Outsunny customer support. You can typically find contact information on the packaging or the official Outsunny website. The manufacturer of this product is Aosom Italy.

Online Resources: For additional support and resources, you may visit the [Outsunny Store on Amazon](#).

