

COBIZI SPC000259_GR_S_0530

COBIZI 10x15 Carport Canopy Portable Garage Tent Instruction Manual

Model: SPC000259_GR_S_0530

1. PRODUCT OVERVIEW

The COBIZI 10x15 Carport Canopy is a heavy-duty portable garage tent designed to provide reliable protection for vehicles, boats, and other outdoor equipment. Its robust construction and thoughtful design ensure durability and versatility across various applications and weather conditions.

Key Features:

- **Heavy-Duty Structure:** Constructed with a galvanized rust-resistant steel frame to prevent cracking, peeling, rust, and corrosion.
- **Enhanced Stability:** Secured with elastic balls, ground nails, wind ropes, and features 10 galvanized steel legs with a ratchet fixing method.
- **Removable Double Zipper Doors:** Easy to open and close, offering good sealing and durability. The removable design allows for a door height of up to 9 feet.
- **Round Style Roof:** Designed to reduce wind resistance and facilitate quick drainage of water and snow, extending the canopy's lifespan.
- **Waterproof and Anti-Snow:** Features 180g PE waterproof tarpaulin for protection against various weather elements.
- **Unique Vents Design:** Promotes air circulation and reduces moisture buildup inside the carport.
- **Versatile Usage:** Suitable for vehicle protection, outdoor activities, storage, and as a workspace.



Image 1.1: The COBIZI 10x15 Carport Canopy providing shelter for a vehicle.

2. SAFETY INFORMATION

Please read and understand all safety warnings and instructions before assembling or using this carport canopy. Failure to follow these instructions may result in property damage or personal injury.

- **Site Selection:** Choose a level, stable surface for installation. Avoid areas prone to strong winds, flooding, or overhead obstructions like power lines or tree branches.
- **Anchoring:** Always secure the carport firmly to the ground using all provided anchoring hardware (ground nails, wind ropes, ratchet straps). In areas with high winds or heavy snow, additional anchoring may be required.
- **Weather Conditions:** While designed for various weather, extreme conditions (e.g., severe storms, blizzards, hurricanes) may require temporary disassembly or additional reinforcement. Do not use in conditions exceeding its design limits.
- **Snow Removal:** Regularly remove accumulated snow from the canopy roof to prevent structural collapse.
- **Fire Safety:** Keep all heat sources and open flames away from the canopy fabric. The fabric is not fireproof.
- **Assembly:** Assembly typically requires two or more adults. Wear appropriate safety gear, such as gloves, during installation.

- **Children and Pets:** Keep children and pets away from the assembly area. Do not allow them to play inside or around the carport unsupervised.

3. SETUP INSTRUCTIONS

The COBIZI carport is designed for easy assembly. All necessary instructions and hardware are included. Each component is marked with numbers to guide you through the process step-by-step.

3.1. Unpacking and Component Identification

- Carefully unpack all components from the packaging.
- Verify that all parts listed in the packing list are present and undamaged. Refer to the component diagram for identification.
- Lay out the components in an organized manner to facilitate easier assembly.

Versatile Applications

Ample room for numerous purposes

Scene 1

suitable for outdoor tools



Scene 2

Suitable for parked vehicles



Scene 3

suitable for parked household boats



Image 3.1: Key components for assembly, including the PE tarp cover, windproof ropes, rubber ball connections, and ratchet straps.

3.2. Frame Assembly

- Begin by connecting the numbered steel pipes according to the provided diagram. Ensure all connections are secure.
- Assemble the roof arches first, then connect them with the horizontal support bars.
- Attach the vertical legs to the assembled roof structure. The frame is made of galvanized rust-resistant steel for durability.
- Utilize an impact drill for the screws and bolts if available, as there are numerous fasteners.



Image 3.2: Detailed view of the carport's stable roof and reinforced joint structure.

3.3. Cover Installation

- Drape the 180g PE waterproof tarpaulin over the assembled frame. Ensure it is centered and evenly distributed.
- Secure the cover to the frame using the elastic balls and rubber ball connections.
- Attach the double zippered roll-up doors to the front and back ends of the carport.

3.4. Anchoring

- Once the frame and cover are in place, secure the entire structure to the ground using the provided ground nails and wind ropes.
- Utilize the ratchet fixing method on the 10 galvanized steel legs to ensure maximum stability and durability.
- Ensure all ropes are taut and ground anchors are fully inserted into the soil.



Image 3.3: Anchoring components for securing the carport, including ground spikes and windproof ropes.

4. OPERATING INSTRUCTIONS

4.1. Using the Double Zippered Roll-up Doors

The carport features double zippered rolling doors at both ends, allowing for flexible access and ventilation.

- **Opening:** Unzip the doors completely and roll them upwards. Secure them in the rolled-up position using the attached ties or buckles. This increases the available door height to 9 feet, accommodating taller vehicles.
- **Closing:** Unroll the doors and zip them down completely to secure the contents and protect against weather.



Image 4.1: The double zipper roll-up doors can be configured in multiple ways for access and ventilation.

4.2. Utilizing the Vents

The carport is equipped with unique vents designed to promote air circulation and reduce moisture buildup.

- The vents feature an inner mesh layer to keep insects out while allowing airflow.
- Detachable vent supports can be used to keep the vent flaps open for increased ventilation.

Double zipper roll-up doors make it easier to arrange and move items



2

Roll up one side



1

Roll up both sides



3

Lower all

Image 4.2: The unique vent design with inner mesh and detachable supports for optimal air circulation.

5. MAINTENANCE

Proper maintenance will extend the lifespan of your COBIZI carport canopy.

- **Regular Cleaning:** Clean the canopy fabric periodically with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Rinse thoroughly and allow to air dry completely before storage.
- **Frame Inspection:** Periodically check all frame connections, bolts, and screws to ensure they are tight and secure. Tighten any loose fasteners.
- **Anchoring Check:** Regularly inspect ground nails, wind ropes, and ratchet straps for wear or loosening. Re-secure or replace as needed to maintain stability.
- **Snow and Water Accumulation:** The round roof design helps prevent accumulation, but in heavy snow or prolonged rain, manually remove excess snow or water to prevent stress on the frame and fabric.
- **Fabric Care:** The 180g PE tarpaulin is waterproof and tear-resistant. However, avoid sharp objects that could puncture or tear the fabric. Repair any small tears promptly to prevent them from enlarging.

Customer Review Show

★★★★★ Very nice car port

Reviewed in the United States on June 4, 2025

10x20 enclosed car tent

It was easy to set up, it did take me and my wife about 3 hours to do. instruction manual was good easy to understand.

It has a sturdy frame and cover is good quality. It has zippered door at both ends that are easy to open and close

Lots of room inside with a high ceiling

I recommend this carport



Image 5.1: The 180g PE cover is designed to be tear-resistant and waterproof.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your COBIZI carport canopy.

- **Issue: Carport feels unstable or sways in wind.**

Solution: Ensure all frame connections are tightly secured. Verify that all ground nails, wind ropes, and ratchet straps are properly installed and taut. Consider adding additional anchoring in high-wind areas.

- **Issue: Water pooling on the roof.**

Solution: While the round roof design minimizes pooling, check if the canopy fabric is stretched evenly and tightly over the frame. Adjust tension if necessary. In heavy rain, manually push accumulated water off the roof.

- **Issue: Zippers are difficult to operate.**

Solution: Ensure the fabric is not caught in the zipper teeth. Apply a silicone-based lubricant to the zipper teeth if they are stiff.

- **Issue: Moisture buildup inside the carport.**

Solution: Ensure the vents are open and unobstructed to promote air circulation. If possible, partially roll up the doors during dry weather to increase ventilation.

- **Issue: Missing or damaged parts during assembly.**

Solution: If you encounter any problems during installation or find missing/damaged parts, please contact COBIZI customer support immediately.

7. SPECIFICATIONS

Feature	Specification
Brand	COBIZI
Model Number	SPC000259_GR_S_0530
Dimensions (L x W x H)	177"L x 118"W x 94"H (Approx. 10x15ft)
Material	Metal, Alloy Steel, Fabric (180g PE)
Frame Material	Alloy Steel

Feature	Specification
Item Weight	100 Pounds
Color	Gray
Water Resistance Level	Waterproof
Ultraviolet Light Protection	Yes
Required Assembly	Yes
UPC	840561214627

Product Dimensions

Spacious interior designed to accommodate various needs



Image 7.1: Product dimensions of the COBIZI 10x15 Carport Canopy.

8. WARRANTY AND SUPPORT

COBIZI is committed to providing a worry-free experience for its customers. We offer a warranty and dedicated customer support to ensure your satisfaction from purchase to use.

- **Warranty Information:** Specific warranty details may vary. Please refer to the product packaging or contact customer support for precise warranty terms and conditions.
- **Customer Support:** If you have any questions, concerns, or require assistance with installation, operation, or troubleshooting, please contact COBIZI Direct. Our customer service team is ready to help.
- **Contact Information:** Refer to your purchase documentation or the COBIZI brand store on Amazon for the most current contact details.