

[Manuals.plus](#) /

› [Aquaguard](#) /

› Aquaguard Enrich Superio ROUVCASS 2X 2AB Water Purifier User Manual

Aquaguard Enrich Superio ROUVCASS 2X 2AB (GWPDESRUC0002X)

Aquaguard Enrich Superio ROUVCASS 2X 2AB Water Purifier User Manual

Model: Enrich Superio ROUVCASS 2X 2AB (GWPDESRUC0002X)

Brand: Aquaguard

1. INTRODUCTION

The Aquaguard Enrich Superio ROUVCASS 2X 2AB Water Purifier is designed to provide purified drinking water through an advanced 11-stage purification process. This system integrates Reverse Osmosis (RO) and Ultraviolet (UV) e-boiling technologies to ensure water safety. It features Copper+Alkaline technology, a durable stainless steel tank, and Nanopore Long Life Filters for effective contaminant removal. The purifier also includes a mega sediment filter, water-saving technology with over 40% recovery, a 5-liter storage capacity, and LED indicators for tank fill and service status. An integrated TDS meter allows for convenient water quality checks.

2 FREE ALKALINE BOTTLE

WORTH ₹4000/-#



Adds Natural Minerals



Reduces Acidity



Keeps body's pH in balance



Improves Digestion



USAGE

- 1 Fill with purified drinking water
- 2 Shake for 30 seconds
- 3 After 10–15 mins, water is energised & ready

*Based on 1L daily bottled water consumption.

#Limited period offer only. Terms and Conditions Apply.

1 YEAR
CARTRIDGE
LIFE*

Front view of the Aquaguard Enrich Superio Water Purifier, showcasing its design.

11

STAGES OF ADVANCED PURIFICATION



Detailed diagram illustrating the 11 stages of advanced purification, including various filters and technologies.

2. SETUP AND INSTALLATION

The Aquaguard Enrich Superio Water Purifier is designed for countertop installation. Professional installation by a qualified technician is recommended to ensure proper setup and optimal performance.

2.1. Unpacking

Carefully unpack the water purifier and all its components. Ensure all items listed in the 'What's in the Box' section are present.

2.2. What's in the Box

- Aquaguard Enrich Superio Water Purifier Unit

- Installation Kit

2.3. Placement

Place the unit on a stable, flat countertop surface, away from direct sunlight and heat sources. Ensure adequate space around the unit for ventilation and maintenance access.



Image displaying the dimensions of the water purifier (48L x 32W x 32H Centimeters) for proper placement.

Stainless Steel Tank

Keeps water fresher for longer



Superior SS
Grade 304



Anti-Corrosive



Tough and
Durable



*Lifetime is defined as life of the product i.e. 10 years. T&C Apply.

Back view of the Aquaguard Enrich Superio Water Purifier, showing connection points for water inlet and power.

3. OPERATING INSTRUCTIONS

The Aquaguard Enrich Superio Water Purifier is designed for ease of use, providing purified water on demand.

3.1. Initial Use

1. After installation, ensure the power supply is connected and the water inlet valve is open.
2. Allow the storage tank to fill completely. The LED indicators will show the tank fill status.
3. For the first use, dispense and discard approximately 2-3 liters of water to flush the system and new filters.

3.2. Dispensing Water

To dispense purified water, place a container under the faucet and operate the dispenser lever or button as indicated on

the unit.

3.3. Water Saving Technology

This purifier incorporates water-saving RO technology, achieving over 40% water recovery during the purification process.




Image showing water being dispensed from the Aquaguard Enrich Superio, illustrating the efficient water recovery system.

3.4. TDS Meter

The integrated TDS meter allows you to check the Total Dissolved Solids level of the purified water, providing an indication of water quality.

3.5. Suitable Water Sources

The purifier is suitable for various water sources, including borewell water, municipal water, and tanker water, with a maximum supported TDS level of 2000 PPM.

SUITABLE FOR ALL WATER SOURCES*



For Borewell
Water



For Municipal
Water



For Tanker
Water

TDS Max: 2000 mg/L allowed



Visual representation indicating the Aquaguard Enrich Superio is compatible with borewell, municipal, and tanker water sources.


4. MAINTENANCE

Regular maintenance ensures the longevity and efficiency of your Aquaguard Enrich Superio Water Purifier.

4.1. Filter Life and Replacement

The Nanopore Long Life Filters are designed for a filter life cycle of up to 2 years or 12,000 liters, whichever comes first. Timely replacement of filters is crucial for maintaining purification effectiveness. The unit features LED indicators for service reminders.

NOT JUST ANY COPPER BUT 4-IN-1 ACTIVE COPPER TECHNOLOGY#



Infuses the Right Amount of Copper, calcium, zinc, magnesium



Suitable for All Age groups



Clean Free Technology

*As per BIS norms.

*Copper infusion in adherence to IS 10500:2012 Drinking Water Specification (Acceptable Limit). Patent No 332771.

Diagram showing the internal components of the 4-in-1 Active Copper Technology, which are part of the purification stages.

ALKALINE BOOST TECHNOLOGY

Increases pH and makes water Alkaline




Water pH as per BIS Standards*



Suitable for All Ages



Controlled Release Technology



Visual explanation of the Alkaline Boost Technology, demonstrating how it increases water pH.

4.2. Tank Cleaning

The stainless steel tank is designed for durability and hygiene. Periodically, the tank should be cleaned by a service technician to prevent accumulation of deposits.

SAVE OVER ₹18,000

WITH AQUAGUARD 2X ON FILTER REPLACEMENT



Close-up image of the stainless steel tank, emphasizing its robust and anti-corrosive properties.

4.3. Free Service Plan

For the first year of ownership, a free service plan is provided, which includes:

- Free Installation
- 2 Free Cleaning Visits
- Unlimited Repair Visits

INDIA'S
WATER PURIFIER*



FREE SERVICE PLAN

Free
Installation

2 Free
Cleaning Visits

Unlimited
Repair Visits*



*For the first year only

Visual summary of the Free Service Plan benefits for the first year of product ownership.

5. TROUBLESHOOTING

If you encounter issues with your water purifier, please refer to the following general troubleshooting steps. For complex problems, contact customer support.

5.1. No Water Dispensing

- Check if the power cord is securely plugged into a working outlet.
- Ensure the main water supply valve to the purifier is open.
- Verify that the storage tank is not empty. Wait for it to fill if necessary.
- Check for any error indicators on the LED display.

5.2. Slow Water Flow

- Ensure the water inlet pressure is adequate (within the operating pressure range).
- Filters may be nearing the end of their life cycle and require replacement. Refer to the service indicators.

5.3. Unusual Noise

- Some operational noise is normal during purification.
- If the noise is excessive or unusual, ensure the unit is placed on a stable surface. Contact support if the noise persists.

6. SPECIFICATIONS

Feature	Specification
Brand	Aquaguard
Model Name	Enrich Superio ROUVCASS 2X 2AB
Model Number	GWPDESRUC0002X
Product Dimensions (L x W x H)	48L x 32W x 32H Centimeters
Item Weight	11 Kilograms
Material	Acrylonitrile Butadiene Styrene (ABS)
Capacity	5 Liters
Installation Type	Countertop
Purification Method	Reverse Osmosis, Ultraviolet
Power Source Type	Corded Electric
Maximum Flow Rate	24 Liters Per Hour
Operating Pressure Range	Upto 3 Kilograms Per Square Centimeter
Supported Water TDS Level Maximum	2000 PPM
Water Saving Percentage	40.0%
Filter Life Cycle	2 Years
Lower Temperature Range	5 Degrees Celsius
Upper Temperature Rating	45 Degrees Celsius

7. WARRANTY INFORMATION

The Aquaguard Enrich Superio Water Purifier comes with the following warranty:

- **Product Warranty:** 1 year on the product.
- **Filter Life Warranty:** 2 years or 12,000 liters, whichever comes first.

Please retain your purchase receipt for warranty claims.

8. SUPPORT AND CONTACT

For any assistance, service requests, or inquiries regarding your Aquaguard Enrich Superio Water Purifier, please contact the manufacturer:

Manufacturer:

Eureka Forbes Limited (Formerly Forbes Enviro Solutions Limited)

Registered Office Address: B1/B2, 701, 7th Floor, Marathon Innova, Off. Ganpatrao Kadam Marg, Lower Parel (West), Mumbai, Maharashtra – 400013

Manufacturing Unit: Lal Tapper Industrial Area, Majri Grant, Dehradun, Uttarakhand-248140

Please refer to the product packaging or official Aquaguard website for the most current contact information, including customer service numbers and email addresses.

© 2026 Aquaguard. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question