

[Manuals.plus](#) /

› [Fanttik](#) /

› Fanttik X11 Pro+ Portable Tire Inflator User Manual

Fanttik X11 Pro+

Fanttik X11 Pro+ Portable Tire Inflator User Manual

Model: X11 Pro+

INTRODUCTION

Thank you for choosing the Fanttik X11 Pro+ Portable Tire Inflator. This compact and powerful device is designed for quick and accurate inflation of various items, including car tires, motorcycle tires, bicycle tires, and sports balls. Featuring a lightweight design, magnetic hose storage, and precise pressure monitoring, the X11 Pro+ ensures convenience and reliability. Please read this manual thoroughly before use to ensure safe and optimal performance.



The Fanttik X11 Pro+ is designed to be portable and compact, easily fitting into small spaces.

WHAT'S IN THE BOX

Verify that all items are present in your package:

- 1 x Fanttik X11 Pro+ Tire Inflator
- 1 x Presta Valve Adapter
- 1 x Needle Valve Adapter
- 1 x Charging Cable (USB Type-A to Type-C)
- 1 x User Manual

WHAT'S IN THE BOX?

X11 PRO⁺

Air Inflator

(5.8 * 3.1 * 1.8 in)



Presta Valve Adapter



Air Pump Hose Adapter



Needle Valve Adapter



Charging Cable



User Manual

Illustration of all components included in the Fanttik X11 Pro+ package.

PRODUCT OVERVIEW

The Fanttik X11 Pro+ is engineered for efficiency and ease of use. Key features include:

- **Magnetic Hose Storage:** The inflation hose conveniently attaches to the side of the device magnetically, preventing kinks and ensuring tidy storage.

- **Rotatable Hose Connector:** Allows for easier connection to valve stems from various angles.
- **Fast Inflation:** Capable of inflating an R15 car tire in approximately 39 seconds (from 30-33 PSI).
- **ACCUINFLATE Technology:** Provides real-time tire pressure monitoring with ± 1 PSI accuracy, regardless of altitude.
- **HD Display:** A clear screen shows real-time inflation progress and pressure readings, visible even in bright conditions.
- **5 Preset Modes:** Quick selection for Car, Bike, Motorcycle, Ball, and a Manual mode for custom pressure settings.
- **Long-Lasting Battery:** A single charge can refill an R15 tire up to 18 times.
- **Accessory Storage:** A hidden compartment at the bottom stores adapters, preventing loss.
- **LED Light:** Integrated light for visibility in low-light conditions, with normal and SOS modes.



**SIDE MAGNETIC
HOSE STORAGE**

*The content is digitally generated/modified by ARTIFICIAL INTELLIGENCE/SYNTHETIC PERFORMER for illustration purposes.

The magnetic hose storage keeps the inflation hose neatly attached to the device.

EASY TO STORE



*The content is digitally generated/modified by ARTIFICIAL INTELLIGENCE/SYNTHETIC PERFORMER for illustration purposes.

The bottom compartment provides convenient storage for valve adapters.

SETUP

1. **Initial Charge:** Before first use, fully charge the Fanttik X11 Pro+ using the provided USB Type-A to Type-C charging cable and a compatible USB power adapter (not included). The battery indicator on the display will show charging status.

2. **Prepare Hose:** Uncoil the inflation hose from its magnetic storage. Ensure the hose is free of kinks.
3. **Select Adapter:** Choose the appropriate valve adapter (Presta, Needle, or standard Schrader) for the item you intend to inflate. The standard connector is for Schrader valves.

OPERATING INSTRUCTIONS

Follow these steps for safe and effective inflation:

1. **Power On:** Press and hold the power button (usually the center button) to turn on the inflator. The display will light up.
2. **Connect Hose:** Rotate the air hose connector onto the valve stem of the item you wish to inflate. Ensure a secure, airtight connection. The display will show the current pressure.
3. **Select Mode:** Press the 'M' button (Mode button) to cycle through the preset modes: Car, Bike, Motorcycle, Ball, or Manual.
4. **Set Target Pressure:** Use the '+' and '-' buttons to adjust the desired target pressure. Refer to your item's manufacturer recommendations for correct PSI.
5. **Start Inflation:** Press the power button again to start inflation. The device will automatically stop once the target pressure is reached.
6. **Disconnect:** Carefully disconnect the hose from the valve stem. The hose may be warm after extended use.
7. **Power Off:** Press and hold the power button to turn off the inflator.



Visual guide for connecting the hose, selecting a mode, and starting inflation.

Your browser does not support the video tag.

Video demonstrating quick tire inflation using the Fanttik X11 Pro+.

Using the LED Light

Press the light button (usually indicated by a sun icon) to toggle the LED light. Press once for normal illumination, press again for SOS flashing mode, and a third time to turn it off. This feature is useful for nighttime use or emergencies.

F11 PRO MOTOR

Power. Precision. Protection.



*The content is digitally generated/modified by ARTIFICIAL INTELLIGENCE/SYNTHETIC PERFORMER for illustration purposes.



The integrated LED light provides illumination for use in dark environments.

MAINTENANCE

- **Cleaning:** Wipe the device with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** Store the inflator in a cool, dry place, away from direct sunlight and extreme temperatures. Ensure the hose is properly stored in its magnetic slot and adapters are in the bottom compartment.
- **Battery Care:** For optimal battery life, charge the device regularly, even if not in frequent use. Avoid fully discharging the battery for extended periods.
- **Hose Inspection:** Periodically check the inflation hose for any signs of wear, cracks, or damage. Replace if necessary.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Inflator does not turn on.	Low battery or no charge.	Charge the device fully using the provided USB-C cable.
Inflation is slow or stops prematurely.	Hose not securely connected; low battery; item requires higher pressure than set.	Ensure hose is tightly connected. Recharge device. Verify target pressure setting. Allow device to cool if used for extended periods.
Inaccurate pressure reading.	Loose connection; sensor malfunction.	Ensure the hose is securely attached to the valve stem. If problem persists, contact customer support.
Device gets hot during use.	Normal operation during extended inflation.	This is normal. Allow the device to cool down between uses, especially when inflating multiple items or to high pressures.

SPECIFICATIONS

Feature	Detail
---------	--------

Feature	Detail
Model Number	X11 Pro+
Brand	Fanttik
Color	Black
Material	Plastic
Product Dimensions (L x W x H)	5.9" x 2.5" x 1.7"
Power Source	Battery Powered
Maximum Pressure	150 PSI
Voltage	7.4 Volts
Accuracy	±1 PSI

WARRANTY AND SUPPORT

The Fanttik X11 Pro+ Portable Tire Inflator comes with a **1-Year Manufacturer Warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any questions regarding your product, please contact Fanttik customer service through their official website or the retailer where the product was purchased. Please have your purchase receipt and product model number (X11 Pro+) available when contacting support.

For additional information and support, you may visit the [Fanttik Store on Amazon](#).

© 2026 Fanttik. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0H6M7PF42>

More documents and user manuals: <https://manuals.plus/>