

[Manuals.plus](#) /

› [Aoxun](#) /

› Aoxun 8x7 FT Outdoor Bar Shed with Canopy Instruction Manual

Aoxun G37109

Aoxun 8x7 FT Outdoor Bar Shed with Canopy Instruction Manual

Model: G37109

PRODUCT OVERVIEW

The Aoxun 8x7 FT Outdoor Bar Shed with Canopy is a versatile outdoor structure designed for entertainment and storage. It features a lift-up front panel that creates a shaded canopy and a fold-down counter for serving. Constructed from durable metal, it is designed to withstand various weather conditions, offering a functional and secure space for your outdoor needs.



Image: The Aoxun 8x7 FT Outdoor Bar Shed with Canopy in black, shown with its front panel lifted to form a canopy and a fold-down counter.

SAFETY INFORMATION

- Always follow all assembly instructions carefully.
- Two-person assembly is recommended for safety and efficiency.
- Ensure the shed is installed on a level and stable surface.
- Do not exceed the counter's weight capacity of 66 lbs (30 kg).
- Secure the shed to the ground to prevent wind damage.
- Keep children and pets away from the assembly area.
- Wear appropriate safety gear, such as gloves, during assembly.

PACKAGE CONTENTS

Your Aoxun Bar Shed package includes all necessary panels, parts, and hardware. Each component is clearly labeled for easy identification. Two pairs of gloves are provided to prevent scratches during installation.

Note: A step-by-step illustrated manual is included in the package. Please refer to it for a complete list of parts and detailed diagrams.

SETUP AND ASSEMBLY

Assembly of the Aoxun Bar Shed requires careful attention to detail and is best performed by two individuals. Refer to the included illustrated manual for detailed, step-by-step instructions.

Foundation

Ensure a stable and level foundation for the shed. The minimum recommended foundation size is 8.2 x 6.7 ft (2.5 x 2.04 m).



Image: Diagram showing the product dimensions of the Aoxun Bar Shed, including height, width, and depth, along with the recommended

minimum foundation size.

Key Assembly Features

TV Mount Ready Post

The shed includes a pre-drilled steel post with M6 threaded holes for mounting a TV bracket (bracket not included). This feature supports 40-70 inch screens.



Image: Interior view of the shed showing the galvanized steel pipes for TV mounting, with dimensions for bracket placement.

Cable Routing Hole

A built-in cable port allows for easy routing of power cords for appliances, lighting, or coolers, ensuring electrical safety and a tidy setup.

Reserved Cable Routing Hole



Image: Interior view highlighting the reserved cable routing hole for electrical connections.

Assembly Video Guide

For visual guidance during assembly, please refer to the official product video below.

Your browser does not support the video tag.

Video: An official assembly guide for the Aoxun 8x7 FT Outdoor Bar Shed with Canopy Black, demonstrating key steps and features.

OPERATING INSTRUCTIONS

Canopy and Counter Operation

- To open the canopy: Lift the front panel upwards. Two hydraulic gas struts assist in smooth opening.
- To close the canopy: Use the dedicated pull-rod for easy one-hand closing. Ensure independent locking pins are engaged to keep it firmly closed when not in use.
- The fold-down counter provides a surface for food preparation and serving. Ensure its independent locking pins are

engaged when closed to prevent accidental opening.

Door Security


- The side door is equipped with a pad-lockable latch for securing stored items. A padlock is not included.

DURABLE BAR SHED



1

Visual Windows



2

Lockable Latch



3

Gas Struts



4

Door Closer Arm

Image: Close-up views of the shed's features, including visual windows, lockable latch, gas struts for the canopy, and the door closer arm.

MAINTENANCE

The Aoxun Bar Shed is constructed from high-quality, rust-resistant metal panels and a sloped roof, designed for year-round outdoor use. Proper maintenance will ensure its longevity.

- **Cleaning:** Regularly clean the shed exterior with mild soap and water to remove dirt and debris. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Snow Load:** The sloped roof can bear snow loads up to 6 inches (15 cm). In areas with heavy snowfall, consider removing excess snow to prevent structural stress.

- **Wind Resistance:** The shed resists winds up to 25 mph (40 km/h). For extreme weather conditions, additional anchoring may be considered to enhance stability.
- **Rust Prevention:** The rust-resistant coating provides protection. Inspect for any scratches or damage to the coating and touch up as needed to prevent rust formation.



- Can bear 6 inches of snow
- Resists winds up to 25 mph
- Increases internal storage capacity

Image: Illustration of the sloped metal roof design, highlighting its waterproof, windproof, and UV protection features.

TROUBLESHOOTING

Assembly Difficulties

- **Missing or Damaged Parts:** If you encounter missing or damaged parts, contact Aoxun customer support immediately with your product model number and a description of the issue.
- **Misaligned Frames/Panels:** Double-check the alignment of frames and panels during assembly. Use a level gauge to ensure proper positioning before tightening fasteners.
- **Loose Screws:** Ensure all screws are tightened securely. If screws do not hold, verify you are using the correct

hardware for each step as per the manual.

Canopy/Counter Not Closing Properly

- Check that the independent locking pins are free from obstruction and engaging correctly.
- Inspect the hydraulic gas struts for any damage or malfunction.

Water Leakage

- Ensure all panels are correctly installed and sealed. Check the roof and wall seams for any gaps.
- Verify that the shed is on a level surface to allow for proper water drainage from the sloped roof.

SPECIFICATIONS

Feature	Detail
Brand	Aoxun
Model Number	G37109
Color	Black
Material	Metal
Product Dimensions (D x W x H)	80.1"D x 97.7"W x 86.6"H (203.45 cm D x 248.16 cm W x 220 cm H)
Item Weight	250 pounds (113.4 kg)
Floor Area	53.6 square feet (4.98 square meters)
Door Width	31.9 inches (81 cm)
Door Height	70 inches (177.8 cm)
Style Name	Modern
Door Style	Single Hinged Door
Water Resistance Level	Water Resistant
Counter Weight Capacity	66 pounds (30 kg)
Frame Material	Metal
Top Material Type	Metal
Base Material	Metal

WARRANTY AND SUPPORT

Aoxun offers a 30-day easy return policy for this product. For any questions, concerns, or assistance with assembly or parts, please contact our customer support team.

- **Customer Support:** Our dedicated customer support team is available 24/7 to assist you. Please refer to your

purchase documentation or the Aoxun website for contact details.

- **Returns:** This product is eligible for 30-day easy returns. Please retain all original packaging and documentation in case a return is necessary.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

How do I install the bar top on the Aoxun G37109 Outdoor Bar Shed?

The installation of the bar top (fold-down counter) on the Aoxun G37109 Outdoor Bar Shed involves attaching the counter panel to the main frame and ensuring the locking mechanism is functional. While the specific...

[Read full answer](#)