

[Manuals.plus](#) /

› [Aoxun](#) /

› Aoxun 6x4 FT Metal Garden Shed Instruction Manual

Aoxun 6x4ft

Aoxun 6x4 FT Metal Garden Shed Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Aoxun 6x4 FT Pent Metal Garden Shed. Please read all instructions carefully before beginning assembly and retain this manual for future reference. This shed is designed for outdoor storage of garden tools, bicycles, and other equipment, offering protection from weather elements.

SAFETY INFORMATION

- Always wear appropriate safety gear, including gloves and eye protection, during assembly.
- Assembly requires at least two people.
- Ensure the assembly area is clear of obstructions and hazards.
- Do not assemble in strong winds or adverse weather conditions.
- Keep children and pets away from the assembly area.
- Properly anchor the shed to the ground to prevent wind damage.

SETUP

Site Preparation

Select a level, firm surface for the shed installation. The shed features a pent roof design, allowing it to be placed flush against a wall or fence. Ensure adequate drainage around the site to prevent water accumulation.

Assembly

The shed is delivered in a reinforced package. Carefully unpack all components and verify against the parts list provided in your separate assembly guide. Assembly typically requires two individuals. All panels feature pre-drilled holes for alignment. Remove any protective film from the panels before assembly.



Image: Interior view of the shed showing organized tools and a hand demonstrating the removal of the scratch protective film from a panel. Ensure all protective films are removed during assembly.

Anchoring

The shed includes 4 heavy-duty ground pegs and 0.4mm galvanized base rails for structural grounding. These are crucial for stability and wind resistance. Securely fasten the shed to the prepared ground using the provided pegs to achieve certified Level 6 wind resistance (24-30 mph).

Product Dimensions

aoxun



2 Pairs of Gloves



1 BOX



Image: Detailed dimensional diagram of the Aoxun 6x4 FT Metal Garden Shed, indicating height, width, and depth measurements in both centimeters and inches. This diagram is essential for planning the shed's placement and ensuring adequate space.

OPERATING INSTRUCTIONS

Door Operation

The shed features wide W120 x H155 cm double sliding doors. To open, slide the doors along their tracks. Ensure the tracks are clear of debris for smooth operation. The doors are designed to save outward clearance, making them suitable for narrow spaces.

Security Latch

A double door latch mechanism is provided for security. A padlock (not included) can be used with the latch to secure the shed's contents. Protective corner caps are installed to safeguard hands during daily use.

1 Tight Fit between Panels



2
**Security Door
Lock Latch**



3
**Stable Frame
Construction**



4
**Smooth Plastic
Protective Shell**



5
**Stainless
Steel Hinge**

Image: Close-up view highlighting key structural and security features of the shed, including the security door lock latch, stable frame construction, smooth plastic protective shell, and stainless steel hinges. These elements contribute to the shed's durability and user safety.

Ventilation

Two built-in PP louvered air vents promote continuous air circulation within the shed. This design helps to eliminate internal moisture and condensation, keeping stored items dry and rust-free.

Storage Capacity

The shed offers versatile storage options for various items, including lawnmowers, bicycles, garden tools, and even garbage bins. Its design maximizes internal space for efficient organization.

Multiple Storage Modes



Storage Room



Garbage Bin



Bicycle Parking



Pet House

Image: An open shed interior demonstrating various storage configurations, including shelving for tools, space for garbage bins, bicycle parking, and even a small pet house. This illustrates the shed's adaptability for different storage needs.

MAINTENANCE

Cleaning

Regularly clean the exterior of the shed with mild soap and water to remove dirt and debris. Rinse thoroughly. The sloped pent roof design ensures rapid rain runoff, but occasional cleaning of the roof surface can prevent buildup.

Ventilation System


Ensure the louvered vents remain clear of obstructions (e.g., leaves, dust) to maintain optimal airflow and prevent condensation.

Structural Integrity

Periodically inspect the shed for any signs of damage, loose fasteners, or corrosion. The shed features an upgraded coating for enhanced durability against long-term exposure. Re-tighten any loose bolts and check the ground pegs for secure anchoring, especially after strong winds.

The Aoxun logo is displayed in white lowercase letters within a dark green rounded rectangular background. The background of the entire top section consists of vertical black and dark grey stripes.

UPGRADE COATING

This block contains two side-by-side images of metal surfaces. The left image shows a smooth, blue-grey corrugated metal surface. The right image shows a similar corrugated metal surface that is heavily corroded with orange-brown rust. The text 'OTHER METAL FOR LONG TIME USE' is centered over both images in white capital letters.

OTHER METAL
FOR LONG TIME USE

This block contains two side-by-side images of wood surfaces. The left image shows a smooth, light-colored wooden plank surface. The right image shows a similar wooden plank surface that is heavily weathered, discolored, and shows signs of decay. The text 'OTHER WOOD FOR LONG TIME USE' is centered over both images in white capital letters.

OTHER WOOD
FOR LONG TIME USE

Image: A visual comparison demonstrating the durability of Aoxun's upgraded coating against the effects of long-term use on other metal and wood materials, highlighting the shed's resistance to wear and corrosion.

TROUBLESHOOTING

- **Condensation Inside Shed:** Ensure both louvered vents are clear and unobstructed. Verify the shed is properly sealed at the base to prevent ground moisture entry.
- **Doors Sticking or Difficult to Slide:** Check the door tracks for debris or obstructions. Clean the tracks and apply a silicone-based lubricant if necessary. Ensure the shed is level.
- **Shed Instability:** Confirm all ground pegs are securely installed and the shed is anchored to a firm, level surface. Check all bolts and fasteners for tightness.
- **Minor Dents/Scratches:** While packaging is designed to prevent damage, minor cosmetic imperfections can occur. These typically do not affect the structural integrity or weather resistance of the shed.

SPECIFICATIONS

Brand	Aoxun
Model Number	6x4ft
Color	Black
Product Dimensions (D x W x H)	73.62" x 73.23" x 49.21" (approx. 187cm x 186cm x 125cm)
Floor Area	24 square feet
Material	Galvanized Steel
Wind Resistance	Level 6 (24-30 mph)
Roof Load Capacity	38 kg/m²

WARRANTY

Specific warranty details for your Aoxun 6x4 FT Metal Garden Shed may vary. Please refer to the warranty information provided at the time of purchase or contact Aoxun customer support for details regarding coverage and terms.

SUPPORT

For assistance with assembly, missing parts, or any other inquiries, please contact Aoxun customer support through the retailer where the product was purchased. Have your model number (6x4ft) and purchase details ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question