



# Ask Proxima C3307-A Lcd Projector Specifications and Datasheet

[Home](#) » [ASK Proxima](#) » Ask Proxima C3307-A Lcd Projector Specifications and Datasheet 

## Contents

- [1 Ask Proxima C3307-A Lcd Projector](#)
- [2 Introduction](#)
- [3 Hybrid-Filter & Powerful Cooling System](#)
- [4 Double Anti-Theft Features](#)
- [5 User Friendly Operation](#)
- [6 Excellent quality](#)
- [7 Specifications](#)
- [8 Projection Distance](#)
- [9 DIMENSION](#)
- [10 FAQs](#)

**ASK Proxima**

**Ask Proxima C3307-A Lcd Projector**



## Introduction

ASK, founded in 1984, originally conducted R&D in LCD technology for the production of LCD screens but later turned its focus towards developing overhead panels for projecting images in larger formats.


In 1991, Tandberg Data, a world leader in data storage products, assumed ownership of the firm, which rejuvenates ASK by turning its target to projector manufacture by collaborating with Polaroid under the label "For Polaroid – By ASK". The company undertook an aggressive marketing campaign, building a network of distributors in countries all over Europe and Asia.

In 1998, to expand the market, ASK acquired its American competitor, Proxima Corporation. Later the company changed its name to Proxima ASA in 2000, and as of 2005, the company was the second largest in the projector industry. The year after, the company merged with the industry leader, InFocus.

In 2010, ASK Proxima went through another round of re-structuring, teaming up with a Chinese digital projector manufacturer, ACTO, and started to implement a new strategy to compete in the world market.

## Hybrid-Filter & Powerful Cooling System

Projector is furnished with a low maintenance replaceable dust filter which can effectively reduce both smoke and dust from entering the projector. The cooling system is optimized for a multiple inlet design for powerful heat dispersion even at high altitudes



The replaceable dust filter is installed on the air inlet with .2+inches to effectively isolate smoke and dust from entering the machine. User friendly for dismantle and clean makes maintenance more easy and convenient.



### Easy Lamp Replacement

The lamp cover is conveniently located on the top of the projector for easy replacement, even when the projector is installed on the ceiling



### Philips ImageCare Intelligent Power-saving Technology

Advanced Philips ImageCare intelligent power-saving technology prolongs lamp life, improves image colors while meeting the needs to reduce classroom energy consumption.



UHP spare lamp

### 4000:1 Contrast Ratio

The super high contrast ratio of 4000:1 and rich picture layering details produces clear crisp images for the most demanding audiences



4000:1 high contrast ratio




Common contrast ratio

### Simple, Quick Operational Set Up

- Automatic or Manual Keystone correction for presentation, even though the projector placement may not be optimum



- Automatic image reversal without a menu setting when installed upside down in the ceiling




### 6,000 Hours Lamp Life

Utilizing the Philips UHP lamp with the latest frequency conversion driving technology extends lamp life up to 6,000 hours for reduced cost of ownership.

### Double Anti-Theft Features

- Kensington lock and anti-theft bar
- Built-in password lock for authorized access only



### Digital & Partial Zoom Function

Full screen digital zoom with accurate focus, plus partial image zoom via remote control for presenters emphasis to details.



Full screen



Partial zoom-in

## Multiple I/O interfaces

**HDMI™** HD Interface, S-video, PC Interface, AV Interface



## Unique Picture Split and Edge Blending

feature offered only on larger high end projectors allows the combining of multiple projectors without the use of an external splitter to create a large seamless image



## 2nd Generation Inorganic LCD Panels

- **BrightEra™** LCD panel technology is a registered trademark of Sony Corporation.
- “BrightEra ” chips reduce light leakage, increases the contrast ratio, improves LCD panels light resistance and increases its stability

## User Friendly Operation

- Instant power off and go
- Automatic signal sensing
- Hotkey image blanking

## Excellent quality

ASKProxima projectors conform to global dust-free manufacturing standards. Each product originates from a dust-free workshop of 100K grade purification standard. The products are subjected to a 24-hour continuous burn-in test before being packaged to ensure users of the highest quality products.



## Specifications

Model	C3255-A	C3257-A	C3305-A	C3307-A	C3327W-A
Color	White	White	White	White	White
Native resolution	XGA (1024 x 768)				WXGA (1280 x 800)
Display technology	3*0.63" LCD				3*0.59" LCD
Brightness	2700 ANSI lumens	2700 ANSI lumens	3100 ANSI lumens	3100 ANSI lumens	3200 ANSI lumens
Contrast ratio	2000:1	4000:1	4000:1	4000:1	4000:1
Uniformity	85%				
Lamp	215 W UHP				
Lamp life	[Normal] 4,000 hours, [Eco] 6,000 hours				
Lamp replacement	Top lamp replacement				
Dimension	13.4" x 9.5" x 3.4"				
N.W.	6.7 Lbs				
Noise level	[Normal] <34dBA, [Eco] < 32 dBA				
Projection method	Front/Rear/Desktop/Ceiling				
Inputs	VGA*1; YCbCr*1; Video*1(share to YCbCr); S-video*1	VGA*2; YCbCr*1; Video*1; S-video*1; Audio in*1; HDMI*1; RAC*2 (L/R)	VGA*1; YCbCr*1; Video*1 (share to YCbCr); S-video*1	VGA*2; YCbCr*1; Video*1 (share to YCbCr); S-video*1; Audio in (3.5mm)*1; HDMI*1; RAC*2 (L/R)	
Output(s)	VGA*1	VGA (shared VGA in2) Audio out (3.5mm)	VGA*1	VGA (shared VGA in2) Audio out (3.5mm)	

Control	RS232	RS232/LAN	RS232	RS232/LAN
PC compatibility	VGA, SVGA, XGA, SXGA, WXGA, UXGA, Mac			
Video compatibility	PAL, SECAM, NTSC 4.43, PAL-M, PAL-N, 480i, 480p, 576i, 576p, 720p, 1035i, and 1080i			
Aspect ratio	4:3 (std) / 16:10 (compt.)			16:10 (std)/4:3 (compt.)
Projector lenses	F: 2.1-2.3, 1.2x optics, f=18.82-22.60mm, 1/4~16 Digital Zoom		F: 1.58-1.75, 1.2x optics, f=18.85-22.63mm, 1/4~16 Digital Zoom	
Keystone	Manual keystone $\pm 30^\circ$	Auto keystone $\pm 30^\circ$	Manual keystone $\pm 30^\circ$	Auto keystone $\pm 30^\circ$
Projection ratio	70"@81.5"			70"@86.2"
Projection distance	31.5" ~ 425.2"			
Screen size(Diagonal)	30" – 300"			
H. scan freq.	15-100 KHz			
V. scan freq.	48-85 Hz			
Power	280W / Less than 0.5W (Standby power)			
Power supply	100-240V AC @ 50-60 Hz			
Speaker	N/A	7 W	N/A	7 W
Working temp.	41°F ~ 104°F (over 95°Go to ECO mode)			
Storage temp.	14°F ~ 140°F			

OSD languages	24 languages: Simplified Chinese, Traditional Chinese, English, French, Spanish, Portuguese, German, Italian, Japanese, Korean, Russian, Finnish, Swedish, Dutch, Thai, Hungarian, Romanian, Vietnamese, Turkish, Afrikaans, Indonesian, Polish, Farsi, Arabian
Other features	Auto keystone correction/Quick power on and shutdown/Edge blending/Lamp and filter screen timing/Double password locking protection/Automatic synchronization/Auto signal sensing/Blank screen hotkey/Partial zoom in & out/Automatic shutdown/Picture capture/Closed Captioning/Power-off protection
Standard accessories	User Manual (CD), Power Cord, Remote Control, VGA Cable & Warranty Card


## Projection Distance

### C3255-A/C3257-A/C3305-A/C3307-A/C3327-A:


H:Z = 6:1 (the distance from the projector horizontal to the upper side of the screen is 1/6 of the screen height)

### C3327W-A:

H:Z = 41:1 (the distance from the projector horizontal to the upper side of the screen is 1/41 of the screen height)



## DIMENSION



### C3255-A / C3257-A / C3305-A / C3307-A



4:3 screen	Shortest (Max. zoom)	Furthest (Min. zoom)
<b>24 x 18</b>	<b>34.4</b>	<b>41.4</b>
<b>48 x 36</b>	<b>69.7</b>	<b>83.9</b>
<b>64 x 48</b>	<b>93.3</b>	<b>112.2</b>
<b>80 x 60</b>	<b>116.9</b>	<b>140.4</b>
<b>96 x 72</b>	<b>140.4</b>	<b>168.7</b>
<b>120 x 90</b>	<b>175.8</b>	<b>211.2</b>
<b>160 x 120</b>	<b>234.7</b>	<b>281.9</b>
<b>240 x 159</b>	<b>352.5</b>	<b>423.4</b>

## C3327W-A

16:10 screen	Shortest (Max. zoom)	Furthest (Min. zoom)
<b>25.4 x 15.9</b>	<b>36.5</b>	<b>43.9</b>
<b>50.9 x 31.8</b>	<b>74</b>	<b>88.9</b>
<b>67.8 x 42.4</b>	<b>98.9</b>	<b>119</b>
<b>84.8 x 53</b>	<b>124</b>	<b>148.9</b>
<b>101.8 x 64.6</b>	<b>148.9</b>	<b>179</b>
<b>127.2 x 79.5</b>	<b>186.5</b>	<b>223.9</b>
<b>169.6 x 106</b>	<b>248.9</b>	<b>299</b>
<b>254.4 x 159</b>	<b>373.9</b>	<b>449</b>

## FAQs

What is the Ask Proxima C3307-A LCD Projector?

The Ask Proxima C3307-A is an LCD projector model designed to project high-quality images and videos onto a screen. It combines advanced features and performance capabilities for various presentations and viewing purposes.

How do I set up the Ask Proxima C3307-A for the first time?

First, ensure you have all the necessary cables. Connect the power cable and your desired input source (HDMI, VGA, etc.) to the projector. Then, turn it on using the power button or the provided remote. Adjust the

focus and keystone to get the perfect image.

What type of lamp does the Ask Proxima C3307-A use?

The projector uses a specific lamp designed for its model. Please refer to the user manual for the exact lamp specification and replacement guidelines.

How long does the lamp in the Ask Proxima C3307-A last?

Lamp life can vary based on usage and settings, but typically it might last for several thousand hours. Please check the product specifications for precise figures.

Is the Ask Proxima C3307-A compatible with wireless streaming?

The wireless capability depends on the model's features. Please refer to the user manual for specific wireless functionalities and compatibility.

Can I connect my laptop or computer to the Ask Proxima C3307-A?

Yes, the projector offers various inputs, such as HDMI and VGA, allowing for easy connections to laptops, computers, and other devices.

What resolution does the Ask Proxima C3307-A support?

The resolution specifics can be found in the user manual. Generally, LCD projectors support multiple resolutions and can display HD content.

How do I maintain and clean my Ask Proxima C3307-A?

Regularly clean the lens with a soft cloth to remove dust. Ensure that the projector's vents aren't blocked to maintain proper airflow. Consult the user manual for more detailed maintenance tips.

Can I mount the Ask Proxima C3307-A on the ceiling?

Yes, many projectors, including this model, can be ceiling-mounted. Please check the product specifications to ensure compatibility with ceiling mounts.

Where can I buy replacement parts or accessories for the Ask Proxima C3307-A?

Replacement parts and accessories can typically be purchased from the manufacturer or authorized dealers. Always ensure you are buying genuine parts to maintain optimal performance.

**DOWNLOAD THIS PDF LINK: [Ask Proxima C3307-A Lcd Projector Specifications and Datasheet](#)**

