



ASMAX Z1 Bluetooth Communication System User Guide

[Home](#) » [ASMAX](#) » ASMAX Z1 Bluetooth Communication System User Guide 

ASMAX[®]

Z1 mode

ASMAX English
Quick Start Guide


PMN: Bluetooth
Communication System



Contents


- 1 Buttons
- 2 GETTING STARTED
- 3 FCC Caution.
- 4 ISED Statement
- 5 Documents / Resources
 - 5.1 References

Buttons




GETTING STARTED

1. Installation Device
2. Download ASMAX APP from
Official website App store Google Play Store




<https://www.asmax.net/download>

3. Power on/off




Hold Intercom Button and Function Button to ON/OFF

4. Phone Pairing




Hold Function Button to Red and Blue LED Flash alternate.



Select ASMAX Z1 in the list of Bluetooth devices detected.


5. Music Controls

Play/Pause




Press Function Button to On/Off

Track forward



Hold Volume + for Previous Song


Track backward



Hold Volume – for Next Song


6. Mobile Phone

(1) Answer a Call




Press any button

(2) End a Call




Press Intercom Button

(3) Reject a Call



Hold Intercom Button

(4) Open/ Close Automatically answer




Hold Volume + and Volume – to open automatically answer

(5)Phone call

Say “Hi Max, call XX” Or Operation on the phone.


More detail information about phone call integration function please check Basic Function Overview on PHONE CALL part.

7. Group Mode



Hold Intercom Button to ENTRY/EXIT Group Mode, then Press Intercom Button confirm to join in group.

8. Freedom Mode




Press Intercom Button to ENTRY/EXIT freedom mode

9. Bridge Mode

(ASMAX connect with other brand)


Hold Function Button , then,Press twice Intercom Button ENTRY to bridge mode. After successful, Press twice Function to start to intercom.



Press twice Function Button to Exit

10. Bridge Intercom Mode


Firstly, Bridge Pairing with Non ASMAX device (do not start intercom).



Then, Z1 Connect with others as a group, Z1 Press twice Function button to start intercom.


Z1 Press twice Function Button to shut down NON ASMAX device.

11. Switch between different Mode



Press Intercom Button to switch between the Freedom Mode, Group Mode(used to joined to group) and Standby states

12. Knocking Function



Press twice Function Button to unlock "Knocking Function", then, knock two or three times to start to join in a group.

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does

cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:

This device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: Bluetooth Communication System (FCC ID: 2BEH5-Z1) has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the device kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 0mm separation distance between the user's body and the back of the Bluetooth Communication System. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

ISED Statement

This device complies with Industry Canada license exempt RSS standard(s).

Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The digital apparatus complies with Canadian CANICES – 3 (B)/NMB – 3(B).

This device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS 102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 0cm between the radiator & your body.


Specific Absorption Rate (SAR) information:

This device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific Organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. SED RF Exposure Information and Statementthe SAR limit of Canada(ISED) is 1.6 W/kg averaged over one gram of tissue. Devicetypes: Device

has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the phone kept 0mm from the body. To maintain compliance with ISED RF exposure requirements, useaccessories that maintain an 0mm separation distance between the user's body andthe back of the Bluetooth Communication System. The use of bet clips, holsters and similar accessories shouldnot contain metallic components in its assembly. The use of accessories that do notsatidf these requirements may not comply with ISED RF exposure requirements, andshould be avoided.



Documents / Resources

	ASMAX Z1 Bluetooth Communication System [pdf] User Guide Z1, 2BEH5-Z1, 2BEH5Z1, Z1 Bluetooth Communication System, Bluetooth Communication System, Communication System, System
---	---

References

- [User Manual](#)

Manuals+. Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.