

asTech All-In-One Tablet



asTech All In One Tablet User Guide

[Home](#) » [asTech](#) » asTech All In One Tablet User Guide 

Contents

- [1 asTech All-In-One Tablet](#)
- [2 Product Specifications](#)
- [3 Product Usage Instructions](#)
- [4 Connect the tablet to Wi-Fi](#)
- [5 Connect carside device](#)
- [6 Login to asTech App](#)
- [7 Start New Request](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)



asTech All-In-One Tablet



Product Specifications

- **Product Name:** All-In-One Tablet
- **Connectivity:** Wi-Fi
- **Compatibility:** asTech App and Link
- **Requirements:** Most recent software update for the asTech app and Link

Product Usage Instructions

Connect Tablet to Wi-Fi

1. On the device home screen, tap Settings > Network & Internet > Wi-Fi.
2. Slide the Wi-Fi switch to ON.

Connect Carside Device

Ensure your asTech app and Link have the most recent software update.

Login to asTech App

1. Ensure the car is in the Key-ON, Engine-OFF state.
2. Plug in the asTech LINK.
3. Select Remote Diagnostics.
4. Select WLAN.
5. Select Connect.

Start New Request

- On your tablet, tap the center blue asTech button to open the app and log in using your credentials.
- You can now select your vehicle and click New Request.

Frequently Asked Questions (FAQ)

Q: What should I do if I encounter connectivity issues?

- **A:** If you encounter connectivity issues, make sure your tablet is connected to Wi-Fi and that the car side device is properly connected with the most recent software updates for the asTech app and Link.

Q: How do I troubleshoot if the app is not responding?


- **A:** If the app is not responding, try restarting the app or restarting the tablet.
- Ensure that all connections are secure and that the software is up to date.

Connect the tablet to Wi-Fi



- On the device home screen, tap Settings > Network & Internet > Wi-Fi. Slide Wi-Fi switch to ON.
- All-In-One tablet VCI Link
- Ensure your asTech app and Link have the most recent software update.


Connect carside device



1. Ensure the car is in the Key-ON, Engine-OFF state.
2. Plug in the asTech LINK.
3. Select Remote Diagnostics.
4. Select WLAN.

5. Select Connect.

Login to asTech App




On your tablet, tap the center blue asTech button to open the app and log in using your credentials.

Start New Request



- You are now able to go into the asTech app, select your vehicle, and click New Request!

Documents / Resources

	asTech All In One Tablet [pdf] User Guide All In One Tablet, Tablet
---	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.