



# ATEN UH3236 USB-C Multiport Mini Dock User Manual

[Home](#) » [Aten](#) » ATEN UH3236 USB-C Multiport Mini Dock User Manual 

## Contents

- [1 ATEN UH3236 USB-C Multiport Mini Dock](#)
- [2 Overview](#)
- [3 Features](#)
- [4 System Requirements](#)
- [5 Components](#)
- [6 User Information](#)
- [7 Telephone Support](#)
- [8 User Notice](#)
- [9 Package Contents](#)
- [10 About this Manual](#)
- [11 Conventions](#)
- [12 Product Information](#)
- [13 EMC Information](#)
- [14 Documents / Resources](#)
  - [14.1 References](#)
- [15 Related Posts](#)



**ATEN UH3236 USB-C Multiport Mini Dock**



## Overview

The UH3236 connects a USB-C enabled computer to up to 5 peripheral ports that includes a USB 2.0 Type-A, USB 3.1 Gen 1 Type-A, Gigabit LAN, HDMI, and VGA – through a single USB-C cable. The UH3236 routes video from a source computer to a 4K HDMI (3840 x 2160 @ 30 Hz) or VGA (1920 x 1200 @ 60 Hz) monitor via a single cable.

This dock provides one USB 3.1 Gen 1 Type-A port for 5 Gbps high-speed data transfers and one USB 2.0 Type-A port for keyboard and mouse usage. The UH3236 also supports USB-C Power Delivery Pass-Through to up to 60W, which means it can provide power to your laptops via a USB-C power adapter with PD profile specifications of 5V, 9V, 12V, 15V, 20V.

With UH3236, users can save desk space, and expand devices connectivity, and creates a personalized desktop environment. This powerful and versatile dock offers a perfect portable solution for connecting multiple sources to a USB-C enabled computer.

## Features

- Connects up to 5 devices to a laptop through a single USB-C cable
- Supports 4K HDMI (3840 x 2160 @ 30 Hz) resolutions; or VGA (1920 x 1200 @ 60 Hz) resolutions\*
- Supports USB Power Delivery 3.0 for laptop charging up to 60W via USB-C power adapter – power profiles include 5V, 9V, 12V, 15V, 20V\*\*
- Gigabit Ethernet port
- Plug & Play – no drivers needed
- Works with all major operating systems: Windows®, OS X®, and Android\*\*\*

**Note:** 1. With Intel 7th-Generation Core Processor (Kaby Lake) and above. For video output to work through a USB-C port, it must support DP Alt Mode. The total charging time may vary depending on the spec of USB-C power adapter connected to the UH3236. Support Android mirror mode only.

## System Requirements

### Windows USB-C enabled computer:

- Windows® 10 (32-bit / 64-bit) and above

- With Intel 7th-Generation Core Processor (Kaby Lake with HD 6XX series integrated graphics) and above.
- For video output to work through a USB-C port, it must support DP Alt Mode.


**Mac USB-C enabled computer:**

- MacBook 2015 and later
- MacBook Pro 2016 and later
- Mac OS X 10.12 and above

**USB-C enabled Smartphone / Tablet**

- Android 7.0 and later
- For video output to work through a USB-C port, it must support DP Alt Mode.

**Components**



No.	Component	Description
1	USB-C DC-in Port*	Connects the power adapter of the host to power the unit.
2	VGA Port	Connect a VGA monitor for video display
3	HDMI Port	Connect an HDMI monitor for video display
4	Gigabit LAN Port	For wired Internet, connect an Internet-enabled Ethernet cable to this port
5	USB 3.1 Gen1 Type-A Port	Connect a USB peripheral device
6	USB 2.0 Type-A Port	Connect a USB peripheral device
7	Power LED	The LED lights green to indicate the unit is powered on.
8	USB-C Host Connect or	Connects to the host's USB-C port

**Note:** A laptop power adapter with USB-C charging function is needed. Please use Limited Power Source (LPS) certified USB-C Adapter.

## User Information

**Online Registration** Be sure to register your product at our online support center:

**International** <http://eservice.aten.com>

## Telephone Support

For telephone support, call this number:

International	886-2-8692-6959
China	86-400-810-0-810
Japan	81-3-5615-5811
Korea	82-2-467-6789
North America	1-888-999-ATEN ext 4988 1-949-428-1111

## User Notice

All information, documentation, and specifications contained in this manual are subject to change without prior notification by the manufacturer. The manufacturer makes no representations or warranties, either expressed or implied, with respect to the contents hereof and specifically disclaims any warranties as to merchantability or fitness for any particular purpose. Any of the manufacturer's software described in this manual is sold or licensed as is. Should the programs prove defective following their purchase, the buyer (and not the manufacturer, its distributor, or its dealer), assumes the entire cost of all necessary servicing, repair and any incidental or consequential damages resulting from any defect in the software.

## Package Contents

- 1 USB-C Multiport Mini Dock
- 1 User Instructions

**Note:** Make sure that all of the components are present and in good order. If anything is missing or was damaged in shipping, contact your dealer.

## About this Manual

This user manual is provided to help you get the most from the UH3236 unit. It covers all aspects of installation, configuration, and operation. An overview of the information found in the manual is provided below.

Chapter 1, Introduction introduces you to the USB-C Multiport Mini Dock. Its purpose, features, and panel components are presented and described.

Chapter 2, Hardware Setup / Configuration describes the steps to quickly and safely set up your installation and presents the suggested video resolutions.

Appendix provides a list of safety instructions and precautions, contact information for ATEN technical support, product specifications, and other technical information.

#### Note:

- Read this manual thoroughly and follow the installation and operation procedures carefully to prevent any damage to the unit or any connected devices.
- ATEN regularly updates its product documentation for new features and fixes. For an up-to-date UH3236 documentation, visit <http://www.aten.com/global/en/>

## Conventions

This manual uses the following conventions:

- **Monospaced** Indicates text that you should key in. Indicates keys you should press. For example, [Enter] means to press the Enter key. If keys need to be chorded, they appear together in the same bracket with a plus sign between them: [Ctrl+Alt].
- Numbered lists represent procedures with sequential steps.
- Bullet lists provide information, but do not involve sequential steps. Indicates selecting the option (on a menu or dialog box, for example), that comes next. For example, Start → Run means to open the Start menu, and then select Run. Indicates critical information.

## Product Information

For information about all ATEN products and how they can help you connect without limits, visit ATEN on the Web or contact an ATEN Authorized Reseller. Visit ATEN on the Web for a list of locations and telephone numbers:

- International <http://www.aten.com>
- North America <http://www.aten-usa.com>

## EMC Information

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class B digital service, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. Any changes or modifications made to this equipment may void the user's authority to operate this equipment. This equipment generates, uses, and can radiate radio frequency energy. If not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.  
Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- this device may not cause harmful interference, and
- this device must accept any interference received, including interference that may cause undesired operation.

**FCC Caution:** Any changes or modifications not expressly approved by the party responsible for compliance could void the user’s authority to operate this equipment.

**Documents / Resources**

	<p><a href="#">ATEN UH3236 USB-C Multiport Mini Dock</a> [pdf] User Manual  UH3236, USB-C Multiport Mini Dock, UH3236 USB-C Multiport Mini Dock</p>
---	---

**References**

- [!\[\]\(e662c6fdc679f154c0e75d901761d894\_img.jpg\) eService System](#)
- [!\[\]\(e0657301a840725a62b5d9c03de7d165\_img.jpg\) USA Location information - USA.com](#)
- [!\[\]\(c84b30d7d5311af020af6bce6a2c548f\_img.jpg\) ATEN - Simply Better Connections | ATEN U.S.A.](#)
- [!\[\]\(a9333260d8ffbbfeaa1095df6db7bccd\_img.jpg\) ATEN - Simply Better Connections | ATEN U.S.A.](#)
- [!\[\]\(7910f03a1b4fed5edeef128d22723166\_img.jpg\) ATEN - Simply Better Connections | ATEN Corporate Headquarters](#)
- [!\[\]\(b2e06ff94cfb845aac4c9a6fbd66627f\_img.jpg\) ATEN Product Warranty | ATEN Corporate Headquarters](#)
- [!\[\]\(1ee1d78a4d7340fd9a42bdb1c66e0ca1\_img.jpg\) A+ Warranty | ATEN Corporate Headquarters](#)
- [!\[\]\(ed354c28e6d10011d63b3c322fd62b41\_img.jpg\) LCD KVM Switches / Consoles | ATEN Corporate Headquarters](#)