



ATEN UH3239 USB-C Multiport Mini Dock with Power Pass-Through User Guide

[Home](#) » [Aten](#) » ATEN UH3239 USB-C Multiport Mini Dock with Power Pass-Through User Guide 

ATEN UH3239 USB-C Multiport Mini Dock with Power Pass-Through



Contents


- [1 Package Contents](#)
- [2 Hardware Overview](#)
 - [2.1 System Requirements](#)
- [3 Installation](#)
- [4 Support and Documentation](#)
- [Notice](#)
 - [4.1 Scan for more information](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Package Contents

- 1 UH3239 Multiport Mini Dock with Power Pass-Through
- 1 User instructions



Hardware Overview



- ❶ HDMI output port
- ❷ Micro SD card slot
- ❸ SD card slot
- ❹ USB 3.2 Gen1 Type-A ports
- ❺ USB-C DC-in port* (supports USB 3.2 Gen1 Type-C port data transfer)

Note:

1. Additional USB-C PD power adapter is needed.
2. Please use Limited Power Source (LPS) certified PD power adapter, over 65W is recommended.

- ❻ power LED
- ❼ USB-C host connector

System Requirements


USB-C enabled computer with one of the following operating systems:

- Windows® 10 (32-bit / 64-bit) or above

- macOS X 10.12 or later

Note: For video output to work through a USB-C port, it must support DP Alt Mode.

B Installation



❶ Connect a USB-C PD power adapter to the USB-C DC-in port. (Optional) You can connect the USB peripheral devices here.

Note: Please connect the USB-C PD power adapter to the USB-C DC-in port before using the dock. Plugging or unplugging of the USB-C DC-in port may cause a momentary disconnection on USB devices connected to the dock.

❷ Connect the USB-C host connector to a USB-C enabled computer.

❸ For video display, connect an HDMI monitor to the HDMI output port.

❹ Connect the USB peripheral devices to the USB 3.2 Gen1 Type-A ports.

❺ Insert an SD or Micro SD card into their card reader slot.

Support and Documentation Notice

All information, documentation, firmware, software utilities, and specifications contained in this package are subject to change without prior notification by the manufacturer.

To reduce the environmental impact of our products, ATEN documentation and software can be found online at <http://www.aten.com/download/>

Technical Support www.aten.com/support

Scan for more information

ATEN Website



User Manual



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

www.aten.com



Documents / Resources



[ATEN UH3239 USB-C Multiport Mini Dock with Power Pass-Through](#) [pdf] User Guide
UH3239, USB-C Multiport Mini Dock with Power Pass-Through