

ATEN US3311 2 Port 4K Display Port USB C KVM Switch



ATEN US3311 2 Port 4K Display Port USB C KVM Switch User Guide

[Home](#) » [Aten](#) » ATEN US3311 2 Port 4K Display Port USB C KVM Switch User Guide 

Contents

- [1 ATEN US3311 2 Port 4K Display Port USB C KVM Switch](#)
- [2 Product Usage Instructions](#)
- [3 Hardware Overview](#)
- [4 Installation](#)
- [5 Operation](#)
- [6 Package Contents](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)



ATEN US3311 2 Port 4K Display Port USB C KVM Switch



Specifications

- Model: US3311
- Ports: 2-Port DisplayPort, USB-C
- Resolution: 4K
- Power Pass-Through: Yes
- USB Compliance: USB 3.2 Gen 1

Product Usage Instructions

Installation

1. Connect up to 4 USB peripherals such as a USB mouse, USB keyboard, printer, or external hard drive to the unit's USB Type-A ports.
2. Connect a USB-C source device to the unit's USB-C port (source 1).
3. Connect another USB-C source device to the unit's USB-C port (source 2).
4. Connect a DisplayPort-enabled display to the unit's DisplayPort output port.
5. Connect the supplied port switch button to the indicated jack.
6. Connect the power adapter to the unit's power jack.
7. (Optional) You can connect your source device to the USB-C port (power) for PD laptop charging.

Operation

Ensure that your computer supports DP Alt Mode over the USB-C port and that it has been enabled.

FAQ

- **Q: What is included in the package of the US3311?**

A: The package includes the US3311 2-Port 4K DisplayPort USB-C KVM Switch with Power Pass-Through, 1

power adapter and power cord, 2 USB-C 3.2 Gen 2 full featured cables, 1 port switch button, and user instructions.

- **Q: Can I charge my PD laptop using the US3311?**

A: Yes, you can connect your source device to the USB-C port (power) for PD laptop charging. However, please note that the USB-C power adapter for charging is not included in the package.

US3311

2-Port 4K DisplayPort USB-C KVM Switch with Power Pass-Through Quick Start Guide

© Copyright 2024 ATEN® International Co. Ltd.


ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners.

Part No. PAPE-1223-Y21G

Released: 03/2024

US3311 2-Port 4K DisplayPort USB-C KVM Switch with Power Pass-Through

Hardware Overview



1. USB Type-A ports
2. jack for port switch button
3. DisplayPort out
4. USB-C port (source 2)
5. USB-C port (source 1)

6. USB-C port (power)*
7. power jack
8. port 1 status LED
9. port 2 status LED

Note: This USB-C port (power) supports USB-C PD laptop charging at 5V, 9V, 15, and 20V output, and the USB-C power adapter is not supplied in the package.

Host Requirement


USB-C enabled computer or smartphone / tablet with one of the following operating systems:

- Windows® 10 (32-bit / 64-bit) with 7th-Gen Intel Core Processor or above
- MacOS X 10.12 or later
- iPadOS 13.1 or later
- iOS 17.1 or later
- Android 8.0 or later

Note: To transmit video through a USB-C port, make sure your computer supports DP Alt Mode over the USB-C port, and that it has been enabled.

Installation

1. Connect up to 4 USB peripherals such as a USB mouse, USB keyboard, printer, or external hard drive to the unit's USB Type-A ports.
2. Connect a USB-C source device to the unit's USB-C port (source1).
3. Connect another USB-C source device to the unit's USB-C port (source 2).
4. Connect a DisplayPort-enabled display to the unit's DisplayPlay output port.
5. Connect the supplied port switch button to the indicated jack.
6. Connect the power adapter to the unit's power jack.
7. (Optional) You can connect your source device to the USB-C port (power) for PD laptop charging.



Operation

- Press the port switch button to switch KVM control between the two USB-C source devices. The port LED for the selected port lights white.
- Press and hold the port switch button for 3 seconds if you encounter any monitor compatibility issues.

Package Contents

- 1 US3311 2-Port 4K DisplayPort
USB-C KVM Switch with
Power Pass-Through
- 1 power adapter and power cord
- 2 USB-C 3.2 Gen 2 full featured cables
- 1 port switch button
- 1 user instructions

Support and Documentation

Notice All information, documentation, firmware, software utilities, and specifications contained in this package are subject to change without prior notification by the manufacturer.

To reduce the environmental impact of our products, ATEN documentation and software can be found online at <http://www.aten.com/download/>

Technical Support

www.aten.com/support

Scan for more information

ATEN Website




User Manual



www.aten.com

Documents / Resources



[ATEN US3311 2 Port 4K Display Port USB C KVM Switch](#) [pdf] User Guide
US3311 2 Port 4K Display Port USB C KVM Switch, US3311, 2 Port 4K Display Port USB C KVM Switch, Display Port USB C KVM Switch, USB C KVM Switch, Switch

References

- [ATEN - Simply Better Connections | ATEN U.S.A.](#)
- [Downloads | ATEN Corporate Headquarters](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.