



AUDIBAX DSP Series Sound Processor Masori User Manual

[Home](#) » [AUDIBAX](#) » AUDIBAX DSP Series Sound Processor Masori User Manual 

Contents

- [1 AUDIBAX DSP Series Sound Processor Masori](#)
- [2 OVERVIEW](#)
- [3 Functions](#)
- [4 Product Features](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)




AUDIBAX DSP Series Sound Processor Masori



Please read the manual before using the product

OVERVIEW



Functions

1. Indicator light for power
2. Indicator light for signal
3. Indicator light for limit
4. Control de Volumen
5. **Left balanced input:** XLR/ Jack6.35 audio input
6. **Left balanced output:** XLR audio output
7. **Right balanced input:** XLR/ Jack6.35 audio input
8. **Right balanced output:** XLR audio output
9. Botón switch to full range or high pass
10. **Switch between four modes:** music, club, live, and voice
11. Fase de trabajo 0° -180°
12. DSP Preset
13. Power Switch

14. Power Connection
15. **Phase selector:** voltage change switch

Product Features

- **Type:** 12" Active Subwoofer speaker
- **Frequency:** 26-800Hz
- **Amplifier Power RMS:** 400W Class/D+DSP
- **Woofers:** 12" V.C75-5mm Magnet 60oz
- **Connectors input:** 2 x Speakon
- **Line input:** JACK XLR
- **Line output:** XLR XLR
- **Mic input:** Rca+Jack+XLR
- **Function:** Professional DSP
- **Power supply:** AC110V-240V
- **Enclosure Material:** 18mm MDF
- **Enclosure Finish:** Black acrylic lacquer
- **Accessory:** Power Cables
- **Package:** 480x380x510mm

DSP15s


- **Type:** 15" Active Subwoofer speaker
- **Frequency:** 26-800Hz
- **Amplifier Power RMS:** 500W Class/D+DSP
- **Woofers:** 15" V.C75-5mm Magnet 70oz
- **Connectors input:** 2 x Speakon
- **Line input:** JACK XLR
- **Line output:** XLR XLR
- **Mic input:** Rca+Jack+XLR
- **Function:** Professional DSP
- **Power supply:** AC110V-240V
- **Enclosure Material:** 18mm MDF
- **Enclosure Finish:** Black acrylic lacquer
- **Accessory:** Power Cables
- **Package:** 570x470x570mm

DSP18s

- **Type:** 18" Active Subwoofer speaker
- **Frequency:** 26-800Hz
- **Amplifier Power RMS:** 600W Class/D+DSP
- **Woofers:** 18" V.C75-5mm Magnet 80oz
- **Connectors input:** 2 x Speakon

- **Line input:** JACK XLR
- **Line output:** XLR XLR
- **Mic input:** Rca+Jack+XLR
- **Function:** Professional DSP
- **Power supply:** AC110V-240V
- **Enclosure Material:** 18mm MDF
- **Enclosure Finish:** Black acrylic lacquer
- **Accessory:** Power Cables
- **Package:** 630x550x680mm

Documents / Resources

	AUDIBAX DSP Series Sound Processor Masori [pdf] User Manual DSP12s, DSP15s, DSP18s, DSP12s DSP15s DSP18s, DSP Series Sound Processor Masori, DSP Series, Sound Processor Masori, Sound Processor, Sound Masori Processor
---	---