



audio-technica ES945WO/TB3 Omnidirectional Condenser Boundary Microphone Instructions

[Home](#) » [Audio-Technica](#) » audio-technica ES945WO/TB3 Omnidirectional Condenser Boundary Microphone Instructions 



audio-technica

Quick Start Guide
ES945O/TB3
ES945WO/TB3


Contents

- [1 Included accessories](#)
- [2 How to Mount the product](#)
- [3 Example: Mounting on a table](#)
- [4 Connection procedure](#)
- [5 About User Manual](#)
- [6 Safety precautions](#)
- [7 Cautions for the product](#)
- [8 Notes on use](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)


Included accessories



How to Mount the product




When using isolators




When not using isolators

Example: Mounting on a table



Connection procedure

Output terminals



About User Manual

For more information on how to use this product and troubleshoot any problems, refer to the user manual on the Audio-Technica website.

<https://www.audio-technica.co.jp/>

<https://www.audio-technica.com/>

Thank you for purchasing this product. Before using the product, read through the user manual to ensure that you will use the product correctly. Please keep this manual for future reference.

Safety precautions

Although this product was designed to be used safely, failing to use it correctly may result in an accident. To ensure safety, observe all warnings and cautions while using the product.

Cautions for the product

- Do not subject the product to a strong impact to avoid malfunction.
- Do not disassemble, modify or attempt to repair the product.
- Do not handle the product with wet hands to avoid electric shock or injury.
- Do not store the product under direct sunlight, near heating devices or in a hot, humid or dusty place.

Notes on use

- Do not swing or carry the microphone by the cable to prevent the microphone from becoming disconnected or damaged.
- Do not wind the cable around the rack or allow the cable to become pinched.
- The microphone should be placed on a flat, unobstructed mounting surface.
- Placing any object on a surface (such as a conference table) before its finish is fully cured may result in damage to the finish.

Warranty (Please be sure to read the notes below.) For USA Only


End-User LIMITED WARRANTY information for the USA is available at www.audio-technica.com/usawarranties. You may also contact Audio-Technica U.S., Inc. to request a written copy of the Limited The warranty at 1-330-686-2600 or via mail at 1221 Commerce Drive, Stow, OH 44224.

Audio-Technica Corporation

2-46-1 Nishi-Naruse, Machida, Tokyo 194-8666, Japan

www.audio-technica.com

Documents / Resources



[audio-technica ES945WO/TB3 Omnidirectional Condenser Boundary Microphone](#) [pdf] Instructions
ES945O_TB3, ES945WO_TB3, ES947C_TB3, ES947WC_TB3, ES945WOTB3 Omnidirectional Condenser Boundary Microphone, Omnidirectional Condenser Boundary Microphone, Condenser Boundary Microphone, Microphone