



AUDIOFOCUS Carys 15LS SCiO Web Connection User Guide

[Home](#) » [AUDIOFOCUS](#) » AUDIOFOCUS Carys 15LS SCiO Web Connection User Guide 



**SCiO WEB CONNECTION
QUICK START GUIDE
Version 1.0**



www.audiofocus.eu

Made in Belgium



CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



Warning : This product must be grounded. To reduce the risk of shock do not expose this appliance to rain or moisture. Do not operate the unit if the power cables are frayed or broken.

Caution : This device can cause irreversible damage to the ear if listening at loud levels.



MAINS

100-240V AC ~50/60Hz

To reduce the risk of fire or electric shock grounding of this plug must be maintained.

ANALOG



NETWORK



Contents

- [1 Carys 15LS SCiO Web Connection](#)
- [2 Carys 15LS SCiO Web Connection](#)
- [3 CONTACT AND LINKS](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)

Carys 15LS SCiO Web Connection

For :

<ul style="list-style-type: none">• Carys 15LS• Ares 12a• Ares 8a• S 21a	<ul style="list-style-type: none">• B 18a• MTSUB 218a• FRX 12a• FRX 15a
---	--

Carys 15LS SCiO Web Connection

Note : This Quick Start Guide is for use with products manufactured from July 2022

PLEASE READ ME FIRST !

Dear Customer,

Thank you for choosing this AUDIOFOCUS active loudspeaker with SCiO WebUI monitoring / control capability. You can find a detailed explanation of all functionalities in the online manual. We invite you to visit our website www.audiofocus.eu to review the latest version.

If you just can't wait to connect to the loudspeaker's integral amplifier please follow one of the three options.



Connection over Hotspot

- Check for the loudspeaker's integral amplifier in your wifi available devices.
- Look for the name: Amp_XXX
- The default Hotspot password:12345678
- Open your browser and dial in IP address 172.24.0.1

The SCiO WebUI will open on your device.



Connection over LAN

- Connect the loudspeaker's integral amplifier to a router, the router will provide the device with an IP address.
- Find the IP address from the amplifier module's display in network settings
- Open your browser from your device (DHCP) and dial in the IP address
- user : **admin**
- pass : **admin**



Connection over Cloud

- Once you are connected through Hotspot or LAN, you can enter a custom name in the amplifier settings menu.
- Connect the loudspeaker's integral amplifier to the internet.
- Open your browser and dial in: xxxxxxxx.apexconnect.me where xxxxxxxxxx is the custom name that you have entered before in the SCiO settings.
- user : **admin**
- pass : **admin**

CONTACT AND LINKS

Need more information about our products ?

www.audiofocus.eu

info@audiofocus.eu

www.facebook.com/AudiofocusPage/

www.facebook.com/groups/AUDIOFOCUS/

Follow Us.



MADE IN BELGIUM

© 2022 AUDIOFOCUS . All rights reserved.

September 2022 – www.audiofocus.eu

Documents / Resources

	<p>AUDIOFOCUS Carys 15LS SCiO Web Connection [pdf] User Guide</p> <p>Carys 15LS SCiO Web Connection, SCiO Web Connection, Carys 15LS Web Connection, Web Connection, Carys 15LS, Connection</p>
---	---

[Manuals+](#).