Manuals+ — User Manuals Simplified.

F87 3-Mode
Mechanical
Keyboard

Aula F87 3-Mode Mechanical Keyboard User Manual

**Contents**

Aula F87 3-Mode Mechanical Keyboard User Manual

Product Overview

USB Receiver — USB Type-C — Mode Switch(2.4G Wired/OFF BT)

CAPSLOCK Signal Light

RGB Light Strip/Battery Indicator

Fn + ↑	Light Brightness plus	Fn + Q	Android	Fn + Insert	switch light effects
Fn + ↓	Light Brightness minus	Fn + W	Windows	Fn + Esc	FN+ESC long press for three seconds = restore default state, connected BT devices will not be cleared
Fn + ←	Light speed down	Fn + E	MAC	Fn + Shift	Switching light effect modes （left Shift）
Fn + →	Light spped up	Fn + R	IOS	Fn + Shift	Side light mode switching(right Shift)

2.4G Connection 1

Switch to [2.4G] mode

Remove the [USB Receiver] from the upper right corner slot of the keyboard.

Plug into your computer's USB port to use

2.4G Connection 2

Long press the key combination "FN+ " for about 3 seconds, the "~"Key start fast flash cyan light

Remove the [USB Receiver] from the upper right corner slot of the keyboard.

Plug into your computer's USB port to use

BT Connection

Switch to [BT] mode

Long press the key combination "FN+1" for about 3 seconds, the " 1 " Key start fast flash cyan light, into the code pairing state

Search for the pairing name [AULA-F87 Pro 3.0] or [AULA-F87 Pro 5.0], the blue light will turn on for 2 seconds after the link is successful.

**Note:** B12 and BT3 are connected in the same way as BT1. BT2 can be connected by pressing the combination key [FN+2], and BT 3 can be connected by pressing the combination key [FN+3#]; The blue light blinks slowly when BT is connected again.

Wired Connection

Switch to [Wired] mode

2. Plug the TYPE-C connector of the standard USB cable into the corresponding port of the keyboard.

3. Plug the cable's USB port into your computer's USB port to use it.

For additional features, please refer to the product brochure.

Download PDF: Aula F87 3-Mode Mechanical Keyboard User Manual

References

- **User Manual**