

Aurora AU-CXW9 Colour XChange Wall Controller Instruction Manual

Home » Aurora » Aurora AU-CXW9 Colour XChange Wall Controller Instruction Manual

Contents

- 1 Aurora AU-CXW9 Colour XChange Wall
- **2 IMPORTANT INSTALLATION INFORMATION**
- **3 TYPICAL INSTALLATION METHOD**
- **4 OPEN TOUCH PANEL**
- **5 Warranty**
- 6 Documents / Resources
- 6.1 References
- **7 Related Posts**



Aurora AU-CXW9 Colour XChange Wall Controller



COLOUR XCHANGE WALL CONTROLLER – AU-CXW9


PLEASE READ THESE INSTRUCTIONS CAREFULLY BEFORE INSTALLATION LEAVE A COPY FOR THE USER / MAINTENANCE ENGINEER FOR FUTURE REFERENCE


IMPORTANT INSTALLATION INFORMATION

- Installation should be carried out in accordance with the latest edition of the National Wiring Regulations. If in doubt consult a qualified electrician.
- This is a colour xchange wall controller and can be used with a suitable 12V/24V DC driver.
- For use with AU-ST90CX LED strip.

TYPICAL INSTALLATION METHOD








OPEN TOUCH PANEL

Gently pry open gaps in side of touch panel with a flat screwdriver, you can then slowly remove the front panel, as shown below;




INSTALL BACK BOX

Fix in a single gang back box with a minimum depth of 35mm.



FIT FRONT PANEL

Align the panel as below and push in place.



Environmental Protection (W.E.E.E.) – Aurora's WEEE Reg.No. WEE/BG0130YX (UK Only)

Waste Electronic Equipment Regulations (WEEE) requires that any of our products showing this marking (left) must not be disposed of with other household or commercial waste. Aurora does not levy any WEEE disposal charges to its customers for affected WEEE related products. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate any such product from other waste types and recycle it responsibly at your local facilities. Check with your Local Authority, Recycling Centre or retailer for recycling advice. If, when you purchased any Aurora product, your supplier included a WEEE disposal fee, you should then contact your supplier for advice on his takeback of the product for the correct disposal.

Warranty

See www.auroralighting.com for full details of warranties and Extended Warranty Terms and Conditions. The warranty is invalid in the case of improper use, tampering, and removal of the Q.C. date label, installation in an improper working environment or installation not according to the current edition of the National Wiring Regulations. Should this product fail during the warranty period it will be replaced free of charge, this is subject to correct installation and return of the faulty product. Aurora does not accept responsibility for any installation costs

associated with the replacement of this product. This warranty is in addition to the statutory rights in your country of purchase. Aurora reserves the right to alter specifications without prior notice.

Aurora Limited Apex Park 6 Little Burrow Burrowfield Welwyn Garden City Hertfordshire AL7 4SW United Kingdom Website: www.auroralighting.com
Document version – AU-CXW9_V2_16_ENG.doc

Documents / Resources



<u>Aurora AU-CXW9 Colour XChange Wall Controller</u> [pdf] Instruction Manual AU-CXW9, Colour XChange Wall Controller, AU-CXW9 Colour XChange Wall Controller, Wall C ontroller, Controller

References

- Oslo Sportslager kvalitet service kunnskap i 90 år
- Aurora Lighting a lighting and technology company tailoring services and solutions to deliver
 Value Beyond Illumination™

Manuals+,