Manuals+ — User Manuals Simplified.

AUTEL MK900-TS TPMS Programming and Diagnostic

AUTEL MK900-TS TPMS Programming and Diagnostic User Guide

Contents

AUTEL®

AUTEL MK900-TS TPMS Programming and Diagnostic

Thank you for purchasing this Autel tool. Our tools are manufactured to a high standard and – when used according to these instructions and properly maintained – will provide years of trouble-free performance.

Getting Started

- **IMPORTANT:** Before operating or maintaining this unit, please read these instructions carefully, paying extra attention to the safety warnings and precautions.
- Failure to use this product properly may cause damage and/or personal injury and will void the product warranty.
- Press and hold the Power/Lock button to turn on the tablet. Ensure the tablet has a charged battery or is connected to a power supply using the supplied power adapter and USB Type-C cable.


- Scan the QR code above to visit our website at **pro.autel.com**.

- Create an Autel ID and register the product with its serial number and password.


- Insert the MaxiVCI V150 into the vehicle's DLC, which is generally located under the vehicle dashboard.

- Connect the tablet to the MaxiVCI V150 via Bluetooth to establish a communication link.
- When the MaxiVCI V150 is properly connected to the vehicle and the tablet, the VCI status button on the bottom bar of the screen will display a green badge at the corner, indicating the tablet is ready to start vehicle diagnosis.
- **Email: sales@autel.com**
- **Web: www.autel.com**

Documents / Resources

AUTEL MK900-TS TPMS Programming and Diagnostic [pdf] User Guide
MK900-TS TPMS Programming and Diagnostic, MK900-TS, TPMS Programming and Diagnostic, Programming and Diagnostic, Diagnostic

References

- **User Manual**