

MT01-2101 Automate Versa Drapery Motor Instruction Manual

Home » AUTOMATE » MT01-2101 Automate Versa Drapery Motor Instruction Manual

Contents

- 1 MT01-2101 Automate Versa Drapery
- Motor
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 FEATURE**
- **5 Product Specifications**
- **6 Dimensions**
- **7 Mount Options**
- 8 Compatible Systems
- 9 Documents / Resources
 - 9.1 References
- 10 Related Posts



MT01-2101 Automate Versa Drapery Motor



Product Information

Specifications:

Voltage: 240VTorque: 1.2Nm

• Max Run Time: 12 min

• Speed: 80rpm, 100rpm, 120rpm (Default speed)

• Radio Frequency: 433.92 FSK

• IP Rating: IP40

Dimensions: 41mm x 41mm x 460mm
Working Range: 438mm x 326mm

Product Usage Instructions

Interchangeable Power Source:

Choose between line voltage for continuous power or a wire-free setup with a rechargeable battery pack.

Soft Start & Stop:

The motor slows down for gentle closure of drapes, enhancing the overall aesthetic.

Micro USB Charging:

When using the rechargeable battery pack, charge the motor conveniently with any micro USB cable charger.

Adjustable Speed Control:

Control the speed of the motor for personalized drapery movement.

Inverted Mounting:

Mount the motor vertically within a ceiling pocket for a sleek and hidden appearance.

Manual Activation:

Utilize ARCTM technology for radio communication and control of the motorized shading system.

Frequently Asked Questions (FAQ):

• Q: Can I use this motor with other Rollease Acmeda systems?

A: Yes, the Versa Drapery Motor is compatible with other Rollease Acmeda systems. Refer to the catalogue for full item listings.

Q: How do I choose between line voltage and a rechargeable battery pack?

A: Depending on your power source preference, you can select either continuous power with line voltage or go wire-free with the rechargeable battery pack.

FEATURE

Perfect for Drapery applications, the extra quiet Versa Drapery Motor provides greater power source and installation flexibility



Interchangeable Power Source

Choose to have shades connected via line voltage for continuous power or opt for a wire-free set-up with a lithium-ion rechargeable battery pack.



Soft start & Stop

Motor will slow down so drapes come together softly upon closure, for a refined aesthetic.



Micro USB Charging

When using the rechargeable battery pack, quickly and conveniently charge the motor with any micro USB cable charger.



Adjustable Speed Control

Three shade speed settings to suit your needs – faster for larger drapes, slower for smaller. Features quiet operation when set to the lowest speed setting.



Inverted mounting

Mount vertically within a ceiling pocket for a premium invisible aesthetic.



Manual Activation

Gently pull on the drape fabric and the motor will complete the action – automatically moving the drapes to the preferred open or closed position.


Product Specifications

Part #: MT01-2101-xxx002 Automate Versa Drapery Motor


- Voltage 240V
- Limit Switch Type Electronic
- Torque 1.2Nm
- Current 1.3A
- · Max Run Time 12 min
- Battery Size/Type 2600mAh External Battery Pack

- Speed 80rpm, 100rpm, 120rpm (Default speed)
- Temp Working Range 32°F to 140°F (0°C to 60°C)
- Radio Frequency 433.92
- Insulation Class Class A
- RF Modulation FSK
- Sound Level ~44 dB
- IP Rating IP40
- Power 20W

Dimensions



Mount Options



Compatible Systems

Profile	Туре	Motor End Pulley	Overlap Return Pulley
	S Track	MT03-0401-xxx004	MT03-0401-xxx013
	Series 81	CU21-0420-069001*	CU21-0421-069001

^{*} Invert mounting not available

Compatible Accessories (refer to catalogue for full item listings)

Controllers



Pulse 2 HUB




Power Options















ARC™ (Automate Radio Communication) is Rollease Acmeda's proprietary technology utilizing 433MHz radio communication with bi-directional feedback that brings Automate motorized shading systems together.

Documents / Resources



AUTOMATE MT01-2101 Automate Versa Drapery Motor [pdf] Instruction Manual MT01-2101-xxx002, MT03-0305-xxx004, MT03-0305-xxx012, MT01-2101 Automate Versa Drapery Motor, MT01-2101, Automate Versa Drapery Motor, Versa Drapery Motor, Drapery Mot or

References

User Manual

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.	