

ava DC12/24V App Controller User Manual

Home » AVA » ava DC12/24V App Controller User Manual

Contents

- 1 ava DC12/24V App Controller User Manual
- 2 1. Product Parameters
- 3 2. Manual Control by Buttons
- 4 3. Product Dimension
- 5 4. Connection
- 6 5. Ways to Operation
- 7 6. Warranty instructions
- 8 Documents / Resources
- 9 Related Posts

ava DC12/24V App Controller User Manual



Thank you very much for choosing our company's APP controller, and this product adopts the current emerging APP technology and top manufacturing process, which is developed integrating years of R&D experience. The product can support mobile APP to perform local. For proper installation and usage of the product, please read this instruction carefully.

1. Product Parameters

• Working Voltage: DC12/24V


• Current: 2A x 3CH

Max Load: 12V/36W;24V/72W
Product size: L70 xW30 xH15mm
Working environment: indoor

• Working temperature: - 10 C - 45 C (140 F - 113 F)

• Humidity: <80% RH

2. Manual Control by Buttons




C: Static/dynamic mode,

也: Click on/off,


M: Red Light and Music Model.

3. Product Dimension




4. Connection

Connect the led controller to your LED strip and power below photo for reference.




5. Ways to Operation

Remote Control



Please pointing at the sensor of remote control receiver to control the light.



6. Warranty instructions

The one-year warranty of our products is only applicable to all operations that conform to the instructions. The warranty does not include the following:

- 1. Any change, amendment, deletion or scribbled purchase labels or instructions.
- 2. Failure due to damage, incorrect connection or misuse.
- 3. Because of the natural environment rather than the inherent causes of the product (such as lightning, flood, etc.). The bad phenomena of fire, etc.
- 4. The product has been opened or disassembled.
- 5. Adverse consequences arising from use, maintenance or custody do not conform to product specifications(e.g. damp, corrosive).
- 6. Any other matter caused by product defect, appearance distortion, appearance damage or external force Physical injury.

Note.

The illustrations of products, accessories, user interface, etc. in the manual are schematic diagrams for reference only. Due to the updating and upgrading of the product, there may be slight differences between the physical product and the schematic diagram. Please refer to the physical product.

FCC Caution

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the

user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator &your body.

Read More About This Manual & Download PDF:

Documents / Resources



ava DC12/24V App Controller [pdf] User Manual

CYTT-132, CYTT132, 2ATTKCYTT-132, 2ATTKCYTT132, DC12 24V App Controller, DC12 24V , App Controller

Manuals+,