

# **AVIGILON Ava Flex Camera User Guide**

Home » aVIGILON » AVIGILON Ava Flex Camera User Guide 🖫



# MOUNTING GUIDE AVIGILON AVA FLEX CAMERA



AVA FLEX CAMERA
MOUNTING GUIDE
Avigilon Alta Cloud Security

#### **Contents**

- 1 IMPORTANT WARNINGS AND SAFETY INSTRUCTIONS
- **2 BOX CONTENTS**
- 3 ADJUSTING CAMERA ORIENTATION BY USING THE BALL JOINT
- 4 Documents / Resources
  - **4.1 References**
- **5 Related Posts**

0

# **IMPORTANT WARNINGS AND SAFETY INSTRUCTIONS**

Avoid exposing the camera to shocks, high pressure or temperatures above 40°C.
Avoid placing the camera near fans, ventilation or other noise sources. This will degrade aud performance.
performance.
Avoid placing the camera near fans, ventilation or other heat sources. This will degrade sens performance.
performance.
Avoid scratching or leaving fingerprints on the lens, this degrades image quality. If possible, keep to protective plastic on the lens cover during installation.
protective plastic on the lens cover during installation.
Do not clean the camera with harsh detergents, gasoline or chemicals such as Acetone.
Do not try to repair the unit yourself. Refer all servicing of the camera to Ava or contact a reseller.
Prolonged use of the white LEDs may affect sensor readings.
This product should be supplied by a Power over Ethernet (PoE) Power Sourcing Equipment (PS
compliant with IEEE 802.3af or USB-C power source rated 5V 1.5A. The power supply should be UL-listed a

IF T: SEAVFL23-21878

The camera and the PoE PSE must be installed within the same building, as described by Environment A of





**BOX CONTENTS** 

the IEEE 802.3af standard.

marked "Limited Power Source" or "LPS".

The PoE PSE must be properly grounded.






# Required:

## PH2 screwdriver



Drill with 6mm (1/4") drill bit





## **Screw dimensions**

 $d_{h} = 9.4 \text{ mm}$ 

I = 32 mm

d = 4 mm





#### **Anchor dimensions**


I = 25 mm

d = 6mm / 1/4 "


# Cable routing alternatives








Installing the bracket




Attaching the camera and connecting the ethernet cable



ADJUSTING CAMERA ORIENTATION BY USING THE BALL JOINT

8 9 10







#### **Federal Communication Commission Interference Statement**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to pro-vide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radiofrequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

#### **FCC Caution:**

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

#### **Radiation Exposure Statement:**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

## **Industry Canada statement**

This device complies with ISED's licence-exempt RSSs. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### Caution:

(i) the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

# **Radiation Exposure Statement:**

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with greater than 20cm between the radiator & Dorn body.

To learn more, visit: www.avigilon.com





Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A. <a href="motorolasolutions.com">motorolasolutions.com</a>
© 2023, Avigilon Corporation. All rights reserved. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. 07-2023 [DS01]

# **Documents / Resources**



AVIGILON Ava Flex Camera [pdf] User Guide Ava Flex Camera, Ava, Flex Camera, Camera

#### References

- Solving for Safer Motorola Solutions
- Δ End-to-End Security Solutions | Avigilon (Openpath & Ava)

Manuals+,