



Home » AXXESS » AXXESS AXPIO-COM1 Dash Kit Installation Guide 📆

Contents [hide]

- 1 AXXESS AXPIO-COM1 Dash Kit
- 2 Specifications
- 3 INTRODUCTION
- **4 KIT COMPONENTS**
- 5 FEATURES
- **6 KIT PREPARATION**
- 7 DASH DISASSEMBLY
- **8 KIT ASSEMBLY**
- 9 INTERFACE INSTALLATION
- 10 DASH ASSEMBLY
- 11 RADIO OPERATION
- 12 ODOMETER TYPE
- 13 Documents / Resources
 - 13.1 References



AXXESS AXPIO-COM1 Dash Kit



Specifications

Product: AXPIO-COM1

Compatibility: Jeep Compass 2017.5-2021

• Kit Components: A, B, C

• Tools Required: Solder and heat shrink

Wiring & Antenna Connections:

Wiring Harness: Included with Kit

Antenna Adapter: Included with Kit

GPS Antenna Adapter: Included with Kit

INTRODUCTION

Jeep Compass 2017.5-2021

IMPORTANT: TPMS will only display on the instrument cluster, not on the Pioneer®. Visit MetraOnline.com for more detailed information about the product and up-to-date vehicle specific applications Designed for Pioneer® DMHW4600NEX/W4660NEX or DMH-WC5700NEX receivers

Note: This kit will function in both Single-Zone and Dual-Zone vehicles:


- All HVAC functions will be retained.
- Single-Zone vehicles will only get status feedback of the HVAC functions, while Dual-Zone vehicles can also be controlled through the radio screen.

- Compass is only retained on vehicles equipped with the UConnect 3 (5" touchscreen).
- The External Speaker is only required in vehicles with safety group features.

KIT COMPONENTS

- A) Radio trim panel
- B) Radio brackets
- C) Panel clips (7)

Not shown: LD-CH5-PIO, LD-CHRYHAZ2T, Radio interface, PR04AVIC-PIO or PR04-PIORCA Harness, External Speaker



Product Info



Visit <u>AxxessInterfaces.com</u> for up-to-date vehicle specific applications.

WIRING & ANTENNA CONNECTIONS

Wiring Harness: Included with Kit

Antenna Adapter: Included with Kit

GPS Antenna Adapter: Included with Kit

TOOLS & INSTALLATION ACCESSORIES REQUIRED

- Panel removal tool
- Torx screwdrivers
- Wire cutter


- Phillips screwdriver
- Tape
- Zip-ties
- Crimping tool and connectors, or solder gun, solder, and heat shrink

FEATURES

- Allows for the retention and adjustment of the factory personalization menu through the Pioneer® radio.
- Complete plug-n-play installation.
- Includes dash kit with Axxess interface and vehicle-specific T-harness.
- Includes radio antenna adaptor for GPS.
- Provides a built-in STOP/START engine override (if equipped).
- Provides accessory power (12V 10-amp).
- Provides NAV outputs (parking brake, reverse, and speed sense).
- Retains audio controls on the steering wheel.
- Works in both single and dual-zone vehicles.
- Dash kit is painted with scratch-resistant matte black to match the factory finish.
- Retains safety chimes through an included off-board speaker.
- · Designed for non-amplified vehicles.
- Micro "B" USB updatable.

KIT PREPARATION


Attach the (7) panel clips to the radio trim panel. (Figure A)
 Continue to Kit Assembly



(Figure A)

DASH DISASSEMBLY

- 1. Unclip and remove the A/C vent panel surrounding the radio. (Figure A)
- 2. Remove (4) 9/32" screws securing the radio, then unplug and remove the radio.




(Figure A)

KIT ASSEMBLY

ISO DDIN radio provision

- Attach the radio brackets to the radio using the screws supplied with the radio. (Figure A)
- Locate the factory wiring harness and antenna connector in the dash and complete all necessary connections to the radio. Metra recommends using the proper mating adapter from Metra and/or Axxess.
- 3. Test the radio for proper operation.




(Figure A)

INTERFACE INSTALLATION

If the vehicle is equipped with rear parking sensors that you wish to retain:

- Install the provided speaker in the dash prior to assembling the radio components.
- Make sure this is mounted in a location suitable for the driver to hear.*
- Audio level for the speaker can be changed via the radio, once installed.




DASH ASSEMBLY

Once all functions are verified:

- 1. Secure the radio assembly to the dash using the factory screws.
- 2. Snap the radio trim panel over the radio assembly to complete the installation.

RADIO OPERATION

Vehicle Selection – Allows you to select the vehicle the radio is being installed in.
 Vehicle type must be selected to activate menu & HVAC functions, as well as steering wheel controls. Press Make to change the vehicle type. Then press Confirm. The radio will then reset and lock in the selected vehicle.





• Car Features – The source for accessing all vehicle information and options.






• HVAC Operation – HVAC Status and Control Screen.



Vehicle Info Screen – Displays various information of the vehicle. (TPMS *N/A)
 *N/A Only shown on instrument cluster of vehicle. Amplifier type will always show as
 None and Compass will only show if vehicle came equipped.



• Customizations Menu – Allows full control of vehicle personalization options.

Access this menu by selecting the gear icon on the previous screenshot.




• **About Screen** – Feedback screen for interface software information.




ODOMETER TYPE

How to Stop the Odometer from Blinking

- 1. Go into the CUSTOMIZATIONS OPTIONS
- 2. Look for ODOMETER TYPE
- 3. Try TYPE 1, if it still blinks, try TYPE2 instead.







Having difficulties? We're here to help.

- Contact our Tech Support line at: 386-257-1187
- Or via email at: <u>techsupport@metra-autosound.com</u>

Tech Support Hours (Eastern Standard Time)

Monday – Friday: 9:00 AM – 7:00 PM

Saturday: 10:00 AM - 5:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry.

Log onto www.installerinstitute.edu or call 386-672-5771 for more information and take steps toward a better tomorrow.



Metra recommends MECP certified technicians

Documents / Resources



AXXESS AXPIO-COM1 Dash Kit [pdf] Installation Guide AXPIO-COM1, AXPIO-COM1 Dash Kit, Dash Kit, Kit

References

			١ /	100	
•	U	lser l	IV	ы	lual

AXPIO-COM1, AXPIO-COM1 Dash Kit, AXXESS, Dash Kit,

☐ Save my name, email, and website in this browser for the next time I comment.

■ AXXESS Kit

Leave a comment

our email address will not be published. Required fields are marked*	
Comment *	
lame	
mail	
Vebsite	

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.