



AXCESS AXSP-HK Metra Amplifier Interface Instructions

[Home](#) » [AXCESS](#) » AXCESS AXSP-HK Metra Amplifier Interface Instructions 

AXCESS AXSP-HK Metra Amplifier Interface



Contents

- [1 Instruction For Use](#)
- [2 Customer Support](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)


Instruction For Use

AXSP-HK of the jumpers that need to be checked if they have no audio

Open case to gain access to the circuit board, to complete the steps below to correct the issue.




Jumper 1 needs to have 2 & 3 connected, nothing on 1
Jumper 2 needs to have 1 & 2 connected, nothing on 3



Customer Support



Documents / Resources

	<p>AXXESS AXSP-HK Metra Amplifier Interface [pdf] Instructions 120AXSPHK, AXDIS-HK2, AXSP-HK Metra Amplifier Interface, Metra Amplifier Interface, Amplifier Interface, Amplifier</p>
---	---

References

- [AXXESS Integrate - Comprehensive Interface Products for Vehicle Upgrades](#)
- [User Manual](#)

Manuals, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.