



Home » BASELAYR » BASELAYR VT2536 LED Vertical Exposure Unit Instruction Manual №



BASELAYR VT2536 LED Vertical Exposure Unit




Contents [hide]

- 1 TIMER OPERATION
- **2 SCREEN EXPOSURE**
- 3 WHAT IS COVERED?
- 4 WHAT DOES THIS WARRANTY NOT COVER?
- 5 Documents / Resources
 - 5.1 References

TIMER OPERATION

Set the desired time in minutes and seconds using the up and down arrow:


- 1. Seconds (0-9)
- 2. Tens of seconds (10, 20, 30, etc.)
- 3. Minutes (0-9)
- 4. Tens of minutes (10, 20, 30, etc.)



Note: Logos, graphic elements, and/or photo images contained in this document may not be reproduced without the written consent of Ryonet.

SCREEN EXPOSURE

Once your screen 1 has been coated with emulsion and the direct imaging has been placed, insert the frame into the unit with the mesh side out as shown. Set the digital timer 2 previously explained in the timer overview, close the door 3. Once the door is closed, press the start button 4 to begin the exposure process. Maximum of 25" x 36" Frame.



WHAT IS COVERED?

BASELAYR warrants any BASELAYR-branded electronic equipment to be free from defects in materials and workmanship for a period of 3 years from the original date of purchase. This warranty covers all BASELAYR branded manufactured electrical equipment, excluding standard consumables, to be protected against defects, damages, or malfunctions under normal use during the warranty period. If you discover a defect in a product covered by this warranty, we will replace the part to repair the product, using new or refurbished components, or if repair is not possible, replace the item, free of charge.

WHAT DOES THIS WARRANTY NOT COVER?

Shipping or travel associated with a replacement or repair. Any problem that is caused by abuse, misuse, or any "Act of God" circumstance (such as a flood) is not covered. Also, the replacement of any standard consumables that have a natural wear and tear rate that will eventually result in that item needing to be replaced is not covered.

This warranty is non-transferable and can only be used by the original purchaser.

If standard consumables are faulty or damaged upon receipt BASELAYR will need to be notified within the first 48 hours.

ITEMS	COVERED	NOT COVERED
LED UNITS	LED POWER SUPPLIES, AMBE	
	R LED POWER SUPPLY, TABLE	GLASS, FUSES, NEOPRENE, L
	T CHARGER POWER SUPPLY,	ED LIGHT, AMBER LEDS & SH
	TABLET, RELAYS, POWER CHO	OCKS
	RD, FRAME & LID FRAME	
DRYING CAB	ALL COMPONENTS	

Note: Logos, graphic elements, and/or photo images contained in this document may not be reproduced without the written consent of Ryonet.



Documents / Resources



BASELAYR VT2536 LED Vertical Exposure Unit [pdf] Instruction Manual VT2536 LED Vertical Exposure Unit, VT2536, LED Vertical Exposure Unit, Vertical Exposure Unit

References

- User Manual
- BASELAYR
- ▶ BASELAYR, Exposure Unit, LED Vertical Exposure Unit, Vertical Exposure Unit, VT2536, VT2536 LED Vertical Exposure Unit

Leave a comment

Your email address will not be published. Required fields are marked*

Comment *
Name
Email
Website
☐ Save my name, email, and website in this browser for the next time I comment.
Post Comment Post

Search:

e.g. whirlpool wrf535swhz Search

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.