



Bastl Kastle 2 FX Wizard Patchable Stereo Multi Effects Device Instruction Manual

[Home](#) » [BASTL](#) » Bastl Kastle 2 FX Wizard Patchable Stereo Multi Effects Device Instruction Manual 

BASTL



Full manual is here



<https://bastl-instruments.com/content/files/manual-kastle2-fx-wizard.pdf>

Contents

- 1 **BUTTON COMBOS**
- 2 **BASTL INSTRUMENTS KASTLE 2**
- 3 **FILTER & STEREO**
- 4 **Documents / Resources**
 - 4.1 **References**

BUTTON COMBOS

SHIFT + **KNOB** = secondary function in silver

SHIFT + **FX MODE** = **TAP** tempo


FX MODE = next FX MODE

FX MODE + **SHIFT** = previous FX MODE

FX MODE + AMOUNT = mod. attenuation for FX MODE input

SHIFT + FX MODE >5s = adv. settings (input behavior etc.)

BASTL INSTRUMENTS KASTLE 2




Well met, apprentice! In this guide we shall summon the mighty FX WIZARD!

Art thou ready?


1. POWER SOURCE

Plug in a USB-C cable or insert 3x AA batteries.



2. CONNECTIONS

Connect your chosen signal to AUDIO ▼ and your headphones, mixer, or speakers to AUDIO ▲.




3. POWER UP

Flip the POWER switch to the right.



4. INPUT GAIN


Hold **SHIFT** and turn the TIME MOD knob to set the **INPUT** gain. Follow the light indicator – avoid the RED!



! Silver labels are active when holding the SHIFT button.

5. OUTPUT VOLUME

Hold **SHIFT** and turn the TIME knob to adjust the output **VOLUME**. Can You Hear Me?




6. MEET THE WIZARD

Press the FX MODE button to switch effects. Explore the effects by turning the White Rabbit knobs. Use the map on the first page.



7. TIME FOR MAGIC!

Start patching: connect some outputs to inputs. This is what they look like:




Most sets of 3 points in a row are connected. Use any of them.

Feel free to experiment – NOTHING CAN BREAK!

Knobs without rabbits control modulation and take effect only when you start patching.

8. CLOCK SYNC

Use SYNC ▼ to synchronise with external clock. The FX Wizard will follow. To be the leader, use the SYNC ▲ out.



9. TEMPO


To set the tempo, hold **SHIFT** and turn the **TEMPO** knob.

To tap the tempo, hold **SHIFT** and press **TAP** a few times.


If using SYNC ▼ in, the **TEMPO** knob sets the tempo multiplier/divider.

To trully master the ways of FX MAGIC, learn the ways of modulation!

MODULATION MAGIC




Use **MOD** to adjust the amount of **FEEDBACK** modulation. The same goes for **TIME** and **LFO**.



TIP: Use CV to switch between FX modes!

Press **FX MODE** and turn **AMOUNT** to adjust the amount of **FX MODE** modulation.


FILTER & STEREO



Use **FILTER** to make your sound:
brighter – **HP** (highpass) cuts bass,
darker – **LP** (lowpass) cuts treble.

Use **STEREO** to make the sound **W I D E R**!

LFO



LFO generates cycling triangle and pulse waveforms. Adjust the speed with the LFO knob:
to the right for free running,
to the left to sync with the tempo.

Documents / Resources



[Bastl Kastle 2 FX Wizard Patchable Stereo Multi Effects Device](#) [pdf] Instruction Manual
Kastle 2 FX Wizard Patchable Stereo Multi Effects Device, Kastle 2, FX Wizard Patchable Stereo Multi Effects Device, Patchable Stereo Multi Effects Device, Stereo Multi Effects Device, Multi Effects Device, Effects Device

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.