



BEGA 67 505.3 Table Lamp for Indoor Use Instruction Manual


[Home](#) » [BEGA](#) » BEGA 67 505.3 Table Lamp for Indoor Use Instruction Manual 

Contents

- [1 BEGA 67 505.3 Table Lamp for Indoor Use](#)
- [2 Product Information](#)
- [3 Instructions for use](#)
- [4 Product Description](#)
- [5 Installation](#)
- [6 Relamping · Maintenance](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

BEGA

BEGA 67 505.3 Table Lamp for Indoor Use



Product Information

- **Lamp Luminaire with screw base:** E 27
- **Lamp output max:** 100 W
- **Luminaire efficiency:** 80%
- **Product weight:** 2.6 kg
- **Product Description:** Mundgeblasenes Opalglas (mouth-blown opal glass)

Detailed technical and lighting data for the lamps can be found in the data sheets on our website. The installation and operation of this luminaire are subject to national safety regulations. The manufacturer accepts no liability for damage caused by improper use or installation. If subsequent modifications are made to the luminaire, the person responsible for these modifications shall be considered the manufacturer.

The electronic components installed in the luminaire are protected against overvoltage in accordance with DIN EN 61547. To achieve additional protection against transients and other issues, we recommend separate overvoltage protection components. You can find them on our website at www.bega.com.

Instructions for use

Application

- Table lamp · indoor luminaire made of metal base and hand-blown opal glass, satin matt for free radiating and glare-free light.

Lamp

- **Luminaire with screw base:** E 27
- **Lamp output max:** 100 W

- This product contains light sources of energy efficiency class E

Supplied lamp

- BEGA LED lamp 13565
- LED 12 W · 1400 lm · 2700 K dimmable

Supplied lamp

- **BEGA LED lamp:** 13592
- **LED:** 12 W · 1400 lm · 3000 K dimmable
- **Luminaire efficiency:** 80%

Detailed technical and lighting data for the lamps can be found in the data sheets on our website.

Product Description

- Luminaire made of Aluminium, finish Polished aluminium
- Hand-blown opal glass, satin matt, with screw neck
- Built-in toggle switch
- Black cable · 2 m, with safety plug
- **Lampholder:** E 27
- **Safety class:** I
- **CE:** Conformity mark
- **Weight:** 2.6 kg

Safety

- The installation and operation of this luminaire are subject to national safety regulations.
- The manufacturer accepts no liability for damage caused by improper use or installation.
- If subsequent modifications are made to the luminaire, the person responsible for these modifications shall be considered the manufacturer.

Overvoltage protection

- The electronic components installed in the luminaire are protected against overvoltage in accordance with DIN EN 61547.
- To achieve an additional protection against e. g. transients, etc. we recommend separate overvoltage protection components.
- You can find them on our website at www.bega.com.

Installation

- Insert lamp into lampholder.

- Insert glass into the luminaire housing and screw it in by turning it clockwise.
- Make sure that the gasket is seated correctly.
- Connect luminaire to mains supply (230 V).
- To turn the luminaire on or off use the toggle switch in the lamp base.

Relamping · Maintenance

- Disconnect the electrical installation.
- Unscrew glass from luminaire housing by turning it counter-clockwise.
- Clean luminaire and glass.
- Use only solvent-free cleansers.
- Change the lamp.
- Screw in glass by turning it clockwise.


Spares

- **Spare glass:** 11 002 899 .0R G
- **LED lamp 2700 K:** 13 565
- **LED lamp 3000 K:** 13 592
- **Lampholder:** 63 000 339

BEGA Gantenbrink-Leuchten KG

- Postfach 31 60 · 58689 Menden
- info@bega.com
- www.bega.com

Documents / Resources

	<p>BEGA 67 505.3 Table Lamp for Indoor Use [pdf] Instruction Manual 67 505.3 Table Lamp for Indoor Use, 67 505.3, Table Lamp for Indoor Use, Table Lamp, Lamp</p>
---	---

References

- BEGA [BEGA · Das gute Licht.](#)