


behringer BA 19A Condenser Boundary Microphone for Instrument Applications User Guide

[Home](#) » [Behringer](#) » behringer BA 19A Condenser Boundary Microphone for Instrument Applications User Guide 



behringer

**BA 19A Condenser Boundary Microphone for Instrument Applications
User Guide**



BA 19A

Condenser Boundary Microphone for Instrument Applications


Contents

- [1 Features](#)
- [2 Frequency Response Curve](#)
- [3 Polar Pattern](#)
- [4 Specifications](#)
- [5 LIMITED WARRANTY](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)


Features

- Condenser boundary microphone for acoustic instruments
- Frequency response for kick drums, piano, and bass-heavy instruments
- Integrated preamplifier for outstanding signal integrity
- Half-cardioid polar pattern minimizes background noise and feedback
- Switchable filters for stronger lows and high-frequency attack
- The extremely high signal output which lets the sound cut through
- Requires no external mounting
- Impact-resistant carrying case included
- Rugged, reliable metal construction

Frequency Response Curve



Polar Pattern



Specifications

Type	Condenser
Frequency response	50 Hz to 18 kHz
Impedance	1500
Phantom power	48V
Connector	3-pin
Polar pattern	Half-cardioid
Sensitivity	-53 dEt.t.3 dEbY I kKz(1 V/Pa)
Weight	493g

Behringer is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated..

LEGAL DISCLAIMER


Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly on or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances, and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Oberheim, Auratone, Aston Microphones, and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.

LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited

Warranty, please see complete details online at musictribe.com/warranty.

Documents / Resources



[behringer BA 19A Condenser Boundary Microphone for Instrument Applications](#) [pdf] User Guide

BA 19A, Condenser Boundary Microphone for Instrument Applications, BA 19A Condenser Boundary Microphone for Instrument Applications

References

-  [Music Tribe](#)

[Manuals+.](#)