



behringer TA-312S Dynamic Gooseneck Microphone for Vocal Applications User Guide

[Home](#) » [Behringer](#) » behringer TA-312S Dynamic Gooseneck Microphone for Vocal Applications User Guide 



behringer

**TA-312S Dynamic Gooseneck Microphone for Vocal Applications
User Guide**



TA 312S

Dynamic Gooseneck Microphone for Vocal Applications

Contents

[1 Features](#)

[2 Frequency Response Curve](#)

[3 Polar Pattern](#)

[4 Specifications](#)

[5 LIMITED WARRANTY](#)

[6 Documents / Resources](#)


[6.1 References](#)

[7 Related Posts](#)


Features

- Professional dynamic microphone for transparent vocal projections
- Ideal as a talkback microphone for studios, podiums, conferences, and desktops
- Cardioid polar pattern minimizes background noise and feedback
- Flexible gooseneck shaft for ultimate user experience
- Convenient on/off switch to mute during breaks
- The extremely high signal output which lets the sound cut through
- Effective wind and pop noise filters included
- Rugged, reliable die-cast body construction

Frequency Response Curve



Polar Pattern



Specifications

Type	Dynamic
Frequency response	50 Hz to 18 kHz
Impedance	500 Ω
Connector	3-pin
Polar pattern	Cardioid
Sensitivity	53 dB \pm 3 dB @ 1 kHz (1 V / Pa)
Weight	236 g

Behringer is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.

LEGAL DISCLAIMER

Music Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly on or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances, and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, TC Electronic, TC Helicon, Behringer, Bugera, Oberheim, Auratone, Aston Microphones, and Coolaudio are trademarks or registered trademarks of Music Tribe Global Brands Ltd. © Music Tribe Global Brands Ltd. 2021 All rights reserved.

LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding Music Tribe's Limited Warranty, please see complete details online at musictribe.com/warranty.



Hereby, Music Tribe declares that this product is in compliance with Directive 2011/65/EU and Amendment 2015/863/EU, Directive 2012/19/EU, Regulation 519/2012 REACH SVHC and Directive 1907/2006/EC, and this passive product is not applicable to EMC Directive 2014/30/EU, LV Directive 2014/35/EU.


Full text of EU DoC is available at <https://community.musictribe.com/>

EU Representative: Music Tribe Brands DK A/S

Address: Ib Spang Olsens Gade 17, DK – 8200 Aarhus N, Denmark



Documents / Resources



[behringer TA-312S Dynamic Gooseneck Microphone for Vocal Applications](#) [pdf] User Guide

TA-312S, Dynamic Gooseneck Microphone for Vocal Applications, TA-312S Dynamic Gooseneck Microphone for Vocal Applications

References

- [Music Tribe](#)