

BenQ RM6503A Signage Display Interactive Flat Panel User Manual

Home » BenQ » BenQ RM6503A Signage Display Interactive Flat Panel User Manual



Contents

- 1 BenQ RM6503A Signage Display Interactive Flat
- 2 Copyright and disclaimer
- 3 Before you start
- 4 Language settings
- 5 Switching microphone input
- 6 Start using Saffi
- 7 Appendix: Command list
- **8 Tutorial Window**
- 9 Documents / Resources
 - 9.1 References
- **10 Related Posts**



BenQ RM6503A Signage Display Interactive Flat Panel



Copyright and disclaimer

Copyright

Copyright 2022 BenQ Corporation. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission of BenQ Corporation.

Disclaimer

- BenQ Corporation makes no representations or warranties, either expressed or implied, with respect to the contents of this document. BenQ Corporation reserves the right to revise this publication and to make changes from time to time in the contents thereof without obligation to notify any person of such revision or changes.
- The screenshots in this document are for reference only and may differ from the actual design.
- This document aims to provide the most updated and accurate information to customers, and thus all contents
 may be modified from time to time without prior notice. Please visit the website for the latest version of this
 document.

Introduction

The BenQ Interactive Flat Panel offers an extra level of flexibility for device control through voice assistant. Saffi lets users control the flow of meetings by allowing them to start timers or search the Internet from anywhere in the room.


Before you start

Installing Saffi

Go to BenQ App Store > BenQ Apps to find Saffi. Tap the icon to download the software.



You can always open the app to manage settings for Saffi.



Language settings

- · Supported languages
- English, Traditional Chinese, Spanish and French.
- The language recognition of Saffi follows the system language of your BenQ display. If your language is currently not supported, the default language of Saffi will be English.
 - Go to System > Language & Input to change your system language.

Switching microphone input

- You may choose to speak directly to the remote control's microphone or to the display's built-in microphone.
- Go to Device > Current mic to change your microphone input source.

Start using Saffi



- 1. Press the voice command key () on the remote control to activate Saffi.
- 2. Hold the key and say the supported commands.
- 3. Release the button until you finish the command.

Appendix: Command list

Notes

 <Bold commands> are examples for your reference. You may fill in customized commands according to your needs

Tutorial Window

Actions	Commands
Launch tutorial window	What can you do?
	List commands.
	Commands list
	Show me how to use
	Help
	Tutorial
Expand the title of tutorial wind ow	Select <1st, 2nd, 3rd, 4th,, 6th> item
	Select the <1st, 2nd, 3rd, 4th,, 6th> item
	Expand <1st, 2nd, 3rd, 4th,, 6th> item
	Expand the <1st, 2nd, 3rd, 4th,, 6th> item
Scroll the tutorial window up/do wn	Scroll down
	Scroll up

System commands

Actions	Commands
Close all windows	Close
	Finish
	Destroy
	Dismiss
Close a specific window	Close <tutorial, scoreboard="" timer,=""></tutorial,>
	Finish <tutorial, scoreboard="" timer,=""></tutorial,>
	Destroy <tutorial, scoreboard="" timer,=""></tutorial,>
	Dismiss <tutorial, scoreboard="" timer,=""></tutorial,>
Return to homepage	Go to desktop
	Desktop
	Home
	Go home
Back to last page	Back
	Go back

Actions	Commands
Take a screenshot	Screenshot
	Screen capture
Switch signal source	Switch to <hdmi1, android="" hdmi2,="" hdmi3,="" ops,="" vga,=""></hdmi1,>
	Change to <hdmi1, android="" hdmi2,="" hdmi3,="" ops,="" vga,=""></hdmi1,>
	Switch input source to <hdmi1, android="" hdmi2,="" hdmi3,="" ops,="" vga,=""></hdmi1,>
	Change input source to <hdmi1, android="" hdmi2,="" hdmi3,="" ops,="" vga,=""></hdmi1,>

Brightness & Volume

Actions	Commands
Increase brightness	Increase brightness
	Brighter
Decrease brightness	Decrease brightness
	Darker
	Volume up
Increase volume	Louder
	Increase volume
Decrease volume	Volume down
	Quieter
	Decrease volume
Mute	Mute
	Quiet
	Be quiet
	Silence
Unmute	Unmute
	Cancel mute

Launch Applications

Actions	Commands
Launch EZWrite	Launch EZWrite
Launch AMS File Manager	Launch file manager

Browser search

Actions	Commands
Search on Google	Search <the after="" day="" tomorrow=""></the>
	Google <super mario=""></super>
Search on Wikipedia	Wiki <isaac newton=""></isaac>

Actions	Commands
Search on YouTube	YouTube <avengers></avengers>

Timer

Actions	Commands
Launch timer	Countdown <24 seconds>Countdown <1 minute and 20 seconds>
	 Launch timer for <24 seconds> Launch timer for <1 minute and 20 seconds>
	Start
Start timer	Countdown
Start times	Start countdown
	Start timer
	Pause
Countdown timer	Pause timer
	Pause countdown
Resume timer	Continue
	Continue timer
	Continue countdown
	Resume
	Resume timer
	Resume countdown

Scoreboard

Actions	Commands
Launch scoreboard	Launch scoreboard for <2, 3, 4, 5> teams
Add points on scoreboard	Add <10> points to team <a>
Minus points on scoreboard	Minus <1> point from team
	Deduct <1> point from team

Documents / Resources



BenQ RM6503A Signage Display Interactive Flat Panel [pdf] User Manual RM6503A Signage Display Interactive Flat Panel, RM6503A, Signage Display Interactive Flat Panel, Display Interactive Flat Panel, Flat Panel

References

• User Manual

Manuals+, Privacy Policy