



BERNINA C30 Belt Loop Folder Instruction Manual

[Home](#) » [BERNINA](#) » BERNINA C30 Belt Loop Folder Instruction Manual 

BERNINA C30 Belt Loop Folder Instruction Manual



Contents

- [1 Information](#)
- [2 Application](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)

Information

Purpose

- For sewing belt loops and straps.

For Your Safety

Before using this accessory, please read this instruction manual as well as the instruction manual of your machine carefully

Additional Required Materials

- Accessories Holder (103788.70.00)


Compatible Standard Presser Feet

- Cover/Chainstitch Foot #C13
- Overlock/Combostitch Foot #C11
- Standard Presser Foot (bernette b42/48, bernette b62/68)

Presser Foot Recommendation

- Clear Overlock/Combostitch Foot #C27
- Standard Presser Foot with Clear Sole (bernette b42/48, bernette b62/68)

Markings and Guides



- A Accessories Holder (not included)
- B Connecting piece with locking screw
- C Tape cutting width in mm
- D Belt loop width in mm
- E Tape guide
- F Belt loop guide

Application


Preparing the Belt Loop Folder

- Select a stitch. (Cover stitch No. 21 or 22)
- Thread the machine.
- Attach the presser foot.
- Attach the Belt Loop Folder to the machine with the Accessories Holder.
Refer to the instruction manual of the Accessories Holder.
- Loosen the locking screw on the connecting piece of the Belt Loop Folder and align the belt loop guide centered to the needles and tighten the screw.
- Loosen the locking screw on the connecting piece of the Accessories Holder, position the Belt Loop Folder as close as possible to the presser foot tip and tighten the screw.
 - The Belt Loop Folder and the presser foot are close to each other without direct contact.

Sewing Belt Loops

- Cut the tape to the required width in length or cross grain, trimming the beginning of the tape to form a point.


(Fig. 2)



- Swing the Belt Loop Folder out.
- Insert the tip of the tape into the tape guide until the tape comes out at the belt loop guide. (Fig. 3)



- Swing the Belt Loop Folder into sewing position and lower the presser foot onto the tape.
- Sew a few stitches to fix the tape in place. (Fig. 4)



- Check the seam position and, if necessary, adjust the alignment of the Belt Loop Folder to the left or the right using the locking screw on the connecting piece.
- If the seam edges do not meet in the middle, e.g. with very stretchy materials, cut the tape slightly wider.
- Sew the belt loops. (**Fig. 5**)




Note

The Belt Loop Folder is suitable for straight-cut tapes and ribbons made of light to medium-weight fabrics.

BERNINA

Documents / Resources

	<p>BERNINA C30 Belt Loop Folder [pdf] Instruction Manual C30 Belt Loop Folder, C30, Belt Loop Folder, Loop Folder, Folder</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.