

Bertazzoni REF24RCBPNV Built-in Refrigerator Column Owner's Manual

Contents


- [1 CUSTOM DOOR PANEL SPECIFICATIONS](#)
- [2 STAINLESS STEEL DOOR PANEL SPECIFICATIONS](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)

CUSTOM DOOR PANEL SPECIFICATIONS



FOR BUILT-IN REFRIGERATOR COLUMN MODEL REF24RCBPNV

Panel to be manufactured and fitted by cabinet maker and installer



- 1. DOOR PANEL
- 2. CABINET

NOTE: The refrigerator comes with a 4" (100 mm) stainless steel toe kick installed to fit a standard 84" (2134 mm) tall cabinet niche. For flush installation in a standard 25" (635 mm) deep cabinet niche, maximum door panel thickness is 15/16" (24 mm).

DIMENSIONS – INCHES (MILLIMETERS)		
(A)	Height of door panel	79 15/16" (2030)
(B)	Width of door panel	23 3/4" (603)
(C)	Gap between door panel and cabinet	1/8" (3)
(D)	Toe kick height	min 3 3/4" (96) – max 5 3/8" (136)
(E)	Cabinet height	min 83 13/16" (2129) – max 85 3/8" (2169)
(F)	Cabinet width	24" (609)
Thickness of custom panel		min 3/4" (19) – max 1 1/2" (38)

WEIGHT – POUNDS (KILOGRAMS)	
Maximum weight of door panel	66 lbs (30 kg)

Disclaimer: while every effort has been made to insure the accuracy of the information contained in this document, Fratelli Bertazzoni reserves the right to change any part of the information at any time without notice. For detailed installation specifications consult the installation manual. Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon are registered trademarks of Bertazzoni Spa.


www.bertazzoni.com



STAINLESS STEEL DOOR PANEL SPECIFICATIONS

FOR BUILT-IN REFRIGERATOR COLUMN MODEL REF24RCBPNV

SP24CX accessory panel to be fitted by installer



1. DOOR PANEL

2. CABINET


NOTE: The refrigerator comes with a 4" (100 mm) stainless steel toe kick installed to fit a standard 84" (2134 mm) tall cabinet niche.

DIMENSIONS – INCHES (MILLIMETERS)		
(A)	Height of stainless steel panel	79 15/16" (2030)
(B)	Width of stainless steel panel	23 3/4" (603)
(C)	Gap between steel panel and cabinet	1/8" (3)
(D)	Toe kick height	min 3 3/4" (96) – max 5 3/8" (136)
(E)	Cabinet height	min 83 13/16" (2129) – max 85 3/8" (2169)
(F)	Cabinet width	24" (609)
Thickness of stainless steel panel		3/4" (19)

WEIGHT – POUNDS (KILOGRAMS)	
Weight of stainless steel panel	49 lbs (22 kg)

Disclaimer: while every effort has been made to insure the accuracy of the information contained in this document, Fratelli Bertazzoni reserves the right to change any part of the information at any time without notice. For detailed installation specifications consult the installation manual. Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon are registered trademarks of Bertazzoni Spa.

Documents / Resources



CUSTOM DOOR PANEL SPECIFICATIONS
Indicate the dimensions of the door panel in inches and millimeters.
Provide the material and finish of the door panel.

NOTE: The refrigerator column will be 24" wide. The door panel will be 24" wide. The door panel will be 24" wide. The door panel will be 24" wide.

IMPORTANT: DOOR PANEL SPECIFICATIONS

Item	Specification
A	Door panel width
B	Door panel height
C	Door panel depth
D	Door panel material
E	Door panel finish

Model: REF24RCBPNV

[Bertazzoni REF24RCBPNV Built-in Refrigerator Column](#) [pdf] Owner's Manual
REF24RCBPNV, SP24CX, REF24RCBPNV Built-in Refrigerator Column, REF24RCBPNV, Built-in Refrigerator Column, Refrigerator Column, Column

References

-  [BERTAZZONI - Premium Kitchen Appliances - Australia](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.