

Bertazzoni REF30RCPIXR23 Built In Refrigerator Column **Instruction Manual**

Home » Bertazzoni » Bertazzoni REF30RCPIXR23 Built In Refrigerator Column Instruction Manual



Contents

- 1 Bertazzoni REF30RCPIXR23 Built In Refrigerator Column
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 PRODUCT DIMENSIONS**
- **5 CUTOUT DIMENSIONS**
- **6 ELECTRICAL CONNECTION**
- **7 INSTALLATION REQUIREMENTS**
- 8 Documents / Resources
- 9 Related Posts



Bertazzoni REF30RCPIXR23 Built In Refrigerator Column



Product Information

The product is a built-in food preservation appliance that needs to be installed in secure cabinetry. It has antitipping brackets that need to be installed if the appliance is not connected through the side profile trims. The product requires a separate circuit breaker servicing only this appliance for installation.

The product has the following dimensions:

- **Side View:** 22 1/16 x 80 3/4 x 5 3/4 inches (560 x 2050 x 146 mm)
- Front View: 29 5/8 x 83 1/2 inches (752 x 2120 mm)
- **Top View:** 29 15/16 x 24 3/16 x 52 3/8 inches (761 x 615 x 1331 mm)

The door width of the product is 83 1/2 inches (2120 mm). The cutout dimensions required for the installation of the product are:

• Side View: 30 x 83 7/8 inches (762 x 2130 mm) minimum

• Front View: N/A

• **Top View:** 25 inches (635 mm)

The area to be left clear for the anti-tipping brackets is 3 1/2 x 5 inches (82 x 127 mm).


For electrical connection, a properly-grounded, horizontally-mounted electrical receptacle should be installed. Connection(s) placement within the opening may require additional cabinet depth.

Product Usage Instructions


- 1. Ensure that the product is installed in secure cabinetry.
- 2. If the appliance is not connected through the side profile trims, install the anti-tip brackets.
- 3. Install a separate circuit breaker servicing only this appliance.
- 4. Ensure that the cutout dimensions required for the installation of the product are met.
- 5. Leave an area of 3 1/2 x 5 inches (82 x 127 mm) clear for the anti-tipping brackets.
- 6. Install a properly-grounded, horizontally-mounted electrical receptacle according to the drawing provided. Connection(s) placement within the opening may require additional cabinet depth.

PRODUCT DIMENSIONS


SIDE VIEW



FRONT VIEW




TOP VIEW




Maximum Overall Handle Dimension

CUTOUT DIMENSIONS


SIDE VIEW



FRONT VIEW



TOP VIEW




• Area to be left clear for the anti-tipping brackets 3"1/2×5" (82x127mm)

ELECTRICAL CONNECTION


TOP VIEW

A properly-grounded, horizontally-mounted electrical receptacle should be installed according to this drawing.



FRONT VIEW

Connection(s) placement within the opening may require additional cabinet depth.




- A separate circuit breaker servicing only this appliance is recommended.
- For the installation of multiple products in combination, refer to the Built-in Food Preservation Design Guide.
- Dimensions in parentheses are millimeters unless otherwise specified.

INSTALLATION REQUIREMENTS

If the appliance(s) is not connected through the side profile trims to secured cabinetry anti-tip brackets must be installed.

Documents / Resources



<u>Bertazzoni REF30RCPIXR23 Built In Refrigerator Column</u> [pdf] Instruction Manual REF30RCPIXR23 Built In Refrigerator Column, REF30RCPIXR23, Built In Refrigerator Column, Refrigerator Column