

best
best HBN3 Series
Built In Range
Hood



best HBN3 Series Built In Range Hood Owner's Manual

[Home](#) » [best](#) » [best HBN3 Series Built In Range Hood Owner's Manual](#) 

Contents

- [1 best HBN3 Series Built In Range Hood](#)
- [2 Technology](#)
- [3 Features](#)
- [4 Installation height above the cooking surface: 24"–30"](#)
- [5 FEATURES](#)
- [6 ACCESSORIES](#)
- [7 INSTALLATION REQUIREMENTS](#)
- [8 HVI PERFORMANCE](#)
- [9 AIRFLOW PERFORMANCE](#)
- [10 Frequently Asked Questions](#)
- [11 Documents / Resources](#)
 - [11.1 References](#)
- [12 Related Posts](#)

best[®]

best HBN3 Series Built In Range Hood



Specifications

Built-In Hood – HBN3 Series

- Uses infrared sensors to monitor heat and adjust fan speed
- Wi-Fi, Bluetooth, and voice activation capabilities
- EZ Install bracket system for simplified installation

HBN3 Series

Technology



SmartSense®

hood fan speed

Uses infrared sensors to monitor heat from the cooking surface and automatically adjusts



Wi-Fi, Bluetooth and voice activation capabilities enable hands-free operation



**CODE READY™
TECHNOLOGY**

Code Ready Technology®, available on 30" and 36" models, can limit airflow to 300 or 400 CFM to comply with local make-up air code requirements



EZ Install bracket system allows for simplified installation

Features

- Internal blower system powers 650 or 1200 Max CFM, with less than 0.3 sones at low speed



Compatible
with the BEST
Kitchen Mobile
App


At BEST, we make high performance range hoods that perform beautifully. Astonishingly quiet. Impressively effective. Remarkably efficient. And perfectly suited for the most distinguished kitchens. Whether it's the centerpiece of the room or letting its surroundings shine, BEST is where high-end performance inspires.

Installation height above the cooking surface: 24"–30"

Dimensions shown in inches.

HBN3 Series Built-In Hood:

- HBN33096SS: 28 1/2W x 19 5/8D
- HBN33696SS: 34 1/2W x 19 5/8D
- HBN348212SS: 46 1/2W x 22 7/8D



HBN3 SERIES CUTOUT DIMENSIONS	
Model	Cutout W x D
HBN33096SS	28 1/2"W x 19 5/8"D
HBN33696SS	34 1/2"W x 19 5/8"D
HBN348212SS	46 1/2"W x 22 7/8"D

HOOD SIZES*

- Internal Blower, Single – Depth: 20 1/4"
- 30" HBN33096SS 36" HBN33696SS
- Internal Blower, Dual – Depth: 23 1/2"
- 48" HBN348212SS
- * For exact dimensions, please refer to installation, use and care instructions.

FEATURES

- Finish Brushed Stainless Steel
- (Grade 430)
- Lighting Type LED Modules (6W per module)

- Number of Modules 2
- Lighting Levels 4
- Lighting Modules Included Yes
- Control Type 4-speed Capacitive Touch Slider
- Control Features Heat Sentry™, Delay-off,
- Wi-Fi/Bluetooth Connectivity,
- Voice Control, SmartSense,
- Filter Clean Reminder
- Remote Control BEST Kitchen app
- Filter Type Hybrid Baffle
- Non-ducted Capability No

HOOD BLOWER INCLUDED

- Max Blower CFM* 650 (HBN33096SS,
- HBN33696SS)
- 1200 (HBN348212SS)

ACCESSORIES

- ADA Kit HAWRK5
- Universal MUA Damper MD8TU or MD10TU
- Power Cord Kit HCK44

INSTALLATION REQUIREMENTS

- Amps @ 120V 3.8 (HBN33096SS, HBN33696SS) 7.1 (HBN348212SS)
- Electrical Connection Direct Wire
- Duct Size 8" or 3 1/4" x 10" (HBN33096SS, HBN33696SS) 10" (HBN348212SS)
- Duct Direction Vertical (round) or
- Horizontal (rectangular only)
- Backdraft Damper Included

* MAX Blower CFM indicates the performance of the hood blower in open air and is not HVI certified.

HVI PERFORMANCE

Single Blower

SONES				
Speed	1	2*	3*	4
8" round Vertical	< 0.3	0.8	3.0	8.5
3 1/4" x 10" Horizontal	< 0.3	1.0	3.5	8.5

CFM					
Speed	1	2*	3*	4 (0.25 in. w.g.)	4 (0.1 in. w.g.)
8" round Vertical	130	190	300	600	620
3 1/4" x 10" Horizontal	110	170	280	550	570

Dual Blower


SONES				
Speed	1	2*	3*	4
10" round Vertical	< 0.3	0.7	2.5	10.0

CFM					
Speed	1	2*	3*	4 (0.25 in. w.g.)	4 (0.1 in. w.g.)
10" round Vertical	270	380	580	1090	1130


* Where noted performance rating is not HVI certified.

AIRFLOW PERFORMANCE

Single Blower



Dual Blower



HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 and 0.25 in. static pressure at high speed based on tests conducted in an HVI-approved state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

BESTRANGEHOODS.COM

USA [800-558-1711](tel:800-558-1711)

BESTRANGEHOODS.CA

CANADA [800-567-3855](tel:800-567-3855)

Frequently Asked Questions

Q: Can the hood be used without Wi-Fi or Bluetooth connectivity?

A: Yes, the hood can still be operated manually without Wi-Fi or Bluetooth.

Documents / Resources



[best HBN3 Series Built In Range Hood](#) [pdf] Owner's Manual

HBN33096SS, HBN33696SS, HBN348212SS, HBN3 Series Built In Range Hood, HBN3 Series , Built In Range Hood, Range Hood, Hood

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.