

blackberry Access App Android User Guide

Home » BlackBerry » blackberry Access App Android User Guide 🖫

blackberry Access App Android User Guide



Contents 1 What is BlackBerry Access? 2 Installing and activating BlackBerry Access 3 System requirements 4 Install BlackBerry Access and activate using an access key 5 Use a third-party identity provider to activate a BlackBerry Dynamics app on a device 6 Unlock a BlackBerry Dynamics app using a third-party identity provider 7 Using BlackBerry Access 8 View and search downloaded files 9 View and search browsing history 10 Clear browsing data 11 View and search bookmarks 12 Import and export bookmarks 13 Scan a QR code 14 Search webpages 15 Request the desktop version of a website 16 Upload a photo, video, or a file to a webpage 17 Share a webpage 18 Search engine links 19 Unqualified domain names 20 Supported plugins 21 Supported languages 22 Cookies 23 Support for multiwindow mode 24 Install .apk files 25 Security 25.1 Protecting a lost or stolen device 25.2 Secure storage of browsing activity 25.3 Enable RSA soft token authentication 25.4 View the connection status of a web address 26 Troubleshooting 26.1 Diagnostics 26.2 Generate a diagnostics report 26.3 Troubleshoot issues using the BlackBerry Access console 26.4 Troubleshoot connectivity issues 26.5 Troubleshoot issues using dev tools 26.6 Upload log files to BlackBerry Support 26.7 Send feedback to BlackBerry 27 Legal notice 28 Documents / Resources 28.1 References 29 Related Posts

What is BlackBerry Access?

BlackBerry Access for Android is a secure browser that allows you to access your organization's intranet, work apps, and an integrated enterprise app store on your Android device. BlackBerry Access for Android includes the following features:

- Provides easy content downloads, bookmarks, and tabbed browsing
- Supports pop-ups that facilitate the deployment of web apps, such as Cisco WebEx, Salesforce, and customdeveloped apps
- Allows you to view streaming video with intuitive player controls built into the browser
- · Secures work web apps in containers, ensuring that data never leaves your organization's control

- Leverages standard end-user authentication, such as SSL, NTLM, and TLS
- · Supports credential persistence
- Installing and activating BlackBerry Access
 Before you can begin using BlackBerry Access, you must activate it. The steps you take to install BlackBerry
 Access depend on how you will be activating it. The following options are available:
 - Install BlackBerry Access and activate using an access key: Choose this option if you have not installed the BlackBerry UEM Client on your device or if your administrator has not allowed the BlackBerry UEM Client to manage the activation of BlackBerry Dynamics apps.
 - Install BlackBerry Access and activate using the BlackBerry UEM Client: Choose this option if you have installed the BlackBerry UEM Client on your device and your administrator has allowed the BlackBerry UEM Client to manage the activation of BlackBerry Dynamics apps. This option appears in BlackBerry Access only if both of these conditions are met. If you do not see this option when you open BlackBerry Access, you must set up BlackBerry Access using an access key. Uses PAC file web addresses for secure routing of work data.

Installing and activating BlackBerry Access

Before you can begin using BlackBerry Access, you must activate it. The steps you take to install BlackBerry Access depend on how you will be activating it. The following options are available:

- Install BlackBerry Access and activate using an access key: Choose this option if you have not installed the BlackBerry UEM Client on your device or if your administrator has not allowed the BlackBerry UEM Client to manage the activation of BlackBerry Dynamics apps.
- Install BlackBerry Access and activate using the BlackBerry UEM Client: Choose this option if you have
 installed the BlackBerry UEM Client on your device and your administrator has allowed the BlackBerry UEM
 Client to manage the activation of BlackBerry Dynamics This option appears in BlackBerry Access only if both
 of these conditions are met. If you do not see this option when you open BlackBerry Access, you must set up
 BlackBerry Access using an access key.

System requirements

For BlackBerry Access device OS compatibility, see the <u>Mobile/Desktop OS and Enterprise Applications</u> Compatibility Matrix.

Install BlackBerry Access and activate using an access key

To get an access key, choose one of the following options:

- Request an access key from your Your administrator will send you an email with activation details and the access key.
- Generate an access key from your organization's self-service If you do not know how to access your self-service portal, contact your administrator.

Note: If allowed by your organization, you can activate BlackBerry Access using Easy Activation. An Easy Activation key, when permitted, is supplied by another BlackBerry Dynamics app, like BlackBerry Connect or BlackBerry Work, as long as these apps are already installed on your device. If available, you can activate BlackBerry Access using the login password for the activation app. Contact your administrator to see if this is an

available option.

- 1. Request an access key from your administrator or generate an access key from your organization's self-service portal.
- 2. After you receive the email message with the access key information or have generated your own access key, download and install BlackBerry Access from Google Play.
- 3. Open BlackBerry
- 4. Read the license agreement and, if you accept the terms, tap **Accept**.
- 5. In the **Email Address** field, type the email address located in the activation email message that you received from your administrator or type your work email address if you generated your own access
- 6. In the **Access Key** field, enter the access key, without hyphens, located in your activation email message that you received from your administrator or enter the access key that you generated from the self-service The access key is not case sensitive.
- 7. Create and confirm a password for BlackBerry Access. If your device is equipped with biometric authentication, you can turn on this option to use instead of the password, except on initial
- 8. If other devices, including your principal workstation, are also signed in, you will receive a notice advising you of this condition. Tap **OK**.
- 9. Tap the BlackBerry Dynamics Launcher in the lower-right of the screen to start using BlackBerry Access.

Install BlackBerry Access and activate using the BlackBerry UEM Client

If you have installed the BlackBerry UEM Client on your device and your administrator has allowed the BlackBerry UEM Client to manage the activation of BlackBerry Dynamics apps, you do not have to use access keys to activate BlackBerry Access or any other BlackBerry Dynamics app that you want to install.

- 1. If the app was not automatically pushed to your device by your administrator, open your work app catalog and install the BlackBerry Access If you do not see the BlackBerry Access app in your work apps catalog, contact your administrator to make the app available to you.
- 2. On your device, tap BlackBerry
- 3. Wait while the activation completes and then click I agree to accept the end user license
- 4. Click Allow to allow BlackBerry Access to send.
- 5. Tap Set up using BlackBerry UEM Client.
- 6. Enter your password for the BlackBerry UEM

Use a third-party identity provider to activate a BlackBerry Dynamics app on a device

Before you begin:

- BlackBerry UEM 15 or later
- BlackBerry Dynamics apps compiled with BlackBerry Dynamics SDK 1 or later
- BlackBerry Enterprise Identity is enabled
- 1. Configure your organization's third-party identity provider to work with BlackBerry Enterprise
 - For information about configuring Okta and BlackBerry Enterprise Identity, see the <u>BlackBerry</u>
 <u>Enterprise Identity Administration Guide</u>. Ensure that the Microsoft Active Directory that your

organization's Okta instance uses is also configured in BlackBerry UEM through **Settings > External Integration > Company Directory**.

- For information about configuring PingFederate and BlackBerry Enterprise Identity, see the <u>BlackBerry</u> <u>Enterprise Identity Administration Guide</u>.
- 2. Do one of the following:
 - If you are using PingFederate or Okta, enable Dynamics Activation via Enterprise IDP as an OpenID
 Connect app.
 - If you are using Active Directory as the identity provider, add the **Dynamics Active Directory Activation** as an OpenID Connect app.
 - For more information, see the **BlackBerry Enterprise Identity Administration Guide**.
- 3. In BlackBerry UEM, set up your organization's identity For more information, see the *BlackBerry Enterprise Identity Administration Guide* PingFederate and Okta instructions.
- 4. In, create a BlackBerry Enterprise Identity Authentication Ensure you select Manage service exceptions, and add the Dynamics Activation via Enterprise IDP service. For more information, see the <u>BlackBerry</u> <u>Enterprise Identity Administration Guide.</u>
- 5. Assign the BlackBerry Enterprise Identity Authentication policy to For more information, see the **BlackBerry Enterprise Identity Administration Guide**.

Note that during the activation process, the user needs to select the **Sign in with your organization if instructed by your administrator** option, which will allow them to sign in using your organization's identity provider.

Unlock a BlackBerry Dynamics app using a third-party identity provider

If one of your BlackBerry Dynamics apps, such as BlackBerry Work, has been locked, you can use your organization's identity provider to unlock the app. Note that your organization's administrator has to enable this feature before you can use it.

- 1. On the **Application Remote locked** screen on the device, tap **Unlock**.
- 2. On the Application Unlock screen, tap Sign in.
- 3. Enter the email address that you use to sign in to your organization's identity provider and tap **Next**.
- 4. Enter the username that you use to sign in to your organization's identity provider and tap Next.
- 5. Enter the password that you use to sign in to your organization's identity provider and tap Sign in.
- 6. After the BlackBerry Dynamics app activates, enter and confirm a new

Activate a BlackBerry Dynamics app after a device restore using a third-party identity provider

After you have restored your device from a backup, you can log in to the device with your organization's third-party identity provider (for example, Okta or Ping Identity) credentials and activate BlackBerry Dynamics apps.

- 1. On the Application Unlock screen, tap Sign in.
- 2. Enter the email address that you use to sign in to your organization's identity provider and tap Next.
- 3. Enter the username that you use to sign in to your organization's identity provider and tap Next.
- 4. Enter the password that you use to sign in to your organization's identity provider and tap Sign in.
- 5. After the BlackBerry Dynamics app activates, enter and confirm a new

If you have forgotten the password for your BlackBerry Dynamics app, you can use your organization's third-party identity provider to set a new password.

- 1. When you are logging in to the app, on the password screen, tap Forgot password.
- 2. Tap Sign in.
- 3. Enter the email address that you use to sign in to your organization's identity provider and tap Next.
- 4. Enter the username that you use to sign in to your organization's identity provider and tap **Next**.
- 5. Enter the password that you use to sign in to your organization's identity provider and tap Sign in.
- 6. After the BlackBerry Dynamics app activates, enter and confirm a new password.

Using BlackBerry Access

Use the BlackBerry Dynamics Launcher

The BlackBerry Dynamics Launcher allows you to easily navigate to all of your business tools and apps with just a couple of taps.

To open the BlackBerry Dynamics Launcher, tap



2. Perform any of the following tasks:

Task	Steps
Open an app listed in the Launcher.	Tap the icon for the app that you want to open. Your options vary depending on the apps that you have inst alled.
Rearrange app icons in the Launcher.	Press and slide the icons in the Launcher to reorder them. Tap to save your arrangement.
Open a non-BlackBerry Dynamics app or web clip list ed in the Launcher.	If the BlackBerry UEM Client is installed on your devic e, your administrator can add app shortcuts for non-Bl ackBerry Dynamics apps and web clips in your Launch er. When you click an app shortcut, your browser open s the non-BlackBerry Dynamics app or opens the browser to the URL location specified by your administ rator. The app shortcut can open in your BlackBerry A ccess browser or you may be prompted to choose whi ch browser to use (BlackBerry Access or a native browser).Requires admin permission and the UEM Client. Launching browser-based web clips requires BlackBerry UEM server version 12.7 or later. Launching non-Bl ackBerry Dynamics apps requires BlackBerry UEM server version 12.7 MR1 or later.
Open the BlackBerry Dynamics app Settings.	Tap .
Open the Quick Create menu.	a. Tap. b. Tap an option to quickly create email, contacts, note s, tasks, and calendar events.
Open the BlackBerry UEM App Catalog.	Tap Apps . This option is only available if your device i s managed by BlackBerry UEM.See when there are new or updated apps available. The Apps icon display s a blue circle icon in the BlackBerry Dynamics Launcher when there are new apps or updates. Your d evice must be activated on BlackBerry UEM version 12.9 or later.
Close the Launcher.	Tap .
Move the location of the BlackBerry Dynamics Launcher icon.	Tap and slide it to place it anywhere on the screen.

View and search downloaded files

You can download files in BlackBerry Access. The name of the file that you want to download cannot be greater than 160 characters.

- 1. In BlackBerry Access, tap the overflow menu in the top
- 2. Tap **Downloads**.


- 3. If required, click to search for the file that you want to
- 4. Tap the file that you want to

View and search browsing history

You can perform a local search of web addresses in the BlackBerry Access history.

- 1. In BlackBerry Access, tap the overflow menu in the top
- 2. Tap History.
- 3. If required, click to search for the item that you are looking

Clear browsing data







3. In the **Browsing Data** section, perform any of the following tasks:

Task	Steps
Clear Credentials	Clears any credentials that you have allowed BlackB erry Access to store. If you perform this task, you will have to enter your login credentials again.
Clear Cookies	Clears your cookies and other website data.
Clear Cache	Clears your cached files.
Clear History	Clears your browsing history.
Clear Certificates	Clears any certificate authorizations that you have allowed BlackBerry Access to store. If you perform this task, you will have to authorize certificates again.
Clear Geolocation	Clears any location information stored in BlackBerry Access.

4. Click Done.

View and search bookmarks

You might see preloaded bookmarks that your administrator set in BlackBerry Access. You can also perform a local search of web addresses in BlackBerry Access bookmarks.

1. In BlackBerry Access, tap the overflow menu in the top

- Tap Bookmarks.
- 3. Tap Corporate Bookmarks.
- 4. If required, click to search for the bookmark that you are looking

Import and export bookmarks

- 1. You can import and export bookmarks so that you can share them on multiple
- to open the BlackBerry Dynamics 2. Tap



- 3. Tap
- 4. In the Advanced section, tap Bookmarks.
- 5. Do one of the following:
 - Tap **Import** and select an option to import
 - Tap Export and select an option to export

Scan a QR code

You can scan QR codes directly in BlackBerry Access. QR codes cannot be larger than 2078 bytes and must not contain any non-keyboard characters.

- 1. On a new tab, click in the search bar,
- 2. If required, complete the following steps to allow BlackBerry Access to use your
 - Click Settings.
 - 2. Slide the Camera slider setting to
 - 3. You can now return to BlackBerry
- 3. In BlackBerry Access scan the QR
- 4. Click Open URL, Search, or Copy.

Search webpages

You can perform a search query in webpages.

- 1. In BlackBerry Access, tap the overflow menu in the top
- 2. Tap Find in page.
- In the Find in page field, type your search Results are highlighted in the browser.
- 4. Click the up or down arrow to move between the

Request the desktop version of a website

You can request the desktop version of websites that are not optimized for mobile browsers. When you request the desktop version, the request applies only to the tab of the website that you have open.

- 1. In BlackBerry Access, tap the overflow menu in the top
- 2. Tap Desktop site.

Upload a photo, video, or a file to a webpage

You can upload files to webpage with a maximum file size of 100 MB. You can upload the following file types:

- Images (.jpeg, .bmp, .png)
- Videos (.webm, .mp4, .mpg)
- Documents (.doc, .html, .pdf, .xls, .ppt, .txt)
- Archives (.7z, .zip, .rar)
- 1. Tap the option on a web page to upload a
- 2. A dialog box appears that allows you to choose one of the following options:
 - Camera: Choose this option if you want to take a new photo and upload
 - Photos: Choose this option if you want to use a photo from your photo
 - Device Files: Choose this option if you want to upload a file from a location on your
 - BlackBerry Access Downloads: Choose this option if you want to upload a file from the downloads
- 3. Follow the steps required by the webpage to complete the file

Share a webpage

- 1. In BlackBerry Access, tap the overflow menu in the top
- 2. Tap Send Link.
- 3. An email message opens that contains the Enter the recipient information and click the **Send** icon.

Search engine links

In BlackBerry Access, your administrator can add search engine links to the browser. If your administrator configured this feature, you see search engine links at the end of your search results in bookmarks, history, or downloads. These links give you easier access to search engines when you perform searches.

Unqualified domain names

Your administrator can define a default Internet domain and allowed domains for you to use in BlackBerry Access. This allows you to reach servers using the unqualified domain names instead of the FQDN.

For example, if your company has an internal server running knowledge base software with an FQDN of kb.example.com, your administrator can configure domain information so that you can reach that server by typing "kb" in the browser.

Supported plugins

BlackBerry Access does not support the following plugins (applet ,object, embed):

Microsoft ActiveX

- Adobe Flash (applet, object, embed)
- Applets
- · Web Sockets

Supported languages

The controls for BlackBerry Access are available in the following languages. Webpages are rendered in the language they are written in.

- Danish
- Dutch
- English
- French
- German
- Italian
- Japanese
- Korean
- Portuguese
- · Simplified Chinese
- Spanish
- Swedish

Cookies

BlackBerry Access supports both persistent and non-persistent cookies. In general, these are used to maintain session information.

Support for multiwindow mode

BlackBerry Access for Android supports multi-window mode in Android 7.0 and later.

Install .apk files

If your administrator allows, you can use BlackBerry Access to download and install .apk files. BlackBerry Access expects the MIME type from the server from which you are downloading the APK file to be: application/vnd.android.package-archive. Other MIME types might not work as expected.

- 1. In the Android device settings, perform the following tasks:
 - 1. Tap Security.
 - 2. Make sure the checkbox beside Unknown Sources is
- 2. In BlackBerry Access, perform the following tasks:
 - 1. Download an .apk
 - 2. In the **Downloads** folder, find the .apk file that you
 - 3. Tap the file to install

Security

Protecting a lost or stolen device

If your device is lost or stolen, you can contact your administrator to remotely erase BlackBerry Access data from your device.

Secure storage of browsing activity

All BlackBerry Access browsing activity, including browser data, the cache, and cookies, are encrypted and stored in a secure container on devices. The secure container ensures that work data is stored separately from personal data on devices.

Enable RSA soft token authentication

BlackBerry Access contains an embedded RSA SecurID authenticator that can generate and display a 6-digit or 8- digit token code at 30 or 60 second intervals. You must enable RSA SecurID authentication before you can use it.

After the setup, the BlackBerry Dynamics Launcher screen shows a soft token icon, which you can use to configure token settings.

Before you begin:

- Verify that you have received the two-factor authentication application that you need to access your network or resources. This app is specific to each organization.
- Verify that you have received an email message that includes a link for your RSA token from your
- 1. In any BlackBerry Dynamics app, such as BlackBerry Work or BlackBerry Access, read the email that includes the CTF URL from your administrator.
- 2. In the email, tap the provided
- 3. When you are prompted, set a PIN for RSA
- 4. BlackBerry Access displays your RSA token This token is timed to expire in the number of seconds displayed below the token code. Click the button on the left to copy the code, or click the button on the right to display the next token code if you feel you don't have enough time to paste the code into your authentication app.
- 5. Paste the copied token into your authentication

After this setup in BlackBerry Access, the launcher screen shows a **Softtoken** icon, which you can use to configure **Token Settings**.

View the connection status of a web address

You can now view whether a web address has a secure connection. When you view a website, you can view the certificate information and level of encryption data for the browser. You also have the option to proceed to the insecure web address and stop using an invalid certificate.

- 1. In BlackBerry Access, navigate to a web
- 2. On the address bar, click the security
- 3. You can view the following information for the web address:
 - · The connection status of the site
 - · Data encryption of the site
 - · Certificate information

Device location, when applicable

Troubleshooting

Diagnostics

If your administrator allows, you can perform app diagnostics for BlackBerry Access.

You can use diagnostic tools to check the connection between BlackBerry Access and BlackBerry Proxy and other target servers.

Generate a diagnostics report

You can generate a diagnostics report and share the results with your administrator.



- 2. to open the BlackBerry Dynamics



- 3. Tap
- In the Advanced section, tap Run Diagnostics.
- 5. Tap Start Diagnostics.
- 6. When the diagnostics are complete, click Share Results to send an email with the report

Troubleshoot issues using the BlackBerry Access console

You can use the BlackBerry Access console to help you find possible causes of issues that you might encounter.

For example, if you cannot access a particular website, you can look at the console messages to see if your access has been blocked by your administrator. If your administrator blocks your access to a website, the console might display a message similar to this: 14:11:05 10/02/2014 Content from sync.example.com is blocked.

- 1. In BlackBerry Access, tap to open the BlackBerry Dynamics
- 2. Tap
- 3. In the Advanced section, tap Console.
- 4. Look at the displayed messages to see if they indicate what the problem

Troubleshoot connectivity issues

Your administrator may require you to perform some connectivity tests if you are having issues connecting to a website.

- 1. In BlackBerry Access, tap to open the BlackBerry Dynamics
- 2. Tap .
- 3. In the **Advanced** section, click **Net Tools**.

- 4. Enter the URL or IP address that your administrator wants you to
- 5. Select either Ping, NS Lookup, or PAC Resolver as instructed by your
- 6. Communicate the results to your

Troubleshoot issues using dev tools

You can use Google Chrome Developer Tools to help you troubleshoot the BlackBerry Access browser. If your access is blocked by your administrator, the BlackBerry Access browser is not available in Google Chrome developer tools.

Before you begin:


- Verify that BlackBerry Access for desktop is enabled for developer mode by your
- Verify that Google Chrome version 32 or later installed is on your
- Verify that BlackBerry Access is installed and activated on your
- 1. Connect your device to your
- 2. On your device, open the BlackBerry Access app and navigate to a web
- 3. On your desktop, open Google
- 4. Complete one of the following tasks:
 - On a computer running a Windows operating system, click the overflow menu > More tools > Developer tools.
 - On a computer running macOS, on the menu, click View > Develop > Developer Tools.
- 5. In the **Devices** section, click the device that is connected to the
- 6. On the **Remote devices** tab, the following information is listed:
 - The BlackBerry Access app
 - Open web address tabs
- 7. You can perform the following tests:

Task	Steps
Reload the web address in the open tab	Click the overflow menu > Reload.
Change focus to another tab	Beside the web address that you want to switch focus to, click the overflow menu > Focus .
Close a tab	Beside the web address that you want to close, click t he overflow menu > Close.
Open a new tab	 a. In the New tab field, type the web address you wan t to open. b. Click Open.
Open a debug window for a web address	Beside the web address that you want to debug, click I nspect. You can view browser error messages that might be present and browser elements.

Upload log files to BlackBerry Support

If requested by BlackBerry Support, you can upload log files to help troubleshoot an issue you are having with


BlackBerry Dynamics apps. Your administrator can enable detailed app logging to debug level. When enabled, the app logs can assist in finding possible causes of issues that users might encounter.



- 2. Tap
- 3. In the Advanced section, tap Logs, then tap Upload Logs. The Log upload status bar displays the upload progress. If detailed logging is enabled, the Detailed app Logging checkbox is This feature cannot be enabled or disabled in BlackBerry Access.
- 4. Click Close.

Send feedback to BlackBerry

If you have feedback about the BlackBerry Dynamics app that you are using, you can send it to BlackBerry.





- 3. In the BlackBerry Access section, click Feedback.
- 4. An email message with the proper recipient name, subject line, and app details will be prepopulated for Add your feedback to the email message and click the **Send** icon.

Legal notice

©2023 BlackBerry Limited. Trademarks, including but not limited to BLACKBERRY, BBM, BES, EMBLEM Design, ATHOC, CYLANCE and SECUSMART are the trademarks or registered trademarks of BlackBerry Limited, its subsidiaries and/or affiliates, used under license, and the exclusive rights to such trademarks are expressly reserved. All other trademarks are the property of their respective owners.

Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Android, Google Chrome, and Google Play are trademarks of Google Inc. Cisco WebEx is a trademark of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries. Microsoft and ActiveX are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. RSA SecurID is a trademark of RSA Security. Salesforce is a trademark of salesforce.com, inc. and is used here with permission. All other trademarks are the property of their respective owners.

This documentation including all documentation incorporated by reference herein such as documentation provided or made available on the BlackBerry website provided or made accessible "AS IS" and "AS AVAILABLE" and without condition, endorsement, guarantee, representation, or warranty of any kind by BlackBerry Limited and its affiliated companies ("BlackBerry") and BlackBerry assumes no responsibility for any typographical, technical, or other inaccuracies, errors, or omissions in this documentation. In order to protect BlackBerry proprietary and confidential information and/or trade secrets, this documentation may describe some aspects of BlackBerry technology in generalized terms. BlackBerry reserves the right to periodically change information that is contained in this documentation; however, BlackBerry makes no commitment to provide any such changes, updates, enhancements, or other additions to this documentation to you in a timely manner or at all.

This documentation might contain references to third-party sources of information, hardware or software, products or services including components and content such as content protected by copyright and/or third- party websites (collectively the "Third Party Products and Services"). BlackBerry does not control, and is not responsible for, any Third Party Products and Services including, without limitation the content, accuracy, copyright compliance, compatibility, performance, trustworthiness, legality, decency, links, or any other aspect of Third Party Products and Services. The inclusion of a reference to Third Party Products and Services in this documentation does not imply endorsement by BlackBerry of the Third Party Products and Services or the third party in any way.

EXCEPT TO THE EXTENT SPECIFICALLY PROHIBITED BY APPLICABLE LAW IN YOUR JURISDICTION, ALL CONDITIONS, ENDORSEMENTS, GUARANTEES, REPRESENTATIONS, OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY CONDITIONS, ENDORSEMENTS, GUARANTEES, REPRESENTATIONS OR WARRANTIES OF DURABILITY, FITNESS FOR A PARTICULAR PURPOSE OR USE, MERCHANTABILITY, MERCHANTABLE QUALITY, NON-INFRINGEMENT, SATISFACTORY QUALITY, OR TITLE, OR ARISING FROM A STATUTE OR CUSTOM OR A COURSE OF DEALING OR USAGE OF TRADE, OR RELATED TO THE DOCUMENTATION OR ITS USE, OR PERFORMANCE OR NON-PERFORMANCE OF ANY SOFTWARE, HARDWARE, SERVICE, OR ANY THIRD PARTY PRODUCTS AND SERVICES REFERENCED HEREIN, ARE HEREBY EXCLUDED. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY BY STATE OR PROVINCE. SOME JURISDICTIONS MAY

NOT ALLOW THE EXCLUSION OR LIMITATION OF IMPLIED WARRANTIES AND CONDITIONS. TO THE EXTENT PERMITTED BY LAW, ANY IMPLIED WARRANTIES OR CONDITIONS RELATING TO THE DOCUMENTATION TO THE EXTENT THEY CANNOT BE EXCLUDED AS SET OUT ABOVE, BUT CAN BE LIMITED, ARE HEREBY LIMITED TO NINETY (90) DAYS FROM THE DATE YOU FIRST ACQUIRED THE DOCUMENTATION OR THE ITEM THAT IS THE SUBJECT OF THE CLAIM.

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN YOUR JURISDICTION, IN NO EVENT SHALL BLACKBERRY BE LIABLE FOR ANY TYPE OF DAMAGES RELATED TO THIS DOCUMENTATION OR ITS USE, OR PERFORMANCE OR NON-PERFORMANCE OF ANY SOFTWARE, HARDWARE, SERVICE, OR ANY THIRD PARTY PRODUCTS AND SERVICES REFERENCED HEREIN INCLUDING WITHOUT LIMITATION ANY OF THE

FOLLOWING DAMAGES: DIRECT, CONSEQUENTIAL, EXEMPLARY, INCIDENTAL, INDIRECT, SPECIAL, PUNITIVE, OR AGGRAVATED DAMAGES, DAMAGES FOR LOSS OF PROFITS OR REVENUES, FAILURE TO REALIZE ANY

EXPECTED SAVINGS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, LOSS OF BUSINESS OPPORTUNITY, OR CORRUPTION OR LOSS OF DATA, FAILURES TO TRANSMIT OR RECEIVE ANY DATA, PROBLEMS ASSOCIATED WITH ANY APPLICATIONS USED IN CONJUNCTION WITH BLACKBERRY PRODUCTS OR SERVICES, DOWNTIME COSTS, LOSS OF THE USE OF BLACKBERRY PRODUCTS OR SERVICES OR ANY PORTION THEREOF OR OF ANY AIRTIME SERVICES, COST OF SUBSTITUTE GOODS, COSTS OF COVER, FACILITIES OR SERVICES, COST OF CAPITAL, OR OTHER SIMILAR PECUNIARY LOSSES, WHETHER OR NOT SUCH DAMAGES WERE FORESEEN OR UNFORESEEN, AND EVEN IF BLACKBERRY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN YOUR JURISDICTION, BLACKBERRY SHALL HAVE NO OTHER OBLIGATION, DUTY, OR LIABILITY WHATSOEVER IN CONTRACT, TORT, OR OTHERWISE TO YOU INCLUDING ANY LIABILITY FOR NEGLIGENCE OR STRICT LIABILITY.

THE LIMITATIONS, EXCLUSIONS, AND DISCLAIMERS HEREIN SHALL APPLY: (A) IRRESPECTIVE OF THE NATURE OF THE CAUSE OF ACTION, DEMAND, OR ACTION BY YOU INCLUDING BUT NOT LIMITED TO BREACH OF CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR ANY OTHER LEGAL THEORY AND SHALL SURVIVE A FUNDAMENTAL BREACH OR BREACHES OR THE FAILURE OF THE ESSENTIAL PURPOSE OF THIS AGREEMENT OR OF ANY REMEDY CONTAINED HEREIN; AND (B) TO BLACKBERRY AND ITS AFFILIATED COMPANIES, THEIR SUCCESSORS, ASSIGNS, AGENTS, SUPPLIERS (INCLUDING AIRTIME SERVICE PROVIDERS), AUTHORIZED BLACKBERRY DISTRIBUTORS (ALSO INCLUDING AIRTIME SERVICE PROVIDERS) AND THEIR RESPECTIVE DIRECTORS, EMPLOYEES, AND INDEPENDENT

CONTRACTORS.

IN ADDITION TO THE LIMITATIONS AND EXCLUSIONS SET OUT ABOVE, IN NO EVENT SHALL ANY DIRECTOR, EMPLOYEE, AGENT, DISTRIBUTOR, SUPPLIER, INDEPENDENT CONTRACTOR OF BLACKBERRY OR ANY AFFILIATES OF BLACKBERRY HAVE ANY LIABILITY ARISING FROM OR RELATED TO THE DOCUMENTATION.

Prior to subscribing for, installing, or using any Third Party Products and Services, it is your responsibility to ensure that your airtime service provider has agreed to support all of their features. Some airtime service providers might not offer Internet browsing functionality with a subscription to the BlackBerry® Internet Service. Check with your service provider for availability, roaming arrangements, service plans and features. Installation or use of Third Party Products and Services with BlackBerry's products and services may require one or more patent, trademark, copyright, or other licenses in order to avoid infringement or violation of third party rights. You are solely responsible for determining whether to use Third Party Products and Services and if any third party licenses are required to do so. If required you are responsible for acquiring them. You should not install or use Third Party Products and Services until all necessary licenses have been acquired. Any Third Party Products and Services that are provided with BlackBerry's products and services are provided as a convenience to you and are provided "AS IS" with no express or implied conditions, endorsements, guarantees, representations, or warranties of any kind by BlackBerry and BlackBerry assumes no liability whatsoever, in relation thereto. Your use of Third Party Products and Services shall be governed by and subject to you agreeing to the terms of separate licenses and other agreements applicable thereto with third parties, except to the extent expressly covered by a license or other agreement with BlackBerry.

The terms of use of any BlackBerry product or service are set out in a separate license or other agreement with BlackBerry applicable thereto. NOTHING IN THIS DOCUMENTATION IS INTENDED TO SUPERSEDE ANY EXPRESS WRITTEN AGREEMENTS OR WARRANTIES PROVIDED BY BLACKBERRY FOR PORTIONS OF ANY BLACKBERRY PRODUCT OR SERVICE OTHER THAN THIS DOCUMENTATION.

BlackBerry Enterprise Software incorporates certain third-party software. The license and copyright information associated with this software is available at http://worldwide.blackberry.com/legal/thirdpartysoftware.jsp.

BlackBerry Limited 2200 University Avenue East Waterloo, Ontario Canada N2K 0A7

BlackBerry UK Limited Ground Floor, The Pearce Building, West Street, Maidenhead, Berkshire SL6 1RL United Kingdom Published in Canada Legal notice

Documents / Resources



blackberry Access App Android [pdf] User Guide Access App Android, Access, App Android, Android

References

- The Number 1 CRM Software Salesforce
- Mobile/desktop OS and enterprise applications compatibility matrix
- : Create an Enterprise Identity authentication policy
- Assign an Enterprise Identity policy to a user group
- Allowing users to authenticate with PingFederate
- # Third Party Components
- User Manual

Manuals+, Privacy Policy