

Blackburn Luminate 360 Light Set User Manual

Home » Blackburn » Blackburn Luminate 360 Light Set User Manual



Contents

- 1 Blackburn® Luminate™ 360 Light Set User Manual
 - 1.1 Quick Start
 - 1.2 Fuel Gauge
 - 1.3 USB Charging
 - 1.4 Dayblazer™ 550 Front
 - 1.5 Grid™ Rear
 - 1.6 Grid™ Side
 - 1.7 Accessories & Replacement Parts
- 2 Documents / Resources
- **3 Related Posts**

Blackburn® Luminate™ 360 Light Set User Manual



LUMINATE™ 360

USB Rechargeable Light Set #7149584

Quick Start

- 1. Push button to power on.
- 2. SINGLE-Click to cycle modes.
- 3. Hold 1 second to power off, light powers back on in the last mode used.

Fuel Gauge

Color LEDs in the power button help you monitor your light battery power, indicating that it's time to charge your light.

USB Charging

Fully charge the light before first use. The light indicator will flash when charging. When charging is complete the fuel gauge will be a steady green.

Dayblazer™ 550 Front

Blitz: 1 hour at 550 Lumens High: 1.5 hours at 275 Lumens Low: 5 hours at 75 Lumens Pulse: 5.5 hours at 100 Lumens Strobe: 12 hours at 65 Lumens



MOUNTING

Pull strap around handlebar and attach to hook. Fits most handlebars. Fits handlebars 22-35mm and most bike helmets (mount sold separately).

INCLUDES

(1) Li Po Battery, (1) OSRAM 3737 LED

Grid™ Rear

Solid: 1.5 hours at 40 lumens

Pulse: 4 hours at 30 lumens (+2 hours *auto-eco) Strobe: 7.5 hours at 20 lumens (+2 hours *auto-eco)

ECO Flash: 20 hours at 20 lumens

100-50% 50-25% <25-0%

MOUNTING

Fits most handlebars, seatposts, seatstays, racks, and bag light loops.

INCLUDES

(1) Li Po Battery, (1) Silicone strap

Grid™ Side

Solid: 1.5 hours at 110 Lumens

Pulse: 4 hours at 55 Lumens (+2 hours *auto-eco) Strobe: 6 hours at 40 Lumens (+2 hours *auto-eco)

ECO: 20 hours at 40 Lumens



^{*}Auto-eco switches on automatically at the end of Pulse and Strobe run times for an additional 2hrs of runtime.

MOUNTING

Pull 0-ring around fork and secure to mounting hook.

INCLUDES


(2) Li Po batteries, (4) 0-rings

Accessories & Replacement Parts


- Dayblazer 550: Action-camera helmet mount #7105045
- Dayblazer 550: Handlebar mount #7105046
- Grid Side Light 0-rings (2) 65mm, and (2) 35mm #7115221
- Grid light silicone strap #7157546
- Dual head USB-C charging cable #7157548

Power button / Fuel gauge Bouton d'alimentation / Jauge de charge Einschalttaste / Kapazitätsanzeige





GRID™ Side 0-rings (2) 65mm, Large fork (2) 35mm, Small fork





WARNING: Potential choking hazard to children. This light is extremely bright—do not aim directly into eyes. UK ONLY: When used for cycling, this light should be used in conjunction with a British Standard 6102/3 cycle light.



WARNING: This product contains Bisphenol A which is known to the State of California to cause reproductive harm.

FCC Statement: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: • Reorient or relocate the receiving antenna. • Increase the separation between the equipment and receiver. • Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. • Consult the dealer or an experienced radio/TV technician for help. Shielded interface cable must be used with the equipment in order to comply with the limits for a digital device pursuant to Subpart B of Part 15 of FCC Rules. Specifications and designs are subject to change without any notice or obligation on the part of the manufacturer.

Customer Service: 1-800-456-2355



Documents / Resources



Blackburn Luminate 360 Light Set [pdf] User Manual Luminate 360 Light Set, Luminate 360, Light Set, Set

Manuals+.