

Blanco Drink Filter Starter Set



Blanco Drink Filter Starter Set Instruction Manual

[Home](#) » [BLANCO](#) » Blanco Drink Filter Starter Set Instruction Manual 

Contents

- [1 Blanco Drink Filter Starter Set](#)
- [2 Product Specifications](#)
- [3 Product Usage Instructions](#)
- [4 PRE-CAUTION](#)
- [5 INSTALLATION INSTRUCTION](#)
- [6 FAQ](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)

BLANCO

Blanco Drink Filter Starter Set



Product Specifications

- **Brand:** BLANCO
- **Model:** DRINK FILTER STARTER SET
- **Pressure Range:** 2 – 8 bar / 29 – 116 psi
- **Connection Sizes:** 1x 3/4" (19 mm), 2x 5/8" (16 mm)
- **Maximum Torque:** 15 Nm
- **Minimum Capacity:** 3 gallons (10 liters)
- **Expiration Date:** 10/2023

Product Usage Instructions


Installation

1. Ensure the water pressure is within the specified range of 2 – 8 bar (29 – 116 psi).
2. Connect the filter starter set using the provided connection sizes: 1x 3/4" and 2x 5/8".
3. Tighten the connections with a torque wrench, ensuring not to exceed the maximum torque of 15 Nm.









Usage


Once installed, the BLANCO DRINK FILTER STARTER SET is ready to filter your water. Ensure that the filter is by the expiration date for optimal performance.

PRE-CAUTION



INSTALLATION INSTRUCTION





BLANCO America Inc.

- **ADDRESS:** 110 Mount Holly Bypass Lumberton, New Jersey 08048
- **Toll free phone:** 1-[800-451-5782](tel:8004515782)
- **Toll free fax:** 1-[800-213-1963](tel:8002131963)
- service.us@blanco.com

BLANCO Canada Inc.

- **ADDRESS:** 100 Corporation Drive
- Brampton, Ontario L6S 6B5
- **Toll free phone:** 1-[877-425-2626](tel:8774252626)
- **Toll free fax:** 1-[877-825-2626](tel:8778252626)
- service.ca@blanco.com

FAQ

- **Q: What should I do if the water pressure is outside the specified range?**
 - A: If the water pressure is below or above the recommended range of 2 – 8 bar (29 – 116 psi), consult a professional plumber to adjust the pressure accordingly.
- **Q: How often should I replace the filter?**
 - A: The filter should be replaced at least by the expiration date printed on the product for continued effective filtration.

Documents / Resources

 BLANCO BLANCO DRINK FILTER STARTER SET © 1 2 3 1. Filter 2. Filter 3. Filter	BLANCO Blanco Drink Filter Starter Set [pdf] Instruction Manual Drink Filter Starter Set, Filter Starter Set, Starter Set, Set
---	---

References

- [B Kitchen Sinks & Taps | BLANCO | BLANCO](#)
- [B Shop Country Selector | BLANCO](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.